





Age-Adjusted Incidence Rates
All Invasive Malignant Tumors
Both Males and Females
New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.




Age-Adjusted Incidence Rates
Oral Cavity and Pharynx Cancer
Both Males and Females
New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.





Age-Adjusted Incidence Rates
Esophageal Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates
Stomach Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.


Age-Adjusted Incidence Rates
 Colorectal Cancer
 Both Males and Females
 New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.





Age-Adjusted Incidence Rates
Liver and Intrahepatic Bile Duct Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates
Pancreatic Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.


Age-Adjusted Incidence Rates
Laryngeal Cancer
Both Males and Females
New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

New York State Rate:
57.6 cases per 100,000



Age-Adjusted Incidence Rates Lung and Bronchus Cancer Both Males and Females New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates
 Melanoma of the Skin
 Both Males and Females
 New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates
Urinary Bladder Cancer
Both Males and Females
New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates
Kidney and Renal Pelvis Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates
Brain and Nervous System Cancer
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates
Thyroid Cancer
Both Males and Females
New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates
Hodgkin Lymphoma
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.



New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates

Non-Hodgkin Lymphoma


Both Males and Females

New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates
Multiple Myeloma
Both Males and Females
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.



New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates

Leukemia

Both Males and Females



New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Males All Invasive Malignant Tumors New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Oral Cavity and Pharynx Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Esophageal Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Stomach Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Males Colorectal Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Liver and Intrahepatic Bile Duct Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Pancreatic Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Laryngeal Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Males Lung and Bronchus Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Males
 Melanoma of the Skin
 New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Males Prostate Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Testicular Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Urinary Bladder Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Kidney and Renal Pelvis Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Brain and Nervous System Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Thyroid Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Hodgkin Lymphoma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Non-Hodgkin Lymphoma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Multiple Myeloma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Males Leukemia New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females All Invasive Malignant Tumors New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Oral Cavity and Pharynx Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Esophageal Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Stomach Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.


New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Colorectal Cancer New York State, by County, 2015-2019




Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.





Age-Adjusted Incidence Rates, Females
Liver and Intrahepatic Bile Duct Cancer
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Pancreatic Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Laryngeal Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Lung and Bronchus Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Melanoma of the Skin New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Breast Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Cervical Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Uterine Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Ovarian Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Urinary Bladder Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females
Kidney and Renal Pelvis Cancer
New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Brain and Nervous System Cancer New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Thyroid Cancer New York State, by County, 2015-2019





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Hodgkin Lymphoma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 → Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Non-Hodgkin Lymphoma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.



Age-Adjusted Incidence Rates, Females Multiple Myeloma New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.

Age-Adjusted Incidence Rates, Females Leukemia New York State, by County, 2015-2019



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2021.