

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
New York State**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	116044.4	484.8	483.6-486.1	57760.0	529.4	527.4-531.4	58284.4	456.6	454.9-458.3	34210.0	138.9	138.2-139.6	17105.2	162.4	161.3-163.5	17104.8	123.0	122.1-123.8
Oral cavity and pharynx	2771.2	11.4	11.2-11.6	1891.6	17.0	16.6-17.3	879.6	6.8	6.6-7.0	537.4	2.2	2.1-2.2	374.0	3.4	3.3-3.6	163.4	1.2	1.1-1.2
Esophagus	1099.6	4.4	4.3-4.5	827.6	7.5	7.2-7.7	272.0	2.0	1.9-2.1	835.6	3.3	3.2-3.4	645.0	5.9	5.7-6.1	190.6	1.3	1.3-1.4
Stomach	2041.2	8.5	8.4-8.7	1205.4	11.2	10.9-11.5	835.8	6.4	6.2-6.6	804.4	3.3	3.2-3.4	479.6	4.6	4.4-4.8	324.8	2.4	2.3-2.5
Colorectal	8974.0	37.7	37.4-38.1	4613.8	43.3	42.7-43.9	4360.2	33.2	32.7-33.6	2947.8	12.0	11.8-12.2	1480.0	14.1	13.8-14.5	1467.8	10.3	10.1-10.6
Colon excluding rectum	6336.2	26.5	26.2-26.8	3101.4	29.3	28.8-29.8	3234.8	24.3	23.9-24.7	2359.2	9.6	9.4-9.8	1147.2	11.0	10.7-11.3	1212.0	8.5	8.3-8.7
Rectum & rectosigmoid	2637.8	11.2	11.0-11.4	1512.4	14.0	13.7-14.3	1125.4	8.9	8.6-9.1	588.6	2.4	2.3-2.5	332.8	3.1	3.0-3.3	255.8	1.8	1.7-2.0
Liver / intrahepatic bile duct	2236.2	8.9	8.7-9.1	1582.6	13.8	13.5-14.1	653.6	4.8	4.6-5.0	1441.4	5.8	5.6-5.9	964.2	8.6	8.4-8.9	477.2	3.4	3.3-3.6
Pancreas	3551.2	14.4	14.2-14.7	1770.6	16.4	16.0-16.7	1780.6	12.9	12.6-13.1	2687.4	10.8	10.6-11.0	1332.8	12.4	12.1-12.7	1354.6	9.5	9.3-9.8
Larynx	743.8	3.0	2.9-3.1	587.4	5.2	5.0-5.4	156.4	1.2	1.1-1.3	209.6	0.8	0.8-0.9	165.0	1.5	1.4-1.6	44.6	0.3	0.3-0.4
Lung and bronchus	14234.8	57.6	57.2-58.0	6901.0	63.7	63.0-64.4	7333.8	53.4	52.8-53.9	7794.0	31.4	31.1-31.7	3997.2	37.4	36.9-38.0	3796.8	27.0	26.7-27.4
Melanoma of the skin	4260.8	18.1	17.9-18.4	2471.0	23.4	22.9-23.8	1789.8	14.4	14.1-14.8	389.2	1.6	1.5-1.7	244.4	2.3	2.2-2.5	144.8	1.0	1.0-1.1
Female breast							16819.0	135.7	134.7-136.6							2513.8	18.6	18.3-19.0
Cervix uteri							840.6	7.7	7.4-7.9							240.4	2.0	1.8-2.1
Corpus uterus and NOS							4198.0	31.7	31.3-32.1							825.4	5.9	5.8-6.1
Ovary							1446.8	11.6	11.3-11.9							882.8	6.5	6.3-6.7
Prostate				15242.4	130.7	129.8-131.7							1712.6	17.0	16.7-17.4			
Testis				580.2	6.1	5.9-6.4							21.2	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	5446.2	22.2	21.9-22.4	4061.8	38.5	37.9-39.0	1384.4	10.0	9.7-10.2	983.0	3.9	3.8-4.0	685.4	6.8	6.6-7.0	297.6	2.0	1.9-2.1
Kidney and renal pelvis	4073.4	17.1	16.9-17.3	2624.0	24.0	23.6-24.5	1449.4	11.3	11.0-11.5	682.4	2.8	2.7-2.9	438.0	4.1	3.9-4.3	244.4	1.7	1.6-1.8
Brain and other central nervous system	1429.2	6.5	6.4-6.7	792.4	7.7	7.5-8.0	636.8	5.5	5.3-5.7	891.4	3.8	3.7-3.9	495.2	4.6	4.5-4.8	396.2	3.1	3.0-3.2
Thyroid	4026.4	19.3	19.0-19.6	1054.4	10.3	10.0-10.6	2972.0	27.9	27.4-28.4	127.4	0.5	0.5-0.6	55.2	0.5	0.5-0.6	72.2	0.5	0.5-0.6
Hodgkin lymphoma	632.6	3.1	3.0-3.2	342.6	3.5	3.3-3.7	290.0	2.8	2.6-2.9	64.8	0.3	0.2-0.3	37.8	0.4	0.3-0.4	27.0	0.2	0.2-0.3
Non-Hodgkin lymphomas	5066.6	21.5	21.2-21.8	2721.2	25.8	25.4-26.3	2345.4	18.1	17.8-18.4	1202.8	4.9	4.8-5.1	671.2	6.5	6.3-6.8	531.6	3.8	3.6-3.9
Myeloma	2006.4	8.2	8.1-8.4	1087.4	10.1	9.8-10.3	919.0	6.8	6.6-7.0	704.8	2.8	2.7-2.9	371.4	3.5	3.4-3.7	333.4	2.3	2.2-2.4
Leukemias	3750.8	16.0	15.8-16.3	2174.6	20.9	20.5-21.3	1576.2	12.3	12.0-12.6	1385.6	5.8	5.6-5.9	778.8	7.7	7.4-7.9	606.8	4.4	4.2-4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
New York City

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	42153.8	443.9	441.9-445.8	20257.6	484.6	481.6-487.7	21896.2	420.3	417.8-422.9	12414.8	128.9	127.9-129.9	6062.6	151.8	150.1-153.6	6352.2	114.0	112.7-115.3
Oral cavity and pharynx	946.4	9.9	9.6-10.2	619.6	14.6	14.1-15.2	326.8	6.2	5.9-6.5	203.6	2.1	2.0-2.2	142.0	3.4	3.2-3.7	61.6	1.1	1.0-1.2
Esophagus	321.4	3.3	3.1-3.4	230.0	5.5	5.1-5.8	91.4	1.6	1.5-1.8	226.8	2.3	2.2-2.5	164.8	4.0	3.7-4.3	62.0	1.1	1.0-1.2
Stomach	990.0	10.4	10.1-10.7	563.8	13.7	13.2-14.3	426.2	8.0	7.6-8.3	436.2	4.6	4.4-4.8	259.0	6.5	6.1-6.9	177.2	3.2	3.0-3.4
Colorectal	3513.4	37.1	36.5-37.7	1810.8	44.0	43.1-45.0	1702.6	31.9	31.2-32.6	1168.0	12.1	11.8-12.4	578.0	14.5	14.0-15.1	590.0	10.4	10.0-10.8
Colon excluding rectum	2463.0	26.0	25.5-26.4	1222.2	29.9	29.1-30.7	1240.8	23.0	22.4-23.6	951.2	9.9	9.6-10.1	457.2	11.5	11.0-12.0	494.0	8.7	8.3-9.0
Rectum & rectosigmoid	1050.4	11.2	10.8-11.5	588.6	14.1	13.6-14.6	461.8	8.9	8.5-9.2	216.8	2.3	2.1-2.4	120.8	3.0	2.8-3.3	96.0	1.7	1.6-1.9
Liver / intrahepatic bile duct	1077.6	10.9	10.6-11.2	754.8	17.4	16.8-17.9	322.8	5.8	5.5-6.1	663.4	6.8	6.5-7.0	441.4	10.4	10.0-10.9	222.0	3.9	3.7-4.2
Pancreas	1302.4	13.5	13.2-13.8	626.0	15.2	14.7-15.8	676.4	12.1	11.7-12.5	999.6	10.3	10.0-10.6	475.0	11.7	11.2-12.2	524.6	9.2	8.9-9.6
Larynx	263.6	2.7	2.6-2.8	207.8	4.9	4.6-5.2	55.8	1.0	0.9-1.2	81.2	0.8	0.7-0.9	65.4	1.6	1.4-1.8	15.8	0.3	0.2-0.3
Lung and bronchus	4429.4	45.9	45.3-46.5	2212.6	54.1	53.1-55.2	2216.8	40.1	39.4-40.9	2365.6	24.4	24.0-24.9	1251.8	31.1	30.3-31.9	1113.8	19.7	19.2-20.2
Melanoma of the skin	938.2	10.0	9.7-10.3	520.2	12.9	12.4-13.5	418.0	8.0	7.7-8.4	90.4	1.0	0.9-1.0	54.8	1.4	1.2-1.6	35.6	0.6	0.6-0.8
Female breast							6464.8	127.4	126.0-128.8							1028.0	18.9	18.4-19.5
Cervix uteri							432.2	9.0	8.6-9.4							115.8	2.3	2.1-2.5
Corpus uterus and NOS							1689.8	31.5	30.8-32.2							394.4	7.0	6.7-7.4
Ovary							575.8	11.3	10.9-11.7							347.8	6.4	6.1-6.7
Prostate				5551.4	126.8	125.3-128.4							701.4	18.5	17.9-19.2			
Testis				220.4	5.1	4.8-5.4							7.2	0.2	0.1-0.2			
Urinary bladder (incl. in situ)	1593.2	16.6	16.2-17.0	1176.2	29.6	28.8-30.4	417.0	7.5	7.2-7.8	319.4	3.3	3.1-3.5	217.0	5.7	5.4-6.1	102.4	1.7	1.6-1.9
Kidney and renal pelvis	1404.0	14.8	14.4-15.1	892.4	21.2	20.5-21.8	511.6	9.7	9.3-10.1	229.4	2.4	2.2-2.5	153.2	3.8	3.5-4.1	76.2	1.3	1.2-1.5
Brain and other central nervous system	530.4	5.9	5.7-6.1	291.6	7.1	6.7-7.5	238.8	4.9	4.6-5.2	290.6	3.1	3.0-3.3	157.0	3.8	3.6-4.1	133.6	2.6	2.4-2.8
Thyroid	1817.8	20.4	20.0-20.8	437.6	10.4	10.0-10.9	1380.2	29.4	28.7-30.1	51.6	0.5	0.5-0.6	20.0	0.5	0.4-0.6	31.6	0.6	0.5-0.6
Hodgkin lymphoma	260.6	3.0	2.8-3.1	141.8	3.4	3.2-3.7	118.8	2.6	2.4-2.8	24.0	0.3	0.2-0.3	13.6	0.3	0.3-0.4	10.4	0.2	0.2-0.3
Non-Hodgkin lymphomas	1870.8	20.0	19.6-20.4	989.0	24.2	23.5-24.9	881.8	16.8	16.3-17.3	432.0	4.5	4.3-4.7	240.0	6.1	5.8-6.5	192.0	3.4	3.2-3.6
Myeloma	859.6	8.9	8.7-9.2	440.0	10.6	10.2-11.1	419.6	7.7	7.4-8.0	284.6	2.9	2.8-3.1	147.0	3.6	3.4-3.9	137.6	2.4	2.2-2.6
Leukemias	1269.8	13.7	13.4-14.1	710.8	17.7	17.1-18.3	559.0	10.8	10.4-11.2	506.6	5.4	5.2-5.6	271.4	7.0	6.6-7.3	235.2	4.3	4.1-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
New York State Excl New York City**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	73868.6	511.4	509.7-513.1	37491.4	556.3	553.7-558.9	36377.2	481.7	479.4-484.0	21795.2	145.2	144.4-146.1	11042.6	168.6	167.2-170.1	10752.6	128.9	127.8-130.1
Oral cavity and pharynx	1823.8	12.4	12.1-12.7	1271.0	18.4	17.9-18.9	552.8	7.2	6.9-7.5	333.8	2.2	2.1-2.3	232.0	3.4	3.2-3.6	101.8	1.2	1.1-1.3
Esophagus	778.0	5.2	5.0-5.3	597.4	8.7	8.4-9.0	180.6	2.2	2.1-2.4	608.8	4.0	3.8-4.1	480.2	7.0	6.7-7.3	128.6	1.5	1.4-1.6
Stomach	1050.6	7.2	7.0-7.5	641.2	9.7	9.3-10.0	409.4	5.3	5.1-5.5	368.2	2.5	2.4-2.6	220.6	3.4	3.2-3.6	147.6	1.8	1.7-1.9
Colorectal	5460.0	38.2	37.7-38.6	2802.4	42.9	42.2-43.7	2657.6	34.1	33.5-34.7	1779.8	11.9	11.7-12.2	902.0	13.9	13.5-14.3	877.8	10.3	10.0-10.6
Colon excluding rectum	3873.0	27.0	26.6-27.4	1879.0	29.0	28.4-29.6	1994.0	25.3	24.7-25.8	1408.0	9.4	9.2-9.6	690.0	10.7	10.3-11.0	718.0	8.4	8.1-8.7
Rectum & rectosigmoid	1587.0	11.2	11.0-11.5	923.4	14.0	13.5-14.4	663.6	8.9	8.5-9.2	371.8	2.5	2.4-2.6	212.0	3.2	3.0-3.4	159.8	1.9	1.8-2.1
Liver / intrahepatic bile duct	1158.2	7.5	7.3-7.7	827.6	11.6	11.2-12.0	330.6	4.1	3.9-4.3	778.0	5.1	4.9-5.3	522.8	7.5	7.2-7.8	255.2	3.1	2.9-3.3
Pancreas	2248.4	15.0	14.8-15.3	1144.2	17.0	16.6-17.5	1104.2	13.4	13.0-13.8	1687.8	11.2	10.9-11.4	857.8	12.8	12.4-13.2	830.0	9.8	9.5-10.1
Larynx	480.2	3.2	3.0-3.3	379.6	5.4	5.2-5.7	100.6	1.3	1.2-1.4	128.4	0.8	0.8-0.9	99.6	1.4	1.3-1.6	28.8	0.3	0.3-0.4
Lung and bronchus	9804.6	65.1	64.5-65.7	4688.0	69.4	68.5-70.3	5116.6	62.3	61.5-63.1	5428.4	35.9	35.5-36.4	2745.4	41.3	40.6-42.0	2683.0	32.0	31.4-32.5
Melanoma of the skin	3322.4	23.7	23.3-24.0	1950.6	29.9	29.3-30.5	1371.8	19.3	18.8-19.7	298.8	2.0	1.9-2.1	189.6	2.9	2.7-3.1	109.2	1.3	1.2-1.4
Female breast							10348.0	141.2	140.0-142.5							1485.8	18.4	18.0-18.8
Cervix uteri							408.0	6.8	6.5-7.1							124.6	1.7	1.6-1.9
Corpus uterus and NOS							2507.6	31.8	31.2-32.4							431.0	5.2	5.0-5.4
Ovary							871.0	11.8	11.4-12.1							535.0	6.5	6.3-6.8
Prostate				9686.8	133.0	131.8-134.2							1011.2	16.1	15.7-16.6			
Testis				359.8	7.0	6.7-7.3							14.0	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	3852.6	25.8	25.4-26.1	2885.2	43.9	43.1-44.6	967.4	11.7	11.3-12.0	663.6	4.3	4.2-4.5	468.4	7.4	7.1-7.7	195.2	2.2	2.0-2.3
Kidney and renal pelvis	2669.0	18.7	18.3-19.0	1731.2	25.9	25.3-26.4	937.8	12.4	12.0-12.8	453.0	3.0	2.9-3.1	284.8	4.3	4.1-4.5	168.2	2.0	1.8-2.1
Brain and other central nervous system	898.4	7.0	6.8-7.2	500.6	8.2	7.8-8.5	397.8	5.9	5.6-6.2	600.8	4.3	4.1-4.4	338.2	5.1	4.9-5.4	262.6	3.5	3.3-3.7
Thyroid	2207.4	18.6	18.2-18.9	616.6	10.2	9.8-10.6	1590.8	26.9	26.3-27.5	75.8	0.5	0.5-0.6	35.2	0.6	0.5-0.6	40.6	0.5	0.4-0.5
Hodgkin lymphoma	371.6	3.2	3.0-3.3	200.6	3.5	3.3-3.7	171.0	2.9	2.7-3.2	40.8	0.3	0.3-0.3	24.2	0.4	0.3-0.5	16.6	0.2	0.2-0.3
Non-Hodgkin lymphomas	3195.0	22.4	22.0-22.7	1731.8	26.6	26.1-27.2	1463.2	19.0	18.5-19.4	770.8	5.2	5.0-5.3	431.2	6.8	6.5-7.1	339.6	4.0	3.8-4.2
Myeloma	1146.8	7.8	7.6-8.0	647.4	9.7	9.4-10.1	499.4	6.2	6.0-6.5	420.2	2.8	2.7-2.9	224.4	3.5	3.3-3.7	195.8	2.3	2.1-2.4
Leukemias	2480.6	17.5	17.2-17.9	1463.4	22.8	22.2-23.3	1017.2	13.3	12.9-13.7	879.0	6.0	5.8-6.2	507.4	8.1	7.8-8.4	371.6	4.4	4.2-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Bronx

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6481.4	439.4	434.6-444.3	3149.0	503.3	495.3-511.5	3332.4	399.0	392.8-405.2	2240.4	153.4	150.5-156.3	1103.4	189.7	184.6-194.9	1137.0	130.9	127.4-134.4
Oral cavity and pharynx	149.4	10.0	9.3-10.8	100.4	15.7	14.4-17.2	49.0	5.8	5.1-6.6	45.2	3.1	2.7-3.5	30.6	5.0	4.2-5.9	14.6	1.7	1.3-2.1
Esophagus	50.2	3.4	3.0-3.8	36.8	6.0	5.1-6.9	13.4	1.6	1.2-2.0	39.2	2.6	2.3-3.1	27.2	4.5	3.8-5.4	12.0	1.4	1.0-1.8
Stomach	144.0	10.0	9.3-10.8	75.8	12.7	11.4-14.1	68.2	8.2	7.3-9.1	66.0	4.7	4.2-5.2	39.4	6.9	6.0-8.0	26.6	3.2	2.6-3.8
Colorectal	533.6	36.6	35.2-38.1	273.2	44.5	42.1-47.0	260.4	30.9	29.2-32.7	206.6	14.2	13.3-15.1	103.4	17.8	16.3-19.4	103.2	11.7	10.7-12.8
Colon excluding rectum	373.4	25.7	24.6-26.9	186.0	30.6	28.6-32.7	187.4	22.2	20.8-23.7	168.8	11.6	10.8-12.4	80.0	13.8	12.5-15.3	88.8	10.1	9.1-11.1
Rectum & rectosigmoid	160.2	10.9	10.1-11.7	87.2	13.9	12.6-15.3	73.0	8.7	7.8-9.7	37.8	2.6	2.3-3.0	23.4	4.0	3.3-4.8	14.4	1.6	1.3-2.1
Liver / intrahepatic bile duct	232.2	15.1	14.2-16.0	163.8	25.0	23.3-26.8	68.4	7.7	6.9-8.6	142.2	9.4	8.7-10.2	97.0	15.4	14.1-16.9	45.2	5.0	4.4-5.7
Pancreas	202.0	13.7	12.9-14.6	101.6	16.7	15.3-18.3	100.4	11.5	10.5-12.6	165.4	11.3	10.5-12.1	81.6	13.8	12.5-15.3	83.8	9.6	8.7-10.6
Larynx	59.4	4.0	3.5-4.5	42.6	6.8	5.9-7.8	16.8	2.0	1.6-2.5	20.0	1.3	1.1-1.6	15.8	2.7	2.1-3.4	4.2	0.5	0.3-0.7
Lung and bronchus	666.6	45.2	43.7-46.8	336.2	55.8	53.1-58.6	330.4	38.0	36.2-40.0	426.8	29.2	27.9-30.4	230.6	39.1	36.9-41.5	196.2	22.4	21.0-23.9
Melanoma of the skin	58.6	4.1	3.7-4.6	30.8	5.4	4.6-6.4	27.8	3.3	2.8-4.0	9.8	0.7	0.5-0.9	6.0	1.0	0.7-1.5	3.8	0.4	0.3-0.7
Female breast							946.6	115.0	111.7-118.4							186.2	21.8	20.4-23.2
Cervix uteri							76.2	9.9	8.9-11.0							23.6	2.9	2.4-3.5
Corpus uterus and NOS							266.0	31.1	29.4-32.8							80.4	9.2	8.3-10.2
Ovary							87.0	10.5	9.5-11.5							53.6	6.3	5.5-7.1
Prostate				956.4	146.8	142.5-151.1							139.8	26.4	24.4-28.4			
Testis				22.8	3.3	2.7-4.0							2.4	0.4	0.2-0.7			
Urinary bladder (incl. in situ)	199.8	13.8	12.9-14.7	139.0	24.1	22.3-26.0	60.8	7.0	6.3-7.9	52.2	3.7	3.2-4.1	32.4	6.1	5.1-7.1	19.8	2.2	1.8-2.7
Kidney and renal pelvis	236.8	15.9	15.0-16.9	143.2	22.7	21.0-24.4	93.6	11.0	10.0-12.1	44.6	3.1	2.7-3.5	29.2	5.0	4.2-5.9	15.4	1.7	1.4-2.2
Brain and other central nervous system	77.0	5.4	4.8-5.9	40.2	6.4	5.5-7.3	36.8	4.6	3.9-5.3	51.6	3.5	3.1-4.0	27.4	4.5	3.7-5.3	24.2	2.9	2.4-3.5
Thyroid	216.6	15.3	14.4-16.2	41.0	6.5	5.6-7.4	175.6	22.7	21.2-24.3	9.0	0.6	0.5-0.9	4.2	0.7	0.4-1.1	4.8	0.6	0.4-0.9
Hodgkin lymphoma	45.2	3.2	2.8-3.6	24.6	3.7	3.1-4.5	20.6	2.7	2.2-3.2	4.6	0.3	0.2-0.5	2.8	0.5	0.2-0.8	1.8	0.2	0.1-0.4
Non-Hodgkin lymphomas	281.0	19.4	18.4-20.5	142.6	23.2	21.5-25.0	138.4	16.7	15.5-18.0	74.2	5.1	4.6-5.7	41.4	7.1	6.2-8.2	32.8	3.8	3.2-4.4
Myeloma	171.0	11.5	10.8-12.4	86.4	13.9	12.6-15.4	84.6	10.0	9.0-11.0	55.6	3.8	3.3-4.2	29.6	5.0	4.2-5.9	26.0	2.9	2.4-3.5
Leukemias	186.2	12.8	11.9-13.6	96.4	15.7	14.3-17.2	89.8	10.7	9.8-11.8	80.0	5.5	5.0-6.1	41.6	7.2	6.2-8.2	38.4	4.5	3.8-5.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Kings (Brooklyn)

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	12258.2	442.8	439.3-446.4	5847.8	487.1	481.4-492.8	6410.4	416.7	412.1-421.4	3464.2	124.7	122.8-126.6	1670.2	146.8	143.6-150.1	1794.0	110.6	108.3-113.0
Oral cavity and pharynx	258.0	9.4	8.8-9.9	167.2	13.9	12.9-14.9	90.8	5.8	5.3-6.4	51.4	1.9	1.7-2.1	37.2	3.2	2.7-3.7	14.2	0.9	0.7-1.1
Esophagus	87.6	3.1	2.8-3.4	61.6	5.1	4.6-5.7	26.0	1.6	1.3-1.9	54.0	1.9	1.7-2.2	42.2	3.6	3.1-4.1	11.8	0.7	0.5-0.9
Stomach	315.2	11.4	10.8-12.0	184.0	15.6	14.6-16.7	131.2	8.3	7.7-9.0	138.0	5.1	4.7-5.5	79.8	7.1	6.4-7.9	58.2	3.6	3.2-4.0
Colorectal	1079.6	39.1	38.1-40.2	553.4	47.0	45.2-48.8	526.2	33.4	32.1-34.7	344.6	12.4	11.8-13.0	168.0	14.8	13.8-15.8	176.6	10.7	10.0-11.4
Colon excluding rectum	755.6	27.3	26.4-28.2	372.2	31.7	30.3-33.2	383.4	24.2	23.1-25.3	286.4	10.2	9.7-10.8	137.4	12.1	11.2-13.0	149.0	9.0	8.3-9.7
Rectum & rectosigmoid	324.0	11.8	11.2-12.4	181.2	15.2	14.2-16.3	142.8	9.2	8.5-9.9	58.2	2.1	1.9-2.4	30.6	2.7	2.3-3.1	27.6	1.7	1.4-2.0
Liver / intrahepatic bile duct	286.0	10.0	9.5-10.6	200.8	16.2	15.2-17.2	85.2	5.2	4.7-5.8	175.4	6.2	5.8-6.6	114.6	9.4	8.7-10.3	60.8	3.7	3.3-4.2
Pancreas	386.4	13.8	13.2-14.5	182.0	15.3	14.3-16.4	204.4	12.6	11.8-13.4	276.0	9.9	9.4-10.4	131.4	11.3	10.4-12.2	144.6	8.8	8.2-9.5
Larynx	74.8	2.6	2.4-2.9	59.0	4.9	4.4-5.5	15.8	1.0	0.8-1.2	21.8	0.8	0.7-1.0	18.6	1.6	1.3-2.0	3.2	0.2	0.1-0.3
Lung and bronchus	1247.4	44.7	43.6-45.8	659.0	56.5	54.5-58.5	588.4	36.6	35.2-37.9	649.6	23.3	22.5-24.1	364.0	31.8	30.4-33.4	285.6	17.4	16.5-18.4
Melanoma of the skin	234.8	8.6	8.1-9.1	123.6	10.7	9.9-11.6	111.2	7.2	6.6-7.9	20.2	0.7	0.6-0.9	11.2	1.0	0.7-1.3	9.0	0.6	0.4-0.7
Female breast							1881.2	125.7	123.1-128.3							315.6	19.9	18.9-20.9
Cervix uteri							139.0	9.6	8.9-10.3							37.8	2.5	2.1-2.9
Corpus uterus and NOS							525.8	33.2	31.9-34.5							125.8	7.7	7.1-8.3
Ovary							171.2	11.2	10.5-12.0							106.0	6.6	6.1-7.2
Prostate				1614.8	129.4	126.5-132.3							203.8	18.9	17.8-20.1			
Testis				68.0	5.2	4.6-5.8							1.2	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	441.0	15.9	15.3-16.6	332.6	29.2	27.8-30.7	108.4	6.8	6.2-7.4	83.4	3.0	2.7-3.3	56.4	5.3	4.7-5.9	27.0	1.6	1.3-1.9
Kidney and renal pelvis	412.2	14.8	14.2-15.5	262.6	21.5	20.3-22.7	149.6	9.6	8.9-10.3	59.6	2.1	1.9-2.4	41.0	3.5	3.0-4.0	18.6	1.1	0.9-1.4
Brain and other central nervous system	162.6	6.0	5.6-6.5	90.6	7.4	6.7-8.1	72.0	4.9	4.4-5.5	79.0	2.9	2.6-3.2	43.8	3.7	3.2-4.2	35.2	2.3	2.0-2.7
Thyroid	574.4	21.4	20.6-22.3	136.2	11.1	10.2-12.0	438.2	30.5	29.2-31.9	15.2	0.5	0.4-0.7	4.0	0.4	0.2-0.6	11.2	0.7	0.5-0.9
Hodgkin lymphoma	86.6	3.3	3.0-3.6	46.0	3.8	3.3-4.3	40.6	2.9	2.5-3.3	6.6	0.2	0.2-0.3	3.4	0.3	0.2-0.5	3.2	0.2	0.1-0.3
Non-Hodgkin lymphomas	512.6	18.8	18.0-19.5	272.8	23.0	21.7-24.2	239.8	15.5	14.6-16.4	104.8	3.8	3.5-4.2	54.4	4.8	4.3-5.5	50.4	3.1	2.7-3.5
Myeloma	253.4	9.1	8.6-9.6	127.4	10.9	10.0-11.7	126.0	7.9	7.3-8.6	79.2	2.8	2.5-3.1	39.6	3.5	3.0-4.0	39.6	2.4	2.1-2.8
Leukemias	356.0	13.1	12.5-13.7	192.2	16.4	15.4-17.5	163.8	10.6	9.9-11.4	120.6	4.4	4.1-4.8	61.6	5.5	4.9-6.1	59.0	3.7	3.3-4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
New York (Manhattan)**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8762.8	449.0	444.7-453.3	4201.8	486.3	479.6-493.0	4561.0	429.5	423.7-435.3	2728.6	135.1	132.8-137.4	1328.8	156.7	152.9-160.6	1399.8	120.9	118.0-123.9
Oral cavity and pharynx	226.0	11.5	10.8-12.2	151.8	17.4	16.2-18.7	74.2	6.8	6.1-7.6	43.8	2.2	1.9-2.5	30.0	3.5	2.9-4.1	13.8	1.2	0.9-1.5
Esophagus	63.0	3.1	2.8-3.5	40.8	4.7	4.1-5.4	22.2	1.8	1.5-2.2	54.2	2.6	2.3-3.0	36.4	4.2	3.6-4.9	17.8	1.5	1.2-1.8
Stomach	149.4	7.6	7.0-8.2	84.0	9.9	8.9-10.9	65.4	5.9	5.3-6.6	80.0	4.0	3.6-4.4	50.6	5.9	5.2-6.7	29.4	2.5	2.1-3.0
Colorectal	643.6	33.0	31.8-34.2	334.0	39.2	37.4-41.2	309.6	28.2	26.8-29.7	226.6	11.2	10.6-11.9	113.8	13.5	12.4-14.7	112.8	9.6	8.8-10.5
Colon excluding rectum	443.0	22.5	21.6-23.5	220.2	26.0	24.5-27.7	222.8	19.9	18.7-21.2	171.8	8.5	7.9-9.1	83.6	9.9	8.9-10.9	88.2	7.5	6.8-8.2
Rectum & rectosigmoid	200.6	10.5	9.8-11.1	113.8	13.2	12.1-14.3	86.8	8.3	7.5-9.1	54.8	2.8	2.5-3.2	30.2	3.6	3.1-4.3	24.6	2.1	1.8-2.6
Liver / intrahepatic bile duct	208.2	10.3	9.7-10.9	139.6	15.8	14.6-17.0	68.6	5.9	5.2-6.5	141.8	7.0	6.4-7.5	94.4	10.8	9.9-11.9	47.4	4.0	3.5-4.5
Pancreas	263.8	13.1	12.4-13.8	130.6	15.3	14.1-16.5	133.2	11.4	10.5-12.3	233.2	11.4	10.8-12.1	112.4	13.2	12.1-14.3	120.8	10.2	9.3-11.0
Larynx	46.6	2.3	2.0-2.7	36.8	4.2	3.6-4.8	9.8	0.9	0.7-1.2	16.0	0.8	0.6-0.9	12.8	1.4	1.1-1.8	3.2	0.3	0.1-0.4
Lung and bronchus	907.0	44.7	43.4-46.1	404.6	47.1	45.0-49.2	502.4	43.2	41.5-44.9	500.6	24.4	23.4-25.4	238.4	27.9	26.3-29.5	262.2	21.9	20.7-23.2
Melanoma of the skin	352.2	17.9	17.1-18.8	203.8	23.8	22.4-25.4	148.4	13.7	12.7-14.8	29.0	1.4	1.2-1.7	19.4	2.3	1.8-2.8	9.6	0.8	0.6-1.1
Female breast							1421.6	140.6	137.3-144.1							213.6	19.4	18.2-20.7
Cervix uteri							68.2	7.1	6.3-7.9							18.8	1.8	1.5-2.3
Corpus uterus and NOS							318.2	29.8	28.3-31.4							70.6	6.1	5.4-6.8
Ovary							112.2	10.8	9.9-11.8							82.2	7.3	6.6-8.1
Prostate				1133.0	126.6	123.2-129.9							150.0	17.8	16.6-19.2			
Testis				65.6	7.0	6.3-7.9							1.4	0.1	0.1-0.3			
Urinary bladder (incl. in situ)	357.0	17.6	16.8-18.4	260.0	30.8	29.1-32.5	97.0	8.3	7.5-9.1	74.4	3.5	3.1-3.8	51.2	6.1	5.4-6.9	23.2	1.8	1.5-2.1
Kidney and renal pelvis	239.6	12.5	11.8-13.3	154.0	18.0	16.7-19.3	85.6	8.2	7.4-9.1	44.2	2.2	1.9-2.5	28.6	3.4	2.8-4.0	15.6	1.3	1.0-1.6
Brain and other central nervous system	120.8	6.9	6.3-7.5	68.6	8.6	7.7-9.6	52.2	5.4	4.7-6.2	66.6	3.6	3.2-4.0	37.2	4.5	3.9-5.2	29.4	2.8	2.3-3.3
Thyroid	339.2	18.6	17.7-19.5	91.8	10.6	9.6-11.6	247.4	26.0	24.5-27.6	9.8	0.5	0.4-0.6	4.6	0.5	0.3-0.8	5.2	0.4	0.3-0.7
Hodgkin lymphoma	49.8	2.7	2.4-3.1	24.8	2.9	2.4-3.5	25.0	2.6	2.1-3.1	5.4	0.3	0.2-0.4	2.8	0.3	0.2-0.5	2.6	0.2	0.1-0.4
Non-Hodgkin lymphomas	436.4	22.5	21.6-23.5	229.6	27.2	25.6-28.9	206.8	18.9	17.7-20.1	113.8	5.7	5.2-6.2	62.0	7.4	6.6-8.3	51.8	4.4	3.9-5.0
Myeloma	158.8	7.9	7.4-8.5	84.6	9.8	8.9-10.8	74.2	6.5	5.8-7.2	62.6	3.1	2.7-3.5	34.0	4.0	3.4-4.6	28.6	2.4	2.0-2.9
Leukemias	273.4	14.3	13.6-15.1	159.2	19.3	17.9-20.7	114.2	10.6	9.7-11.5	150.0	7.7	7.2-8.3	81.4	9.9	8.9-10.9	68.6	6.1	5.5-6.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Queens

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11590.0	425.0	421.5-428.6	5567.4	453.5	448.1-459.0	6022.6	411.2	406.4-416.0	3146.8	113.0	111.2-114.8	1550.0	132.2	129.2-135.3	1596.8	100.5	98.3-102.8
Oral cavity and pharynx	253.2	9.2	8.7-9.7	159.0	12.6	11.7-13.5	94.2	6.4	5.8-7.0	51.2	1.8	1.6-2.1	35.2	2.8	2.4-3.3	16.0	1.0	0.8-1.3
Esophagus	92.4	3.2	3.0-3.6	68.8	5.5	4.9-6.1	23.6	1.5	1.2-1.8	60.8	2.1	1.9-2.4	45.4	3.7	3.2-4.3	15.4	0.9	0.7-1.2
Stomach	331.2	12.1	11.6-12.8	189.6	15.7	14.7-16.7	141.6	9.5	8.8-10.2	130.2	4.7	4.4-5.1	77.6	6.6	6.0-7.3	52.6	3.3	2.9-3.8
Colorectal	1025.2	37.7	36.6-38.7	530.0	43.6	42.0-45.4	495.2	33.0	31.7-34.3	310.8	11.2	10.6-11.8	153.4	13.1	12.2-14.1	157.4	9.8	9.1-10.5
Colon excluding rectum	720.6	26.4	25.6-27.3	358.2	29.7	28.3-31.2	362.4	23.9	22.8-25.0	258.8	9.3	8.8-9.8	125.0	10.7	9.9-11.6	133.8	8.3	7.6-8.9
Rectum & rectosigmoid	304.6	11.2	10.7-11.8	171.8	13.9	13.0-14.9	132.8	9.1	8.4-9.8	52.0	1.9	1.7-2.1	28.4	2.4	2.0-2.8	23.6	1.5	1.2-1.8
Liver / intrahepatic bile duct	285.6	10.1	9.6-10.7	203.8	16.0	15.0-17.1	81.8	5.3	4.8-5.9	164.4	5.8	5.4-6.2	108.2	8.7	7.9-9.5	56.2	3.5	3.1-4.0
Pancreas	357.8	12.8	12.2-13.5	166.4	13.9	12.9-14.9	191.4	11.9	11.2-12.7	256.0	9.1	8.6-9.6	117.4	9.8	9.0-10.6	138.6	8.5	7.8-9.1
Larynx	62.8	2.2	2.0-2.5	53.2	4.3	3.8-4.9	9.6	0.6	0.5-0.8	18.8	0.6	0.5-0.8	15.2	1.2	1.0-1.5	3.6	0.2	0.1-0.3
Lung and bronchus	1220.2	43.8	42.7-44.9	629.2	52.3	50.4-54.2	591.0	37.7	36.3-39.1	583.8	20.8	20.0-21.6	317.2	26.8	25.5-28.2	266.6	16.4	15.6-17.4
Melanoma of the skin	206.8	7.6	7.2-8.1	113.4	9.7	8.9-10.5	93.4	6.3	5.7-6.9	22.8	0.8	0.7-1.0	13.4	1.2	0.9-1.5	9.4	0.6	0.5-0.8
Female breast							1792.0	124.8	122.1-127.5							254.4	16.5	15.5-17.4
Cervix uteri							127.0	9.5	8.8-10.3							30.0	2.1	1.7-2.4
Corpus uterus and NOS							458.6	30.3	29.0-31.6							96.4	6.1	5.5-6.6
Ovary							162.8	11.7	10.9-12.5							83.6	5.4	4.9-6.0
Prostate				1503.2	115.7	113.0-118.4							171.0	15.5	14.4-16.6			
Testis				50.4	4.3	3.8-4.9							1.6	0.1	0.1-0.3			
Urinary bladder (incl. in situ)	443.0	16.0	15.3-16.7	329.4	28.2	26.8-29.6	113.6	7.1	6.5-7.7	81.2	2.9	2.6-3.2	56.4	5.1	4.5-5.7	24.8	1.5	1.3-1.8
Kidney and renal pelvis	388.2	14.3	13.7-15.0	246.0	19.9	18.8-21.1	142.2	9.6	8.9-10.4	60.8	2.2	1.9-2.4	39.4	3.3	2.9-3.8	21.4	1.3	1.1-1.6
Brain and other central nervous system	133.0	5.2	4.8-5.7	73.4	6.2	5.6-6.9	59.6	4.4	3.9-4.9	72.8	2.8	2.5-3.1	37.2	3.2	2.8-3.7	35.6	2.5	2.1-2.9
Thyroid	513.8	20.8	20.0-21.6	118.6	9.8	9.0-10.7	395.2	31.3	29.9-32.7	14.0	0.5	0.4-0.6	5.6	0.5	0.3-0.7	8.4	0.5	0.4-0.7
Hodgkin lymphoma	62.0	2.6	2.3-3.0	35.6	3.1	2.7-3.6	26.4	2.2	1.8-2.6	5.2	0.2	0.1-0.3	3.0	0.2	0.1-0.4	2.2	0.2	0.1-0.3
Non-Hodgkin lymphomas	498.6	18.5	17.8-19.3	269.8	22.5	21.3-23.8	228.8	15.4	14.5-16.3	116.2	4.2	3.8-4.6	68.4	5.9	5.3-6.6	47.8	2.9	2.5-3.3
Myeloma	223.8	8.1	7.6-8.6	112.6	9.2	8.4-10.0	111.2	7.2	6.6-7.8	72.2	2.5	2.3-2.8	35.4	3.0	2.6-3.5	36.8	2.2	1.9-2.6
Leukemias	350.6	13.4	12.7-14.0	200.2	17.1	16.0-18.2	150.4	10.4	9.7-11.2	122.8	4.5	4.1-4.9	70.4	6.2	5.5-6.9	52.4	3.3	2.9-3.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
Richmond (Staten Island)**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3061.4	528.9	520.3-537.6	1491.6	566.3	553.1-579.7	1569.8	506.1	494.6-517.8	834.8	142.2	137.8-146.7	410.2	164.4	157.2-171.9	424.6	127.0	121.5-132.6
Oral cavity and pharynx	59.8	10.0	8.8-11.2	41.2	14.9	12.9-17.2	18.6	5.7	4.5-7.0	12.0	1.9	1.4-2.5	9.0	3.2	2.3-4.4	3.0	0.8	0.5-1.4
Esophagus	28.2	4.6	3.9-5.4	22.0	7.9	6.5-9.6	6.2	1.9	1.3-2.8	18.6	3.1	2.5-3.8	13.6	4.9	3.8-6.3	5.0	1.5	1.0-2.3
Stomach	50.2	8.6	7.6-9.8	30.4	11.9	10.0-14.0	19.8	6.1	4.9-7.5	22.0	3.7	3.1-4.5	11.6	4.6	3.5-6.0	10.4	3.1	2.3-4.2
Colorectal	231.4	40.1	37.8-42.6	120.2	46.7	43.0-50.7	111.2	34.6	31.7-37.7	79.4	13.5	12.2-15.0	39.4	15.9	13.7-18.3	40.0	11.7	10.1-13.5
Colon excluding rectum	170.4	29.5	27.5-31.6	85.6	33.4	30.3-36.9	84.8	26.2	23.7-28.9	65.4	11.2	10.0-12.5	31.2	12.7	10.7-14.9	34.2	10.1	8.6-11.8
Rectum & rectosigmoid	61.0	10.6	9.4-11.9	34.6	13.3	11.3-15.5	26.4	8.3	6.9-10.0	14.0	2.3	1.8-3.0	8.2	3.2	2.3-4.4	5.8	1.6	1.1-2.3
Liver / intrahepatic bile duct	65.6	10.6	9.5-11.9	46.8	16.5	14.4-18.9	18.8	5.7	4.6-7.1	39.6	6.5	5.6-7.5	27.2	9.8	8.2-11.7	12.4	3.7	2.8-4.8
Pancreas	92.4	15.5	14.1-17.0	45.4	17.0	14.8-19.5	47.0	14.2	12.4-16.2	69.0	11.5	10.3-12.8	32.2	12.3	10.4-14.4	36.8	11.0	9.4-12.7
Larynx	20.0	3.3	2.7-4.1	16.2	6.2	4.9-7.7	3.8	1.2	0.7-1.9	4.6	0.8	0.5-1.2	3.0	1.2	0.6-1.9	1.6	0.5	0.2-1.0
Lung and bronchus	388.2	65.7	62.7-68.7	183.6	71.1	66.5-76.0	204.6	62.3	58.5-66.4	204.8	34.9	32.7-37.1	101.6	40.8	37.2-44.6	103.2	30.7	28.1-33.6
Melanoma of the skin	85.8	15.0	13.6-16.6	48.6	19.0	16.6-21.6	37.2	12.2	10.4-14.1	8.6	1.5	1.1-2.1	4.8	2.2	1.4-3.3	3.8	1.1	0.7-1.8
Female breast							423.4	138.1	132.1-144.4							58.2	17.0	15.1-19.1
Cervix uteri							21.8	8.0	6.5-9.7							5.6	1.8	1.2-2.7
Corpus uterus and NOS							121.2	37.0	34.0-40.2							21.2	6.3	5.2-7.7
Ovary							42.6	13.8	12.0-15.9							22.4	6.6	5.4-8.0
Prostate				344.0	121.2	115.4-127.3							36.8	16.4	14.1-19.0			
Testis				13.6	6.3	4.9-8.0							0.6	0.2	0.1-0.7			
Urinary bladder (incl. in situ)	152.4	25.8	24.0-27.7	115.2	45.2	41.4-49.1	37.2	11.1	9.5-12.9	28.2	4.9	4.1-5.8	20.6	9.0	7.3-10.9	7.6	2.2	1.6-3.1
Kidney and renal pelvis	127.2	21.7	20.0-23.5	86.6	32.3	29.3-35.6	40.6	12.7	11.0-14.7	20.2	3.4	2.8-4.2	15.0	5.8	4.6-7.4	5.2	1.6	1.0-2.4
Brain and other central nervous system	37.0	6.8	5.8-7.9	18.8	7.4	6.0-9.2	18.2	6.2	4.9-7.6	20.6	3.5	2.9-4.3	11.4	4.2	3.2-5.6	9.2	2.9	2.1-3.9
Thyroid	173.8	33.8	31.5-36.2	50.0	19.9	17.4-22.6	123.8	46.7	42.9-50.7	3.6	0.6	0.3-1.0	1.6	0.6	0.2-1.2	2.0	0.6	0.3-1.1
Hodgkin lymphoma	17.0	3.5	2.8-4.3	10.8	4.6	3.4-6.0	6.2	2.5	1.6-3.5	2.2	0.4	0.2-0.7	1.6	0.6	0.3-1.3	0.6	0.2	0.0-0.6
Non-Hodgkin lymphomas	142.2	25.1	23.2-27.1	74.2	29.3	26.3-32.5	68.0	21.6	19.3-24.2	23.0	4.1	3.4-4.9	13.8	5.8	4.5-7.3	9.2	2.8	2.0-3.8
Myeloma	52.6	8.9	7.8-10.1	29.0	11.2	9.4-13.3	23.6	7.0	5.8-8.5	15.0	2.6	2.0-3.2	8.4	3.3	2.3-4.4	6.6	2.0	1.4-2.9
Leukemias	103.6	18.5	16.9-20.3	62.8	24.7	22.0-27.7	40.8	13.6	11.8-15.7	33.2	5.9	5.0-6.9	16.4	7.1	5.6-8.9	16.8	5.2	4.1-6.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Albany

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1998.2	528.0	517.3-538.9	990.4	574.3	557.8-591.0	1007.8	501.3	486.8-516.0	603.2	153.5	147.9-159.3	297.8	179.6	170.3-189.2	305.4	136.1	129.1-143.5
Oral cavity and pharynx	54.0	14.0	12.3-15.8	38.2	21.7	18.6-25.2	15.8	7.5	5.9-9.4	9.6	2.3	1.7-3.1	7.8	4.2	3.0-5.9	1.8	0.8	0.3-1.6
Esophagus	19.0	4.7	3.8-5.8	14.4	8.1	6.3-10.3	4.6	2.1	1.3-3.2	14.0	3.6	2.8-4.6	12.4	7.4	5.6-9.5	1.6	0.6	0.3-1.4
Stomach	27.8	7.3	6.1-8.7	17.8	10.5	8.4-13.0	10.0	5.0	3.6-6.7	10.4	2.7	2.0-3.6	6.0	3.7	2.5-5.4	4.4	2.0	1.2-3.1
Colorectal	140.0	36.9	34.2-39.9	67.0	40.2	35.9-44.9	73.0	34.1	30.5-38.0	44.0	11.1	9.6-12.7	19.2	11.6	9.4-14.3	24.8	10.6	8.7-12.7
Colon excluding rectum	99.6	25.8	23.5-28.3	43.8	26.4	22.9-30.2	55.8	25.3	22.3-28.7	33.8	8.6	7.3-10.1	14.2	8.8	6.9-11.2	19.6	8.4	6.8-10.4
Rectum & rectosigmoid	40.4	11.1	9.6-12.8	23.2	13.8	11.3-16.7	17.2	8.8	6.9-11.0	10.2	2.5	1.8-3.3	5.0	2.8	1.8-4.2	5.2	2.1	1.4-3.2
Liver / intrahepatic bile duct	38.0	9.5	8.2-11.0	28.4	15.8	13.2-18.7	9.6	4.5	3.3-6.0	24.2	6.2	5.1-7.4	16.2	8.8	7.0-11.1	8.0	3.9	2.7-5.4
Pancreas	63.4	16.2	14.4-18.2	28.6	17.2	14.4-20.3	34.8	15.5	13.2-18.1	44.0	11.1	9.7-12.7	19.8	11.8	9.5-14.5	24.2	10.5	8.7-12.7
Larynx	13.0	3.2	2.5-4.1	9.8	5.4	4.0-7.3	3.2	1.5	0.8-2.4	3.0	0.7	0.4-1.2	1.8	0.9	0.4-1.8	1.2	0.5	0.2-1.2
Lung and bronchus	281.8	71.8	68.0-75.7	134.2	78.0	72.1-84.4	147.6	67.6	62.7-72.9	158.0	40.3	37.4-43.2	79.4	46.9	42.3-52.0	78.6	35.5	32.0-39.3
Melanoma of the skin	84.4	23.2	20.9-25.6	50.4	30.7	26.9-34.8	34.0	18.1	15.4-21.2	9.0	2.2	1.6-3.0	5.2	3.0	1.9-4.5	3.8	1.7	1.0-2.7
Female breast							298.2	155.8	147.6-164.4							43.0	20.0	17.3-23.1
Cervix uteri							10.6	6.9	5.1-9.1							3.4	1.8	1.0-3.0
Corpus uterus and NOS							66.2	31.3	27.9-35.0							11.6	5.3	4.0-6.9
Ovary							19.2	9.8	7.9-12.2							15.6	6.9	5.4-8.8
Prostate				242.2	129.5	122.1-137.3							28.8	18.3	15.4-21.6			
Testis				10.6	7.5	5.6-9.9							0.6	0.4	0.1-1.2			
Urinary bladder (incl. in situ)	103.0	26.5	24.2-29.0	77.6	46.7	42.0-51.7	25.4	11.5	9.5-13.9	16.4	4.1	3.2-5.1	12.6	7.9	6.1-10.2	3.8	1.5	0.9-2.5
Kidney and renal pelvis	77.2	20.5	18.4-22.8	49.6	28.9	25.2-32.9	27.6	13.4	11.1-15.9	13.0	3.3	2.5-4.2	8.2	5.1	3.7-7.1	4.8	1.9	1.2-3.0
Brain and other central nervous system	20.6	5.7	4.6-7.0	10.6	6.3	4.7-8.4	10.0	5.2	3.8-7.0	15.0	4.0	3.1-5.0	8.6	4.9	3.5-6.7	6.4	3.2	2.2-4.6
Thyroid	58.2	18.1	16.0-20.4	12.4	7.3	5.5-9.5	45.8	28.3	24.6-32.5	1.8	0.5	0.2-0.9	0.8	0.4	0.1-1.1	1.0	0.4	0.1-1.2
Hodgkin lymphoma	9.8	3.1	2.3-4.2	5.6	3.7	2.4-5.4	4.2	2.6	1.6-4.1	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.8	0.2	0.1	0.0-0.7
Non-Hodgkin lymphomas	88.8	23.8	21.6-26.3	48.2	29.2	25.6-33.3	40.6	19.9	17.1-23.0	20.4	5.3	4.3-6.5	11.2	7.2	5.4-9.4	9.2	3.9	2.8-5.3
Myeloma	32.0	8.3	7.0-9.7	17.8	11.0	8.8-13.6	14.2	6.3	4.9-8.0	10.4	2.6	1.9-3.5	5.0	3.1	2.0-4.7	5.4	2.1	1.4-3.2
Leukemias	62.8	17.0	15.1-19.1	37.0	22.2	19.0-25.8	25.8	13.1	10.8-15.7	20.0	5.1	4.1-6.2	11.0	6.8	5.1-8.9	9.0	4.0	2.9-5.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Allegany

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	307.6	498.8	473.0-525.8	168.0	542.9	505.5-582.6	139.6	461.3	425.5-499.6	106.4	164.8	150.7-179.9	55.8	185.6	163.9-209.6	50.6	148.6	130.2-169.1
Oral cavity and pharynx	8.4	12.8	9.1-17.8	6.4	19.9	13.3-29.0	2.0	5.8	2.6-11.5	1.0	1.5	0.5-3.8	1.0	3.2	1.0-8.1	0.0	0.0	0.0-3.5
Esophagus	4.4	6.5	4.1-10.2	3.4	10.7	6.1-17.7	1.0	2.9	0.9-7.5	3.0	4.5	2.5-7.7	2.6	8.6	4.5-15.3	0.4	1.0	0.1-4.7
Stomach	6.0	9.6	6.4-14.0	3.2	10.2	5.7-17.1	2.8	9.3	4.9-16.3	1.4	2.1	0.8-4.7	0.6	2.3	0.5-7.0	0.8	2.1	0.6-6.4
Colorectal	31.0	51.8	43.6-61.1	17.6	60.8	48.3-75.7	13.4	43.3	33.0-56.1	12.2	19.3	14.6-25.1	6.0	20.7	13.8-30.0	6.2	17.6	11.7-25.8
Colon excluding rectum	21.8	37.2	30.2-45.3	11.8	42.0	31.6-54.8	10.0	33.3	24.1-45.0	9.6	15.4	11.2-20.7	4.6	16.5	10.3-25.1	5.0	14.3	9.0-22.0
Rectum & rectosigmoid	9.2	14.6	10.6-19.8	5.8	18.8	12.4-27.7	3.4	10.0	5.8-16.7	2.6	3.9	2.0-6.9	1.4	4.2	1.7-9.4	1.2	3.3	1.2-8.0
Liver / intrahepatic bile duct	4.0	6.1	3.7-9.8	2.6	8.0	4.2-14.3	1.4	4.5	1.8-10.0	2.8	4.2	2.3-7.4	1.6	5.2	2.2-10.8	1.2	3.5	1.2-8.4
Pancreas	8.6	13.2	9.4-18.1	3.6	10.6	6.2-17.5	5.0	15.1	9.6-22.9	5.8	8.9	5.9-13.1	2.2	6.3	3.1-12.1	3.6	11.1	6.5-18.2
Larynx	2.8	4.3	2.3-7.5	2.8	8.7	4.7-15.2	0.0	0.0	0.0-3.5	1.0	1.6	0.5-4.0	0.8	2.8	0.8-7.7	0.2	0.5	0.0-4.1
Lung and bronchus	48.0	72.3	63.2-82.4	25.6	80.5	66.8-96.3	22.4	66.0	54.1-80.1	28.4	42.7	35.9-50.7	16.0	51.5	40.6-64.7	12.4	35.7	27.3-46.4
Melanoma of the skin	16.4	29.3	23.0-37.0	10.8	38.5	28.6-51.0	5.6	22.0	14.1-32.8	1.4	2.1	0.8-4.6	1.0	3.1	1.0-8.0	0.4	1.5	0.2-5.8
Female breast							34.2	121.2	102.3-142.6							6.2	18.3	12.3-26.7
Cervix uteri							1.4	6.7	2.5-14.1							0.8	3.6	0.8-9.7
Corpus uterus and NOS							10.4	33.7	24.6-45.4							2.0	6.4	3.0-12.5
Ovary							4.0	11.9	7.1-19.2							4.0	11.3	6.8-18.2
Prostate				40.4	119.7	103.3-138.2							4.6	15.1	9.5-23.2			
Testis				1.0	3.4	1.0-8.6							0.0	0.0	0.0-3.4			
Urinary bladder (incl. in situ)	15.6	24.4	19.1-30.8	12.6	41.2	31.4-53.4	3.0	8.9	4.8-15.6	3.8	5.9	3.5-9.6	3.0	10.9	5.9-18.5	0.8	2.2	0.6-6.5
Kidney and renal pelvis	9.6	15.2	11.1-20.5	6.0	19.3	12.8-28.2	3.6	11.2	6.4-18.5	2.8	4.5	2.4-7.8	2.4	8.7	4.4-15.6	0.4	1.1	0.1-5.0
Brain and other central nervous system	4.4	8.0	4.9-12.5	2.6	9.6	4.9-17.1	1.8	6.3	2.7-12.7	2.0	3.0	1.4-6.0	1.2	3.3	1.2-8.0	0.8	2.8	0.7-7.9
Thyroid	4.6	9.7	6.0-14.9	1.2	6.1	2.2-13.2	3.4	13.4	7.6-22.1	0.0	0.0	0.0-1.7	0.0	0.0	0.0-3.4	0.0	0.0	0.0-3.5
Hodgkin lymphoma	2.0	3.7	1.7-7.1	1.0	3.7	1.1-9.1	1.0	3.7	1.0-9.3	0.2	0.3	0.0-2.3	0.2	0.7	0.0-4.6	0.0	0.0	0.0-3.5
Non-Hodgkin lymphomas	10.8	17.9	13.2-23.8	6.4	21.9	14.6-31.7	4.4	14.3	8.7-22.4	3.0	5.1	2.7-8.7	1.8	6.9	3.0-13.6	1.2	3.5	1.3-8.3
Myeloma	2.4	3.4	1.8-6.3	1.6	4.8	2.0-10.1	0.8	2.1	0.6-6.3	1.0	1.7	0.5-4.3	0.6	2.3	0.5-7.2	0.4	0.9	0.1-4.7
Leukemias	7.6	12.3	8.6-17.3	5.0	17.6	11.2-26.6	2.6	7.5	3.9-13.5	3.6	5.8	3.4-9.4	1.6	5.7	2.5-11.7	2.0	5.6	2.6-11.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Broome

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1320.4	513.5	500.5-526.7	668.8	550.6	531.4-570.3	651.6	488.8	470.9-507.2	428.2	154.2	147.5-161.1	225.2	184.7	173.8-196.1	203.0	132.4	123.9-141.4
Oral cavity and pharynx	36.6	14.7	12.5-17.1	27.2	23.4	19.5-28.0	9.4	6.9	5.0-9.4	8.8	3.3	2.4-4.5	6.8	5.6	3.8-7.9	2.0	1.3	0.6-2.6
Esophagus	14.2	5.5	4.2-7.0	11.0	9.3	6.9-12.2	3.2	2.3	1.3-4.0	12.4	4.4	3.3-5.7	10.4	8.2	6.1-10.9	2.0	1.3	0.6-2.6
Stomach	14.2	5.4	4.2-6.8	10.0	8.5	6.2-11.3	4.2	2.6	1.6-4.2	6.8	2.7	1.8-3.9	4.6	4.1	2.5-6.2	2.2	1.5	0.7-2.9
Colorectal	93.8	36.2	32.8-39.8	50.2	43.0	37.7-49.0	43.6	30.2	26.1-34.9	33.8	12.3	10.4-14.4	16.4	13.9	11.0-17.4	17.4	10.9	8.6-13.7
Colon excluding rectum	64.4	24.6	21.9-27.6	32.2	27.8	23.5-32.6	32.2	22.0	18.5-25.9	27.4	9.9	8.3-11.9	12.8	11.0	8.4-14.2	14.6	9.0	6.9-11.5
Rectum & rectosigmoid	29.4	11.6	9.7-13.7	18.0	15.2	12.1-18.9	11.4	8.3	6.2-11.0	6.4	2.4	1.6-3.4	3.6	2.8	1.7-4.6	2.8	1.9	1.0-3.5
Liver / intrahepatic bile duct	22.4	8.3	6.8-10.1	17.0	13.6	10.8-16.9	5.4	3.7	2.4-5.6	16.6	6.2	4.9-7.7	11.2	9.1	6.8-12.0	5.4	3.6	2.3-5.4
Pancreas	45.4	15.9	13.8-18.2	22.4	17.3	14.1-20.9	23.0	14.6	12.0-17.7	36.2	12.5	10.8-14.6	19.4	15.1	12.2-18.6	16.8	10.2	8.1-12.8
Larynx	6.8	2.5	1.7-3.6	4.8	3.6	2.3-5.5	2.0	1.5	0.7-3.0	1.8	0.6	0.3-1.3	1.0	0.8	0.3-2.0	0.8	0.5	0.1-1.5
Lung and bronchus	174.6	64.3	60.0-68.9	85.8	69.6	63.0-76.8	88.8	60.7	54.9-66.9	110.0	39.6	36.2-43.1	57.8	46.7	41.4-52.6	52.2	34.5	30.2-39.2
Melanoma of the skin	68.2	27.6	24.6-30.9	39.6	33.3	28.7-38.5	28.6	23.6	19.6-28.2	4.8	2.0	1.2-3.1	3.2	3.2	1.8-5.4	1.6	0.9	0.4-2.0
Female breast							184.4	145.2	135.3-155.6							24.0	17.0	13.8-20.7
Cervix uteri							8.4	8.7	6.1-12.0							3.0	2.4	1.3-4.2
Corpus uterus and NOS							45.8	35.1	30.3-40.4							7.2	4.6	3.1-6.5
Ovary							20.2	16.3	13.0-20.1							11.2	7.4	5.5-9.8
Prostate				162.2	122.1	113.6-131.0							24.6	19.8	16.4-23.7			
Testis				8.2	10.1	7.1-13.7							0.2	0.3	0.0-1.4			
Urinary bladder (incl. in situ)	62.0	22.5	20.0-25.2	46.8	37.9	33.1-43.2	15.2	10.5	8.2-13.5	12.8	4.3	3.2-5.5	8.8	7.2	5.2-9.8	4.0	2.4	1.4-3.9
Kidney and renal pelvis	46.8	18.4	16.0-21.1	29.4	25.2	21.1-29.9	17.4	12.1	9.5-15.3	11.0	3.8	2.8-5.0	7.2	5.6	3.9-8.0	3.8	2.4	1.4-3.9
Brain and other central nervous system	16.4	7.4	5.8-9.3	9.8	9.3	6.8-12.6	6.6	5.6	3.7-8.1	10.0	4.3	3.1-5.8	5.8	5.5	3.6-8.0	4.2	3.2	1.9-5.1
Thyroid	33.8	16.8	14.2-19.8	9.8	10.1	7.3-13.5	24.0	23.5	19.2-28.4	1.6	0.5	0.2-1.1	0.8	0.5	0.1-1.6	0.8	0.5	0.1-1.6
Hodgkin lymphoma	7.0	3.8	2.6-5.4	4.0	4.2	2.5-6.7	3.0	3.4	1.8-5.7	0.6	0.3	0.1-0.8	0.4	0.4	0.0-1.5	0.2	0.1	0.0-1.0
Non-Hodgkin lymphomas	50.4	19.6	17.1-22.4	27.8	23.9	20.0-28.5	22.6	16.2	13.2-19.8	13.4	4.8	3.7-6.2	7.8	6.5	4.6-9.0	5.6	3.7	2.4-5.7
Myeloma	21.2	8.1	6.6-9.9	11.6	9.3	7.0-12.1	9.6	7.0	5.0-9.5	8.2	2.8	2.0-3.9	4.2	3.3	2.1-5.2	4.0	2.4	1.4-3.9
Leukemias	44.2	16.7	14.5-19.1	24.6	21.2	17.5-25.4	19.6	12.9	10.4-16.0	17.6	6.3	5.0-7.9	9.4	8.1	5.9-10.9	8.2	5.1	3.5-7.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Cattaraugus

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	526.4	500.0	480.1-520.5	282.2	554.7	524.9-585.9	244.2	456.6	429.8-484.7	168.2	152.7	142.3-163.7	85.8	168.1	152.1-185.4	82.4	141.3	127.4-156.3
Oral cavity and pharynx	17.8	16.2	12.9-20.2	12.2	24.1	18.1-31.5	5.6	8.4	5.5-12.5	4.6	3.9	2.5-6.0	3.0	5.5	3.0-9.4	1.6	2.3	1.0-5.0
Esophagus	6.2	5.7	3.8-8.4	6.0	11.3	7.4-16.7	0.2	0.4	0.0-2.5	6.2	5.5	3.7-8.1	5.6	10.5	6.8-15.5	0.6	0.9	0.2-3.3
Stomach	6.0	5.1	3.4-7.5	4.4	8.1	5.0-12.7	1.6	2.5	1.0-5.3	1.6	1.8	0.7-3.6	1.2	3.2	1.2-7.0	0.4	0.7	0.1-3.1
Colorectal	39.8	39.5	33.9-45.8	21.2	43.5	35.1-53.3	18.6	35.3	28.1-43.9	13.6	12.5	9.6-16.1	5.8	10.8	7.1-15.9	7.8	13.6	9.4-19.2
Colon excluding rectum	27.8	27.4	22.8-32.7	14.4	29.6	22.8-37.9	13.4	24.6	18.7-31.8	12.0	11.2	8.4-14.6	4.6	8.6	5.3-13.3	7.4	13.1	9.0-18.6
Rectum & rectosigmoid	12.0	12.1	9.1-15.9	6.8	13.9	9.3-19.9	5.2	10.7	6.8-16.2	1.6	1.3	0.6-2.8	1.2	2.2	0.8-5.2	0.4	0.5	0.1-2.7
Liver / intrahepatic bile duct	5.8	5.2	3.4-7.6	5.2	9.6	6.2-14.4	0.6	1.2	0.2-4.0	3.6	3.2	1.9-5.3	2.4	4.4	2.2-8.0	1.2	2.3	0.8-5.4
Pancreas	14.4	14.0	10.8-17.9	8.6	17.3	12.3-23.7	5.8	11.6	7.5-17.2	9.4	8.2	6.0-11.1	5.6	10.7	7.0-15.8	3.8	6.4	3.8-10.4
Larynx	4.2	3.6	2.1-5.7	3.4	6.3	3.5-10.6	0.8	1.1	0.3-3.5	0.6	0.5	0.1-1.7	0.4	0.7	0.1-3.2	0.2	0.3	0.0-2.3
Lung and bronchus	80.2	70.4	63.5-77.9	40.6	75.9	65.5-87.6	39.6	66.2	57.1-76.7	50.4	45.4	39.9-51.6	26.0	50.1	41.7-59.9	24.4	41.5	34.3-49.9
Melanoma of the skin	29.8	30.3	25.4-35.9	18.4	38.9	31.1-48.2	11.4	24.7	18.4-32.7	1.6	1.4	0.6-3.0	1.4	2.8	1.1-6.0	0.2	0.3	0.0-2.3
Female breast							61.4	114.8	101.6-129.4							9.4	17.9	12.8-24.3
Cervix uteri							4.2	10.9	6.5-17.0							0.4	0.7	0.1-3.0
Corpus uterus and NOS							19.4	37.9	30.2-47.1							3.2	5.5	3.0-9.4
Ovary							5.2	10.4	6.6-15.8							4.8	7.8	5.0-12.1
Prostate				70.6	124.1	111.1-138.3							5.8	12.3	8.1-17.8			
Testis				2.8	8.8	4.7-14.8							0.0	0.0	0.0-2.0			
Urinary bladder (incl. in situ)	27.4	24.9	20.8-29.7	20.0	40.4	32.7-49.6	7.4	11.8	8.2-16.6	4.2	3.8	2.3-5.9	2.8	5.9	3.2-10.2	1.4	2.0	0.8-4.7
Kidney and renal pelvis	20.0	19.8	16.0-24.5	12.4	26.0	19.6-33.9	7.6	14.5	10.1-20.3	4.0	3.5	2.1-5.6	2.6	4.9	2.6-8.8	1.4	2.6	1.0-5.6
Brain and other central nervous system	7.4	8.6	6.0-12.1	4.8	11.9	7.5-18.0	2.6	5.4	2.8-9.6	4.8	5.0	3.2-7.7	2.8	5.9	3.1-10.3	2.0	4.1	1.9-7.9
Thyroid	11.6	14.5	10.8-19.0	3.2	7.1	3.8-12.0	8.4	21.8	15.3-29.9	0.4	0.4	0.0-1.6	0.2	0.3	0.0-2.4	0.2	0.5	0.0-2.8
Hodgkin lymphoma	2.4	2.8	1.4-5.0	1.4	3.1	1.2-6.7	1.0	2.5	0.8-6.0	1.0	0.9	0.3-2.2	0.4	0.7	0.1-3.2	0.6	0.8	0.2-3.0
Non-Hodgkin lymphomas	22.8	22.0	18.0-26.6	12.8	27.1	20.6-35.0	10.0	17.2	12.6-23.0	6.4	5.6	3.8-8.1	3.0	5.6	3.1-9.6	3.4	5.4	3.1-9.0
Myeloma	6.4	6.2	4.2-9.0	4.0	8.1	4.9-12.9	2.4	4.3	2.2-7.9	2.2	2.0	1.0-3.8	1.0	2.0	0.6-4.9	1.2	1.9	0.7-4.7
Leukemias	17.0	16.7	13.2-21.0	9.0	19.6	14.1-26.6	8.0	14.6	10.1-20.4	4.2	3.7	2.3-5.8	2.4	5.2	2.7-9.4	1.8	2.8	1.3-5.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Cayuga

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	551.6	518.9	498.9-539.6	291.0	562.4	532.9-593.2	260.6	486.4	458.7-515.5	176.6	158.6	148.1-169.8	93.6	184.1	167.4-202.1	83.0	140.2	126.6-155.2
Oral cavity and pharynx	12.6	11.7	8.9-15.2	8.2	15.4	10.9-21.3	4.4	7.8	4.8-12.2	1.8	1.5	0.7-3.1	0.8	1.4	0.4-4.0	1.0	1.6	0.5-4.2
Esophagus	7.6	6.6	4.7-9.3	5.8	10.3	6.8-15.1	1.8	3.5	1.5-7.0	8.0	6.8	4.8-9.5	6.6	12.1	8.3-17.3	1.4	2.3	0.9-5.2
Stomach	9.6	9.4	6.8-12.6	6.6	13.3	9.0-18.9	3.0	5.9	3.2-10.2	1.8	1.8	0.8-3.6	1.6	3.6	1.5-7.3	0.2	0.2	0.0-2.4
Colorectal	38.6	36.1	31.0-41.9	20.6	39.7	32.2-48.7	18.0	31.9	25.3-40.0	16.0	13.9	11.0-17.5	9.0	17.5	12.7-23.7	7.0	11.0	7.6-15.8
Colon excluding rectum	26.8	24.5	20.4-29.3	11.4	21.8	16.4-28.7	15.4	26.4	20.5-33.7	13.0	11.4	8.7-14.6	7.2	14.1	9.8-19.9	5.8	9.0	6.0-13.4
Rectum & rectosigmoid	11.8	11.6	8.7-15.2	9.2	17.9	12.9-24.3	2.6	5.5	2.8-9.9	3.0	2.6	1.4-4.5	1.8	3.3	1.5-6.7	1.2	2.0	0.7-4.9
Liver / intrahepatic bile duct	5.0	4.5	2.9-6.9	3.2	6.1	3.4-10.1	1.8	3.4	1.5-7.0	6.2	5.8	3.9-8.5	4.8	9.9	6.2-15.0	1.4	2.3	0.9-5.3
Pancreas	12.4	10.8	8.2-14.0	5.2	9.7	6.3-14.5	7.2	11.7	8.1-16.7	7.8	6.5	4.6-9.1	3.4	6.4	3.6-10.5	4.4	6.5	4.1-10.4
Larynx	4.4	3.6	2.2-5.6	3.6	6.0	3.5-9.9	0.8	1.4	0.4-4.1	1.4	1.1	0.5-2.6	1.2	2.0	0.7-4.7	0.2	0.3	0.0-2.6
Lung and bronchus	91.2	81.2	73.7-89.3	45.6	85.7	74.6-98.0	45.6	78.1	68.0-89.4	49.2	44.4	38.9-50.5	24.6	48.1	39.8-57.8	24.6	41.9	34.6-50.5
Melanoma of the skin	23.0	23.7	19.4-28.8	12.0	24.2	18.3-31.5	11.0	24.8	18.3-32.8	3.4	3.2	1.8-5.2	2.6	5.4	2.8-9.4	0.8	1.2	0.3-3.7
Female breast							69.8	135.0	120.2-151.2							10.6	18.5	13.7-24.7
Cervix uteri							3.2	8.5	4.7-14.2							1.2	2.5	0.8-6.0
Corpus uterus and NOS							20.8	36.8	29.8-45.3							2.2	3.6	1.8-6.9
Ovary							4.8	8.9	5.5-13.8							2.6	5.0	2.5-9.0
Prostate				79.0	140.6	126.7-155.7							7.4	15.3	10.7-21.4			
Testis				3.4	9.2	5.3-14.8							0.2	0.5	0.0-3.0			
Urinary bladder (incl. in situ)	31.8	29.8	25.3-35.1	24.2	48.2	39.8-58.0	7.6	14.0	9.7-19.7	5.2	4.6	3.0-6.9	3.0	5.6	3.1-9.6	2.2	3.7	1.8-7.2
Kidney and renal pelvis	19.0	19.0	15.1-23.5	12.8	25.7	19.5-33.3	6.2	12.2	8.0-17.9	4.2	3.6	2.2-5.6	2.8	5.0	2.7-8.7	1.4	2.3	0.9-5.3
Brain and other central nervous system	6.6	7.6	5.1-10.8	3.6	8.2	4.7-13.4	3.0	7.0	3.8-12.0	4.4	4.2	2.6-6.5	2.0	4.2	1.9-8.0	2.4	4.2	2.1-7.9
Thyroid	11.2	13.1	9.7-17.3	4.6	10.9	6.7-16.6	6.6	15.8	10.5-22.7	0.2	0.1	0.0-1.2	0.2	0.3	0.0-2.3	0.0	0.0	0.0-2.1
Hodgkin lymphoma	2.0	2.1	1.0-4.1	1.8	4.1	1.8-8.0	0.2	0.3	0.0-2.5	0.6	0.6	0.1-1.9	0.6	1.4	0.3-4.3	0.0	0.0	0.0-2.1
Non-Hodgkin lymphomas	21.8	20.9	17.0-25.5	11.4	23.4	17.5-30.6	10.4	19.2	14.0-25.9	7.0	5.9	4.1-8.4	3.8	6.9	4.1-11.1	3.2	5.1	2.8-8.9
Myeloma	6.4	6.0	4.1-8.6	2.8	5.7	3.1-9.8	3.6	6.3	3.7-10.4	1.8	1.7	0.8-3.4	1.0	2.0	0.6-5.0	0.8	1.5	0.4-4.3
Leukemias	19.4	18.4	14.7-22.7	12.0	24.0	18.1-31.3	7.4	13.0	8.9-18.5	5.8	5.5	3.6-8.1	3.6	7.1	4.1-11.5	2.2	4.1	2.0-7.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Chautauqua

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	948.6	529.5	513.8-545.7	506.8	590.5	566.8-615.0	441.8	481.8	460.5-503.8	288.8	152.9	144.8-161.3	149.8	176.7	163.9-190.3	139.0	134.4	124.1-145.4
Oral cavity and pharynx	30.2	17.2	14.4-20.4	20.6	23.9	19.3-29.4	9.6	11.0	7.9-14.9	5.2	2.7	1.8-4.1	3.4	3.9	2.3-6.5	1.8	1.7	0.7-3.4
Esophagus	13.8	8.0	6.1-10.3	9.8	12.3	8.9-16.6	4.0	4.0	2.4-6.5	9.6	5.7	4.1-7.7	7.2	8.8	6.1-12.4	2.4	2.9	1.4-5.4
Stomach	11.8	6.9	5.1-9.1	9.0	11.3	8.1-15.5	2.8	3.0	1.6-5.4	4.6	2.4	1.5-3.8	3.2	3.9	2.2-6.4	1.4	1.3	0.5-3.1
Colorectal	58.6	33.4	29.5-37.7	31.4	39.5	33.3-46.5	27.2	28.1	23.3-33.7	23.6	12.7	10.4-15.3	12.2	14.7	11.2-19.1	11.4	11.2	8.4-14.8
Colon excluding rectum	44.4	25.0	21.6-28.7	23.2	29.5	24.2-35.7	21.2	21.0	17.0-25.7	19.4	10.4	8.3-12.8	10.0	12.0	8.8-16.1	9.4	9.2	6.7-12.5
Rectum & rectosigmoid	14.2	8.4	6.5-10.8	8.2	10.0	7.1-13.7	6.0	7.1	4.6-10.5	4.2	2.3	1.4-3.6	2.2	2.7	1.3-5.0	2.0	2.0	0.9-3.9
Liver / intrahepatic bile duct	14.2	7.3	5.7-9.3	11.2	11.9	8.9-15.6	3.0	3.1	1.7-5.3	10.2	5.2	3.8-6.9	7.6	8.1	5.7-11.3	2.6	2.5	1.3-4.6
Pancreas	23.6	12.5	10.3-15.2	11.0	12.8	9.5-17.0	12.6	12.2	9.2-15.9	18.6	9.7	7.8-12.0	7.6	8.3	5.8-11.7	11.0	10.6	7.8-14.1
Larynx	6.2	3.2	2.1-4.6	4.8	5.2	3.3-8.0	1.4	1.4	0.6-3.2	2.6	1.2	0.6-2.2	2.2	2.4	1.2-4.6	0.4	0.3	0.0-1.6
Lung and bronchus	136.8	72.8	67.2-78.7	67.8	78.1	69.8-87.3	69.0	69.3	61.9-77.5	86.4	45.6	41.3-50.3	45.6	53.3	46.4-61.0	40.8	39.5	34.1-45.7
Melanoma of the skin	45.2	28.0	24.2-32.2	26.2	33.4	27.7-40.0	19.0	24.4	19.4-30.5	4.6	2.5	1.5-3.9	2.6	3.1	1.6-5.5	2.0	2.1	0.9-4.2
Female breast							122.0	133.8	122.7-145.7							14.4	13.8	10.6-17.7
Cervix uteri							5.6	8.2	5.3-12.2							2.4	2.4	1.2-4.4
Corpus uterus and NOS							31.8	34.3	28.9-40.6							5.2	5.4	3.5-8.3
Ovary							10.6	11.4	8.3-15.2							6.6	7.1	4.8-10.3
Prostate				151.8	159.9	148.4-172.1							10.6	12.4	9.3-16.4			
Testis				4.2	7.5	4.6-11.5							0.6	1.0	0.2-2.9			
Urinary bladder (incl. in situ)	53.6	28.7	25.3-32.5	40.4	48.0	41.4-55.3	13.2	12.5	9.6-16.3	8.6	4.4	3.2-6.0	6.2	7.3	4.9-10.5	2.4	2.1	1.1-4.0
Kidney and renal pelvis	31.6	18.9	15.9-22.3	21.8	27.8	22.6-34.0	9.8	10.7	7.7-14.6	5.8	2.9	1.9-4.3	4.0	4.8	2.9-7.7	1.8	1.5	0.6-3.1
Brain and other central nervous system	11.6	7.9	5.9-10.4	6.2	8.7	5.7-12.6	5.4	7.2	4.6-10.8	8.0	4.9	3.4-6.9	4.8	6.6	4.1-10.1	3.2	3.6	1.9-6.1
Thyroid	23.4	17.0	13.9-20.6	4.6	6.1	3.8-9.5	18.8	27.9	22.2-34.6	1.0	0.5	0.1-1.2	0.6	0.6	0.1-2.1	0.4	0.3	0.0-1.5
Hodgkin lymphoma	3.8	3.3	1.9-5.1	1.2	2.1	0.8-4.7	2.6	4.4	2.3-7.7	0.6	0.3	0.1-1.1	0.2	0.3	0.0-1.7	0.4	0.3	0.0-1.6
Non-Hodgkin lymphomas	37.6	20.8	17.8-24.2	21.2	25.5	20.7-31.1	16.4	16.9	13.2-21.4	9.8	5.0	3.7-6.8	4.4	5.3	3.3-8.1	5.4	4.9	3.2-7.5
Myeloma	12.2	6.5	4.9-8.5	7.4	8.8	6.1-12.4	4.8	4.7	2.9-7.2	4.8	2.5	1.6-3.8	1.6	1.8	0.8-3.8	3.2	3.0	1.7-5.2
Leukemias	30.6	16.7	14.1-19.8	17.0	20.1	15.9-25.1	13.6	13.6	10.4-17.6	10.0	5.2	3.8-7.0	5.8	6.8	4.5-10.0	4.2	3.7	2.2-6.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Chemung

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	610.8	533.5	514.0-553.5	310.4	575.8	546.7-606.1	300.4	507.7	480.8-535.8	203.6	167.4	157.0-178.3	108.8	204.8	187.6-223.3	94.8	139.1	126.3-152.9
Oral cavity and pharynx	15.4	14.5	11.3-18.3	11.4	22.4	16.8-29.5	4.0	7.0	4.1-11.2	2.6	2.2	1.2-4.0	1.4	2.8	1.1-6.0	1.2	1.5	0.5-3.8
Esophagus	8.0	6.8	4.8-9.4	6.0	10.9	7.3-15.8	2.0	3.2	1.5-6.2	6.2	5.1	3.4-7.3	4.6	8.3	5.2-12.7	1.6	2.5	1.0-5.3
Stomach	7.2	6.0	4.2-8.5	4.8	9.1	5.8-13.8	2.4	3.4	1.8-6.4	2.4	2.0	1.0-3.7	2.2	3.9	1.9-7.3	0.2	0.4	0.0-2.4
Colorectal	36.6	33.2	28.3-38.6	21.8	42.2	34.4-51.2	14.8	26.0	20.0-33.3	12.6	10.5	8.0-13.6	8.2	15.9	11.3-21.8	4.4	6.2	3.8-9.8
Colon excluding rectum	28.0	24.9	20.8-29.7	15.6	30.0	23.6-37.8	12.4	21.1	15.9-27.6	10.4	8.8	6.5-11.8	6.8	13.1	9.0-18.5	3.6	5.3	3.0-8.8
Rectum & rectosigmoid	8.6	8.2	5.9-11.3	6.2	12.2	8.2-17.5	2.4	4.9	2.4-8.9	2.2	1.7	0.8-3.2	1.4	2.8	1.1-6.0	0.8	0.9	0.2-3.0
Liver / intrahepatic bile duct	8.0	6.4	4.5-8.9	5.6	9.7	6.4-14.3	2.4	3.5	1.8-6.4	7.2	5.6	3.9-7.9	5.0	8.8	5.7-13.3	2.2	2.9	1.4-5.6
Pancreas	17.4	14.2	11.3-17.7	8.4	15.0	10.7-20.5	9.0	13.9	10.0-19.1	14.4	11.2	8.7-14.3	7.4	13.4	9.3-18.7	7.0	9.3	6.4-13.3
Larynx	4.6	4.0	2.5-6.2	3.8	7.2	4.3-11.5	0.8	1.1	0.3-3.4	0.6	0.5	0.1-1.6	0.6	1.0	0.2-3.4	0.0	0.0	0.0-1.8
Lung and bronchus	92.6	76.4	69.5-84.0	49.0	89.3	78.2-101.6	43.6	66.5	57.7-76.4	57.4	47.0	41.6-53.0	31.6	58.3	49.4-68.5	25.8	37.9	31.5-45.5
Melanoma of the skin	23.4	21.4	17.6-26.0	15.6	29.1	22.9-36.6	7.8	16.0	11.1-22.3	3.0	2.6	1.5-4.5	2.4	4.4	2.2-7.9	0.6	1.1	0.2-3.5
Female breast							80.6	138.6	124.6-153.9							12.2	17.2	13.1-22.5
Cervix uteri							2.4	4.6	2.3-8.4							1.4	2.6	0.9-5.7
Corpus uterus and NOS							20.4	33.6	27.0-41.4							2.0	3.4	1.6-6.8
Ovary							6.2	10.0	6.6-14.7							5.8	8.1	5.3-12.0
Prostate				66.2	113.0	100.9-126.3							9.4	17.9	13.1-24.0			
Testis				2.8	6.4	3.5-10.9							0.2	0.6	0.0-3.2			
Urinary bladder (incl. in situ)	32.2	26.6	22.5-31.2	23.0	42.5	34.9-51.3	9.2	14.1	10.2-19.2	7.0	5.6	3.9-8.0	4.2	8.0	4.9-12.5	2.8	4.3	2.3-7.6
Kidney and renal pelvis	21.4	18.6	15.2-22.8	14.4	26.3	20.4-33.4	7.0	12.3	8.3-17.6	6.2	5.5	3.7-8.0	4.2	8.2	5.0-12.7	2.0	3.4	1.5-6.8
Brain and other central nervous system	7.6	7.7	5.4-10.7	4.8	10.0	6.3-15.2	2.8	5.6	3.0-9.7	5.6	5.2	3.4-7.7	3.6	7.4	4.3-11.9	2.0	3.2	1.5-6.2
Thyroid	16.8	18.9	14.9-23.7	4.6	10.4	6.5-15.8	12.2	27.5	20.7-35.9	0.8	0.6	0.2-1.7	0.0	0.0	0.0-1.8	0.8	0.9	0.2-3.0
Hodgkin lymphoma	2.0	2.1	1.0-4.0	1.2	2.6	0.9-5.9	0.8	1.8	0.4-4.7	0.4	0.3	0.0-1.3	0.2	0.3	0.0-2.3	0.2	0.3	0.0-2.1
Non-Hodgkin lymphomas	25.0	21.6	17.8-25.9	13.6	25.6	19.7-32.8	11.4	18.0	13.5-23.7	7.4	5.9	4.1-8.3	4.4	8.8	5.5-13.4	3.0	4.2	2.3-7.3
Myeloma	8.8	7.3	5.2-10.0	4.4	7.8	4.9-12.1	4.4	7.1	4.3-11.2	3.2	2.6	1.4-4.5	1.4	3.0	1.2-6.3	1.8	2.3	1.0-4.9
Leukemias	18.0	16.2	12.9-20.1	9.2	18.0	13.0-24.2	8.8	15.0	10.7-20.5	7.6	6.5	4.6-9.1	3.8	7.8	4.7-12.3	3.8	5.8	3.4-9.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Chenango

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	354.4	515.6	490.7-541.6	182.4	530.6	495.4-567.9	172.0	509.1	473.3-547.0	114.6	159.3	146.2-173.5	58.6	174.5	154.7-196.5	56.0	149.9	132.1-169.7
Oral cavity and pharynx	10.4	14.8	10.9-19.9	7.4	21.8	15.1-30.9	3.0	8.2	4.4-14.4	2.0	2.7	1.3-5.4	1.4	3.9	1.5-8.8	0.6	1.7	0.3-5.9
Esophagus	4.2	5.5	3.4-8.8	3.2	8.5	4.7-14.5	1.0	2.7	0.8-7.1	2.6	3.3	1.8-6.0	1.2	3.2	1.1-7.7	1.4	3.4	1.4-7.9
Stomach	2.8	4.4	2.3-7.9	1.0	3.2	0.9-8.3	1.8	5.6	2.4-11.4	1.8	2.8	1.2-5.7	1.2	3.6	1.2-8.8	0.6	1.9	0.4-6.2
Colorectal	30.0	44.2	37.1-52.4	14.6	45.5	35.2-58.1	15.4	43.4	33.9-55.0	8.8	12.8	9.2-17.5	3.8	11.9	7.0-19.2	5.0	13.8	8.8-21.0
Colon excluding rectum	23.0	33.8	27.7-41.1	10.4	33.0	24.2-44.2	12.6	34.7	26.4-45.1	7.8	11.5	8.1-16.0	3.0	9.3	5.0-16.1	4.8	13.4	8.5-20.5
Rectum & rectosigmoid	7.0	10.4	7.1-14.8	4.2	12.5	7.6-19.7	2.8	8.6	4.5-15.3	1.0	1.3	0.4-3.5	0.8	2.5	0.7-7.1	0.2	0.4	0.0-3.8
Liver / intrahepatic bile duct	4.0	5.1	3.1-8.2	2.6	6.6	3.5-12.1	1.4	3.6	1.4-8.2	2.6	3.6	1.8-6.6	1.6	4.1	1.7-8.9	1.0	3.2	0.9-8.3
Pancreas	10.4	14.3	10.6-19.0	5.4	15.1	9.8-22.6	5.0	13.4	8.6-20.4	10.4	14.3	10.7-19.1	6.0	17.9	11.9-26.1	4.4	11.0	6.9-17.4
Larynx	3.0	4.1	2.2-7.2	2.2	6.2	3.0-11.8	0.8	2.2	0.5-6.7	0.6	0.7	0.1-2.6	0.6	1.6	0.3-5.6	0.0	0.0	0.0-3.3
Lung and bronchus	54.2	73.4	64.6-83.2	28.2	77.8	65.2-92.5	26.0	70.4	58.3-84.5	32.4	44.4	37.7-52.2	16.0	45.6	36.0-57.3	16.4	43.9	34.6-55.3
Melanoma of the skin	15.6	23.9	18.6-30.3	9.4	31.1	22.5-42.0	6.2	17.6	11.6-25.8	1.2	1.5	0.5-3.6	0.6	1.6	0.3-5.6	0.6	1.3	0.3-5.1
Female breast							44.6	132.9	114.9-153.1							6.0	16.3	10.6-24.2
Cervix uteri							3.0	11.0	5.8-19.0							1.2	3.6	1.2-8.6
Corpus uterus and NOS							16.4	51.3	39.9-65.1							1.6	4.0	1.7-8.7
Ovary							4.4	13.8	8.3-21.9							2.0	4.9	2.3-9.8
Prostate				42.4	110.7	96.1-127.4							5.4	17.5	11.5-25.8			
Testis				0.6	3.4	0.7-9.4							0.2	0.5	0.0-3.9			
Urinary bladder (incl. in situ)	18.0	24.2	19.4-30.0	15.8	45.6	35.9-57.5	2.2	5.8	2.9-11.1	4.4	6.1	3.8-9.5	3.4	10.4	6.0-17.1	1.0	2.6	0.8-7.0
Kidney and renal pelvis	14.4	21.6	16.7-27.6	9.2	26.6	19.3-36.2	5.2	16.8	10.6-25.4	2.2	3.0	1.5-5.6	1.6	4.9	2.1-10.1	0.6	1.3	0.3-5.1
Brain and other central nervous system	5.4	10.5	6.8-15.7	2.8	11.2	6.0-19.2	2.6	10.2	5.1-18.0	3.0	5.4	2.9-9.2	2.0	7.1	3.4-13.5	1.0	4.0	1.1-9.9
Thyroid	11.2	20.8	15.4-27.6	3.0	10.3	5.5-17.8	8.2	32.0	22.3-44.3	0.4	0.6	0.1-2.5	0.4	1.4	0.2-5.5	0.0	0.0	0.0-3.3
Hodgkin lymphoma	0.6	0.8	0.2-2.7	0.4	1.1	0.1-5.0	0.2	0.4	0.0-3.9	0.0	0.0	0.0-1.6	0.0	0.0	0.0-3.3	0.0	0.0	0.0-3.3
Non-Hodgkin lymphomas	11.0	15.7	11.7-20.8	6.8	21.3	14.5-30.4	4.2	10.7	6.5-17.2	4.0	5.8	3.5-9.3	2.4	7.2	3.6-13.2	1.6	4.8	2.0-10.2
Myeloma	3.0	4.5	2.4-7.8	1.8	5.1	2.1-10.6	1.2	3.8	1.3-8.8	0.8	1.1	0.3-3.2	0.8	2.4	0.6-6.8	0.0	0.0	0.0-3.3
Leukemias	12.6	18.6	14.1-24.3	7.6	23.9	16.5-33.7	5.0	13.5	8.6-20.8	4.6	6.7	4.2-10.4	2.4	7.3	3.7-13.3	2.2	6.4	3.0-12.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Clinton

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	528.2	516.1	496.0-536.9	272.6	546.9	517.5-577.7	255.6	497.6	469.3-527.4	158.6	151.8	141.2-163.1	84.4	175.5	158.8-193.6	74.2	133.7	120.1-148.6
Oral cavity and pharynx	11.0	11.0	8.2-14.5	7.2	15.0	10.4-21.0	3.8	7.2	4.2-11.7	2.0	1.8	0.9-3.5	1.2	2.3	0.8-5.4	0.8	1.3	0.4-3.9
Esophagus	5.8	5.3	3.5-7.7	4.6	8.8	5.5-13.5	1.2	2.1	0.8-5.0	4.6	4.0	2.5-6.2	3.4	5.9	3.4-9.9	1.2	2.2	0.8-5.1
Stomach	6.6	6.4	4.4-9.3	5.4	10.7	7.0-16.0	1.2	2.5	0.8-5.8	3.4	3.2	1.8-5.3	3.0	5.8	3.2-10.0	0.4	0.8	0.1-3.2
Colorectal	41.8	42.4	36.7-48.7	23.0	48.6	40.0-58.7	18.8	35.7	28.5-44.3	13.4	12.9	9.9-16.5	8.6	17.9	12.9-24.4	4.8	8.3	5.2-12.7
Colon excluding rectum	28.2	27.8	23.3-33.0	15.0	31.6	24.7-39.9	13.2	23.4	18.0-30.1	11.0	10.6	7.9-13.9	7.6	16.0	11.2-22.2	3.4	5.6	3.2-9.3
Rectum & rectosigmoid	13.6	14.6	11.2-18.7	8.0	17.1	12.1-23.5	5.6	12.3	7.9-18.4	2.4	2.3	1.2-4.1	1.0	1.9	0.6-4.8	1.4	2.7	1.0-5.9
Liver / intrahepatic bile duct	10.2	9.6	7.1-12.8	6.6	12.9	8.7-18.4	3.6	6.2	3.6-10.3	5.0	4.6	2.9-7.0	2.6	4.9	2.6-8.7	2.4	4.4	2.1-8.1
Pancreas	15.4	14.2	11.1-17.9	7.0	13.5	9.3-19.1	8.4	14.7	10.5-20.2	11.0	10.3	7.7-13.5	5.4	10.8	7.0-15.9	5.6	9.8	6.5-14.5
Larynx	5.0	4.3	2.8-6.6	3.8	6.8	4.0-11.0	1.2	1.9	0.7-4.6	0.8	0.7	0.2-2.0	0.8	1.4	0.4-4.0	0.0	0.0	0.0-2.0
Lung and bronchus	104.4	97.7	89.3-106.7	50.8	100.4	88.1-114.0	53.6	96.0	84.5-108.8	47.0	44.0	38.5-50.2	24.6	49.6	41.0-59.5	22.4	39.1	32.1-47.4
Melanoma of the skin	23.0	23.4	19.2-28.4	12.0	24.5	18.5-31.9	11.0	23.1	17.1-30.7	1.4	1.4	0.6-3.1	1.0	2.4	0.8-5.7	0.4	0.6	0.1-3.0
Female breast							59.2	120.2	106.1-135.7							8.4	16.0	11.3-22.2
Cervix uteri							2.2	6.6	3.2-11.9							0.8	1.9	0.4-5.2
Corpus uterus and NOS							14.0	23.9	18.5-30.7							1.4	2.7	1.0-6.1
Ovary							4.8	10.0	6.2-15.4							3.2	5.8	3.3-9.7
Prostate				52.8	96.9	85.3-109.8							7.2	15.7	10.9-21.9			
Testis				2.6	6.3	3.3-10.8							0.0	0.0	0.0-1.9			
Urinary bladder (incl. in situ)	24.4	23.6	19.5-28.3	18.8	39.2	31.5-48.3	5.6	9.9	6.5-14.6	4.2	3.9	2.4-6.2	3.4	7.2	4.1-11.7	0.8	1.2	0.3-3.7
Kidney and renal pelvis	28.0	27.9	23.4-33.2	17.8	35.2	28.1-43.7	10.2	20.4	15.0-27.3	5.0	5.0	3.2-7.5	3.0	6.4	3.5-10.7	2.0	3.7	1.8-7.2
Brain and other central nervous system	5.4	5.4	3.5-8.1	3.2	6.5	3.6-10.9	2.2	4.3	2.0-8.2	4.2	4.3	2.6-6.8	2.0	4.5	2.1-8.5	2.2	3.9	1.9-7.4
Thyroid	13.4	16.0	12.2-20.5	3.4	7.5	4.2-12.2	10.0	25.4	18.5-34.0	0.6	0.7	0.1-2.0	0.2	0.5	0.0-2.8	0.4	0.9	0.1-3.4
Hodgkin lymphoma	2.8	3.3	1.8-5.7	1.6	3.5	1.5-7.2	1.2	3.2	1.1-7.1	0.0	0.0	0.0-1.0	0.0	0.0	0.0-1.9	0.0	0.0	0.0-2.0
Non-Hodgkin lymphomas	22.2	22.2	18.1-26.9	11.8	24.5	18.5-32.0	10.4	20.6	15.1-27.5	5.2	5.2	3.4-7.7	3.0	6.5	3.6-11.0	2.2	4.4	2.1-8.2
Myeloma	10.0	10.3	7.6-13.8	6.4	12.7	8.5-18.2	3.6	8.3	4.7-13.5	3.6	3.7	2.2-5.9	2.0	4.9	2.3-9.1	1.6	2.8	1.2-5.9
Leukemias	16.6	17.2	13.6-21.5	10.6	23.4	17.4-31.0	6.0	11.3	7.5-16.5	6.0	6.3	4.2-9.1	4.0	9.5	5.8-14.8	2.0	4.2	2.0-8.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Columbia

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	479.6	501.1	480.0-523.1	241.8	510.3	480.4-541.7	237.8	497.9	467.7-529.8	145.0	141.8	131.3-153.0	77.6	161.9	145.8-179.7	67.4	125.7	112.1-140.9
Oral cavity and pharynx	13.4	13.6	10.4-17.7	9.4	20.2	14.6-27.6	4.0	7.5	4.4-12.5	2.6	2.8	1.5-5.1	2.0	4.5	2.1-9.0	0.6	1.3	0.3-4.7
Esophagus	4.6	4.6	2.8-7.3	3.6	7.6	4.3-12.8	1.0	1.7	0.5-5.0	4.2	4.2	2.5-6.9	3.2	6.8	3.7-11.9	1.0	1.8	0.6-5.1
Stomach	6.6	6.8	4.6-10.0	4.4	9.4	5.7-15.0	2.2	4.8	2.3-9.3	2.8	2.9	1.6-5.2	2.4	5.2	2.7-9.7	0.4	1.2	0.1-4.7
Colorectal	34.6	35.3	30.0-41.4	16.0	34.4	27.1-43.5	18.6	35.7	28.5-44.6	14.4	14.9	11.4-19.2	6.6	13.3	9.0-19.4	7.8	15.7	10.8-22.5
Colon excluding rectum	22.0	22.6	18.4-27.6	9.2	20.1	14.6-27.4	12.8	24.5	18.6-32.2	12.0	12.7	9.5-16.8	5.0	10.2	6.4-15.7	7.0	14.5	9.7-21.2
Rectum & rectosigmoid	12.6	12.7	9.7-16.6	6.8	14.3	9.8-20.6	5.8	11.1	7.3-16.8	2.4	2.2	1.1-4.3	1.6	3.1	1.3-7.0	0.8	1.2	0.3-4.3
Liver / intrahepatic bile duct	8.2	7.9	5.6-11.1	6.2	12.7	8.5-18.8	2.0	3.4	1.6-7.1	5.2	4.8	3.1-7.3	3.2	6.2	3.5-10.7	2.0	3.8	1.8-7.8
Pancreas	12.4	12.6	9.5-16.6	6.8	14.0	9.5-20.3	5.6	11.2	7.2-17.2	10.6	10.5	7.8-14.1	5.6	11.8	7.7-17.8	5.0	8.9	5.8-13.9
Larynx	3.8	4.3	2.5-7.1	3.0	6.4	3.5-11.1	0.8	2.5	0.6-6.8	1.0	0.9	0.3-2.6	1.0	1.8	0.6-5.2	0.0	0.0	0.0-2.9
Lung and bronchus	68.6	67.5	60.3-75.5	30.8	62.5	52.8-73.9	37.8	72.5	62.1-84.6	36.2	35.5	30.4-41.4	18.0	37.4	29.9-46.5	18.2	33.8	27.0-42.1
Melanoma of the skin	17.4	20.2	15.8-25.5	9.2	21.4	15.3-29.4	8.2	19.4	13.4-27.5	3.6	3.6	2.1-6.0	2.2	4.9	2.4-9.2	1.4	2.5	1.0-6.1
Female breast							66.8	143.3	127.1-161.2							7.8	14.3	10.1-20.2
Cervix uteri							2.8	7.5	3.8-13.3							1.4	3.2	1.1-7.6
Corpus uteri and NOS							14.8	27.9	21.6-35.9							2.4	4.2	2.1-8.2
Ovary							4.4	10.2	6.1-16.3							2.8	5.1	2.7-9.3
Prostate				59.6	112.9	100.2-127.1							6.2	13.4	9.1-19.5			
Testis				2.4	9.3	4.6-16.4							0.0	0.0	0.0-2.8			
Urinary bladder (incl. in situ)	27.6	27.0	22.6-32.2	21.0	43.1	35.1-52.8	6.6	12.8	8.7-18.7	3.4	3.1	1.8-5.4	2.2	4.5	2.2-8.7	1.2	2.1	0.8-5.6
Kidney and renal pelvis	18.2	19.2	15.2-24.0	10.8	23.1	17.1-30.8	7.4	15.5	10.4-22.4	4.2	4.0	2.4-6.4	2.2	4.7	2.3-9.0	2.0	3.3	1.5-6.9
Brain and other central nervous system	5.2	6.2	3.8-9.7	3.2	7.7	4.1-13.3	2.0	5.2	2.2-10.5	2.8	2.7	1.4-4.9	1.6	2.9	1.2-6.4	1.2	2.7	0.9-6.8
Thyroid	14.6	21.1	16.2-27.0	3.2	6.9	3.8-11.9	11.4	35.6	26.3-47.0	0.4	0.3	0.0-1.8	0.2	0.3	0.0-3.1	0.2	0.3	0.0-3.2
Hodgkin lymphoma	2.4	4.3	2.1-7.7	1.4	4.8	1.8-10.3	1.0	3.6	1.0-8.9	0.4	0.4	0.0-1.9	0.2	0.4	0.0-3.2	0.2	0.4	0.0-3.4
Non-Hodgkin lymphomas	20.8	21.2	17.1-26.2	12.0	26.7	20.0-35.1	8.8	16.6	11.8-23.1	7.2	7.0	4.8-9.9	5.2	11.2	7.2-17.0	2.0	3.5	1.7-7.3
Myeloma	7.0	6.8	4.7-9.9	4.2	8.8	5.3-14.2	2.8	5.0	2.7-9.1	3.2	3.0	1.7-5.2	1.8	4.0	1.8-8.1	1.4	2.2	0.9-5.6
Leukemias	16.2	17.3	13.5-22.1	10.4	23.4	17.0-31.7	5.8	11.6	7.5-17.5	3.8	3.9	2.2-6.5	2.4	4.9	2.5-9.3	1.4	3.0	1.0-7.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Cortland

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	316.4	553.2	525.4-582.2	160.0	589.3	547.9-633.1	156.4	527.1	489.1-567.3	91.2	155.9	141.6-171.3	46.6	177.2	154.6-202.3	44.6	140.2	121.9-160.7
Oral cavity and pharynx	9.6	16.7	12.2-22.5	6.6	23.0	15.6-32.8	3.0	11.0	6.0-18.8	0.6	0.9	0.2-3.1	0.2	0.6	0.0-4.3	0.4	1.2	0.2-5.2
Esophagus	3.6	6.1	3.6-9.8	2.4	9.0	4.6-16.1	1.2	3.7	1.3-8.7	3.4	6.0	3.5-9.8	2.4	9.1	4.6-16.3	1.0	3.8	1.2-9.3
Stomach	4.6	7.6	4.8-11.7	3.2	10.9	6.1-18.2	1.4	4.6	1.8-10.1	2.0	3.3	1.6-6.3	1.2	4.6	1.6-10.4	0.8	2.2	0.6-6.4
Colorectal	24.4	43.4	35.8-52.1	11.2	44.4	33.3-58.2	13.2	41.9	32.1-54.0	8.6	14.5	10.4-19.8	4.2	16.3	9.9-25.5	4.4	12.6	7.8-19.6
Colon excluding rectum	18.2	32.2	25.7-39.8	8.8	35.0	25.2-47.5	9.4	29.4	21.4-39.8	6.4	10.8	7.3-15.6	2.8	11.1	5.8-19.3	3.6	10.3	6.1-17.0
Rectum & rectosigmoid	6.2	11.2	7.5-16.2	2.4	9.4	4.8-16.9	3.8	12.5	7.4-20.1	2.2	3.7	1.8-6.8	1.4	5.2	2.0-11.1	0.8	2.2	0.6-6.6
Liver / intrahepatic bile duct	5.2	8.7	5.6-13.0	4.0	14.5	8.7-23.0	1.2	3.6	1.3-8.5	3.2	5.3	3.0-9.0	2.8	10.6	5.6-18.3	0.4	1.2	0.1-5.1
Pancreas	8.2	14.2	10.1-19.5	4.6	16.7	10.4-25.5	3.6	11.9	6.9-19.4	7.0	11.8	8.2-16.6	3.6	12.3	7.2-20.1	3.4	11.2	6.4-18.4
Larynx	1.8	2.8	1.3-5.6	1.4	4.8	1.9-10.5	0.4	1.2	0.1-5.1	0.6	1.1	0.2-3.5	0.4	1.8	0.2-6.6	0.2	0.6	0.0-4.4
Lung and bronchus	52.0	86.9	76.5-98.5	25.8	94.7	78.7-113.1	26.2	81.4	67.8-97.1	28.0	47.1	39.5-55.9	14.8	55.5	43.3-70.2	13.2	40.8	31.4-52.4
Melanoma of the skin	16.4	31.6	24.8-39.7	9.6	39.0	28.3-52.4	6.8	24.7	16.7-35.4	1.6	2.9	1.2-6.1	0.4	1.5	0.2-5.9	1.2	4.3	1.4-9.9
Female breast							41.4	139.5	120.4-160.9							5.2	17.1	10.8-25.8
Cervix uteri							1.6	9.0	3.8-17.5							0.0	0.0	0.0-3.4
Corpus uteri and NOS							11.8	41.7	31.1-54.9							1.4	4.2	1.7-9.3
Ovary							4.6	15.2	9.5-23.4							3.4	11.1	6.4-18.3
Prostate				39.4	130.8	112.8-151.1							2.2	8.4	4.1-15.5			
Testis				1.0	4.6	1.4-11.0							0.0	0.0	0.0-3.5			
Urinary bladder (incl. in situ)	19.0	32.3	26.0-39.7	14.6	55.9	43.5-70.8	4.4	13.3	8.3-20.6	2.2	4.3	2.1-7.9	2.0	8.4	3.9-15.9	0.2	0.7	0.0-4.6
Kidney and renal pelvis	8.6	15.8	11.2-21.6	4.6	17.7	11.0-27.2	4.0	13.9	8.3-22.1	1.4	2.8	1.0-5.9	0.6	2.4	0.5-7.4	0.8	3.2	0.7-8.7
Brain and other central nervous system	2.8	5.1	2.7-8.9	1.2	4.5	1.6-10.4	1.6	5.7	2.3-11.9	1.2	2.1	0.8-4.8	0.6	2.4	0.5-7.2	0.6	1.9	0.4-6.2
Thyroid	9.4	19.7	14.2-26.6	2.0	8.6	3.9-16.2	7.4	30.5	20.8-42.9	0.0	0.0	0.0-1.7	0.0	0.0	0.0-3.5	0.0	0.0	0.0-3.4
Hodgkin lymphoma	1.2	2.4	0.8-5.5	1.0	4.5	1.4-10.7	0.2	0.4	0.0-3.9	0.2	0.5	0.0-2.7	0.2	1.0	0.0-5.5	0.0	0.0	0.0-3.4
Non-Hodgkin lymphomas	9.4	16.8	12.2-22.6	5.8	21.6	14.3-31.5	3.6	12.2	7.0-19.9	1.4	2.3	0.9-5.0	0.6	2.0	0.4-6.5	0.8	2.4	0.6-6.9
Myeloma	3.0	5.4	2.9-9.1	1.8	7.2	3.2-14.1	1.2	3.8	1.3-9.0	1.6	2.9	1.3-5.9	1.0	4.2	1.3-10.0	0.6	2.0	0.4-6.5
Leukemias	10.8	18.8	14.0-24.7	6.4	25.2	17.1-36.1	4.4	13.4	8.3-20.9	5.2	8.9	5.8-13.3	3.4	13.9	7.9-22.6	1.8	5.8	2.5-11.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Delaware

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	340.0	477.7	453.1-503.3	176.4	491.8	457.5-528.4	163.6	467.8	432.9-505.2	116.0	150.1	137.6-163.7	63.6	174.3	154.8-196.0	52.4	128.5	112.6-146.4
Oral cavity and pharynx	10.0	14.3	10.3-19.6	7.8	21.7	15.0-31.0	2.2	7.3	3.3-14.2	2.4	3.4	1.7-6.5	1.6	4.6	1.8-10.1	0.8	2.5	0.6-7.4
Esophagus	3.8	4.5	2.7-7.5	3.2	7.7	4.3-13.5	0.6	1.2	0.3-5.3	3.4	4.3	2.5-7.4	2.6	6.9	3.6-12.7	0.8	1.8	0.5-6.2
Stomach	4.4	5.2	3.3-8.4	3.0	7.1	3.9-12.7	1.4	3.5	1.4-8.5	1.2	1.5	0.5-3.8	0.6	1.5	0.3-5.8	0.6	1.3	0.3-5.5
Colorectal	28.6	39.5	32.9-47.2	15.2	45.1	34.9-57.6	13.4	34.8	26.6-45.3	10.0	12.7	9.3-17.1	6.2	16.1	10.8-23.8	3.8	9.4	5.6-15.7
Colon excluding rectum	20.0	27.5	22.1-34.1	10.6	31.4	23.0-42.2	9.4	24.4	17.6-33.6	7.4	9.6	6.7-13.7	4.6	12.4	7.7-19.5	2.8	7.1	3.8-13.0
Rectum & rectosigmoid	8.6	12.0	8.5-16.7	4.6	13.7	8.4-21.5	4.0	10.3	6.1-17.1	2.6	3.0	1.6-5.7	1.6	3.8	1.6-8.6	1.0	2.3	0.7-6.8
Liver / intrahepatic bile duct	4.2	6.4	3.7-10.5	2.6	6.1	3.2-11.4	1.6	6.7	2.6-14.2	4.0	5.6	3.3-9.2	2.8	8.2	4.2-14.9	1.2	3.1	1.1-8.0
Pancreas	9.6	13.1	9.4-18.0	5.2	15.4	9.7-23.8	4.4	10.8	6.4-17.7	7.2	9.8	6.7-14.1	3.6	11.4	6.4-19.1	3.6	8.3	4.9-14.2
Larynx	3.2	4.4	2.4-7.6	2.4	6.9	3.4-13.1	0.8	2.1	0.5-6.7	0.8	1.0	0.3-3.2	0.8	2.1	0.6-6.7	0.0	0.0	0.0-3.9
Lung and bronchus	50.0	65.0	56.8-74.3	28.2	75.2	62.7-90.0	21.8	55.8	45.3-68.5	28.8	36.7	30.8-43.7	15.6	41.9	32.8-53.3	13.2	32.0	24.5-41.6
Melanoma of the skin	15.6	25.9	19.8-33.5	8.0	23.7	16.4-33.5	7.6	28.5	19.0-41.2	0.8	1.8	0.4-4.9	0.4	2.1	0.2-7.9	0.4	1.5	0.1-6.3
Female breast							42.2	119.8	102.7-139.2							6.4	16.1	10.8-23.8
Cervix uteri							2.2	10.6	5.0-19.6							0.2	0.5	0.0-4.4
Corpus uteri and NOS							12.4	35.4	26.5-46.8							1.8	4.1	1.8-9.1
Ovary							4.6	11.7	7.2-18.7							3.8	9.3	5.2-16.0
Prostate				36.0	87.9	75.2-102.6							6.4	17.8	12.1-25.8			
Testis				2.2	12.8	6.1-23.0							0.0	0.0	0.0-3.8			
Urinary bladder (incl. in situ)	20.0	24.7	20.0-30.5	14.6	37.8	29.4-48.4	5.4	12.2	8.0-18.8	5.2	6.6	4.3-10.1	4.0	10.5	6.4-17.1	1.2	3.1	1.0-8.2
Kidney and renal pelvis	10.2	16.0	11.4-22.0	5.8	18.4	11.7-27.9	4.4	13.8	8.0-22.4	2.6	3.5	1.8-6.6	0.8	1.8	0.5-6.1	1.8	4.8	2.0-10.4
Brain and other central nervous system	2.2	4.5	2.0-8.7	1.0	3.4	0.9-9.1	1.2	5.5	1.7-12.9	1.8	2.5	1.1-5.3	1.0	2.4	0.8-6.9	0.8	2.6	0.6-7.8
Thyroid	6.6	14.4	9.4-21.1	1.8	5.6	2.2-11.9	4.8	23.3	14.1-36.0	0.6	0.8	0.2-2.9	0.4	1.2	0.1-5.4	0.2	0.5	0.0-4.5
Hodgkin lymphoma	2.2	4.4	2.0-8.3	1.4	5.7	2.2-12.3	0.8	2.9	0.6-8.6	0.2	0.2	0.0-2.2	0.0	0.0	0.0-3.8	0.2	0.5	0.0-4.4
Non-Hodgkin lymphomas	13.4	17.8	13.5-23.2	7.6	21.0	14.4-30.1	5.8	14.4	9.5-21.7	3.8	4.8	2.8-7.9	2.8	7.2	3.9-13.1	1.0	2.1	0.7-6.4
Myeloma	6.4	8.2	5.5-12.0	3.6	9.6	5.6-16.2	2.8	6.4	3.5-11.8	2.0	2.6	1.2-5.4	1.0	2.9	0.8-8.0	1.0	2.2	0.7-6.5
Leukemias	14.8	20.6	15.8-26.7	9.0	27.9	19.6-38.8	5.8	13.7	9.1-20.6	5.6	7.7	4.9-11.8	3.4	10.2	5.5-17.6	2.2	5.3	2.6-10.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Dutchess

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1812.0	468.3	458.4-478.4	937.2	507.9	493.0-523.1	874.8	440.8	427.2-454.7	530.0	133.0	127.9-138.3	266.6	149.5	141.4-157.9	263.4	121.1	114.4-128.1
Oral cavity and pharynx	46.2	12.0	10.4-13.7	33.8	17.9	15.2-21.0	12.4	6.4	4.8-8.3	6.0	1.4	0.9-2.0	5.2	2.7	1.7-4.0	0.8	0.3	0.1-1.0
Esophagus	20.6	5.3	4.3-6.5	15.2	8.6	6.8-10.9	5.4	2.5	1.6-3.7	13.4	3.4	2.6-4.4	10.2	5.8	4.3-7.8	3.2	1.4	0.8-2.3
Stomach	24.6	6.3	5.2-7.6	15.0	8.3	6.4-10.5	9.6	4.7	3.4-6.4	10.0	2.6	1.9-3.5	6.4	3.5	2.3-5.0	3.6	1.9	1.1-3.1
Colorectal	132.6	34.4	31.7-37.2	70.4	39.0	34.9-43.4	62.2	30.3	26.9-34.0	41.8	10.4	9.0-12.0	19.4	11.0	8.9-13.5	22.4	10.0	8.2-12.1
Colon excluding rectum	98.0	25.4	23.1-27.8	50.8	28.1	24.7-31.9	47.2	22.7	19.8-26.0	32.0	8.0	6.8-9.4	13.8	8.0	6.2-10.2	18.2	8.1	6.5-10.0
Rectum & rectosigmoid	34.6	9.0	7.7-10.5	19.6	10.9	8.8-13.4	15.0	7.5	5.8-9.6	9.8	2.4	1.8-3.2	5.6	3.0	2.0-4.4	4.2	1.9	1.1-3.0
Liver / intrahepatic bile duct	31.0	7.4	6.2-8.7	22.2	11.2	9.1-13.6	8.8	4.1	2.9-5.6	19.0	4.5	3.6-5.5	12.6	6.3	4.8-8.2	6.4	2.8	1.9-4.1
Pancreas	57.8	14.6	12.9-16.5	32.2	17.6	14.9-20.6	25.6	12.0	10.0-14.4	42.0	10.6	9.2-12.2	22.6	12.5	10.3-15.1	19.4	9.0	7.2-11.1
Larynx	14.0	3.4	2.6-4.3	12.2	6.4	4.8-8.3	1.8	0.8	0.4-1.7	2.2	0.6	0.3-1.0	2.2	1.2	0.6-2.2	0.0	0.0	0.0-0.5
Lung and bronchus	243.8	60.5	57.1-64.1	116.0	61.9	56.8-67.3	127.8	60.0	55.3-65.0	127.2	31.4	28.9-34.0	66.2	35.5	31.7-39.6	61.0	28.2	25.1-31.7
Melanoma of the skin	64.0	16.4	14.6-18.3	40.8	22.4	19.3-25.8	23.2	11.4	9.4-13.9	8.8	2.3	1.6-3.1	4.2	2.3	1.4-3.6	4.6	2.2	1.4-3.4
Female breast							261.8	135.1	127.5-143.1							45.0	20.8	18.1-23.9
Cervix uteri							9.6	6.0	4.4-8.1							2.4	1.3	0.6-2.3
Corpus uterus and NOS							64.2	30.4	27.1-34.1							9.0	4.1	3.0-5.5
Ovary							20.6	10.2	8.2-12.5							12.4	5.9	4.5-7.7
Prostate				242.0	123.0	116.0-130.3							26.8	16.2	13.5-19.2			
Testis				9.8	7.0	5.1-9.3							0.8	0.5	0.1-1.3			
Urinary bladder (incl. in situ)	96.4	24.1	22.0-26.5	72.6	40.3	36.2-44.8	23.8	11.0	9.1-13.3	17.0	4.2	3.4-5.3	12.0	7.4	5.6-9.5	5.0	2.1	1.3-3.2
Kidney and renal pelvis	67.0	17.2	15.3-19.2	42.8	22.8	19.7-26.2	24.2	12.4	10.1-14.9	11.0	2.8	2.1-3.7	7.0	4.0	2.7-5.6	4.0	1.8	1.1-2.8
Brain and other central nervous system	25.2	7.4	6.1-8.8	13.8	8.2	6.3-10.6	11.4	6.5	4.8-8.6	16.4	4.2	3.3-5.3	8.2	4.5	3.2-6.3	8.2	4.0	2.8-5.5
Thyroid	52.6	16.7	14.7-19.0	15.6	9.6	7.5-12.0	37.0	24.1	20.6-28.0	2.0	0.5	0.2-1.0	0.2	0.1	0.0-0.8	1.8	0.8	0.4-1.7
Hodgkin lymphoma	11.4	3.7	2.8-4.9	5.0	2.9	1.9-4.4	6.4	4.6	3.1-6.6	1.4	0.4	0.2-0.9	0.8	0.5	0.1-1.4	0.6	0.3	0.1-0.9
Non-Hodgkin lymphomas	75.6	19.8	17.8-22.0	45.8	25.9	22.5-29.6	29.8	14.7	12.3-17.4	16.6	4.2	3.3-5.2	11.4	6.7	5.1-8.8	5.2	2.3	1.5-3.5
Myeloma	27.8	6.9	5.8-8.2	16.2	8.4	6.7-10.6	11.6	5.4	4.0-7.1	12.4	3.1	2.3-4.0	6.0	3.2	2.1-4.6	6.4	2.8	1.9-4.1
Leukemias	56.2	14.9	13.2-16.9	33.6	19.2	16.3-22.5	22.6	11.2	9.1-13.7	21.4	5.6	4.6-6.8	13.4	8.1	6.3-10.4	8.0	3.5	2.4-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Erie

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6561.0	545.2	539.1-551.4	3273.6	598.1	588.6-607.6	3287.4	512.4	504.2-520.8	2074.4	163.9	160.7-167.2	1033.4	193.0	187.7-198.5	1041.0	144.5	140.4-148.6
Oral cavity and pharynx	166.6	13.5	12.5-14.4	115.4	20.2	18.6-22.0	51.2	7.7	6.8-8.8	36.2	2.8	2.4-3.3	27.4	4.9	4.1-5.8	8.8	1.1	0.8-1.6
Esophagus	73.2	5.8	5.2-6.5	55.6	10.0	8.8-11.3	17.6	2.5	2.0-3.1	58.0	4.5	4.0-5.1	46.2	8.2	7.1-9.4	11.8	1.6	1.2-2.1
Stomach	96.8	8.1	7.4-8.9	58.2	11.0	9.7-12.4	38.6	5.8	5.0-6.7	36.0	2.9	2.4-3.3	21.8	4.1	3.4-5.0	14.2	1.8	1.4-2.3
Colorectal	461.2	38.7	37.1-40.4	227.4	43.0	40.5-45.7	233.8	35.3	33.2-37.5	161.0	12.7	11.9-13.7	82.8	15.5	14.0-17.2	78.2	10.6	9.5-11.8
Colon excluding rectum	318.2	26.4	25.1-27.8	147.6	27.9	25.8-30.0	170.6	25.3	23.5-27.1	120.8	9.5	8.7-10.3	60.8	11.4	10.1-12.8	60.0	8.0	7.0-9.0
Rectum & rectosigmoid	143.0	12.3	11.3-13.2	79.8	15.1	13.6-16.7	63.2	10.0	8.8-11.2	40.2	3.3	2.8-3.8	22.0	4.1	3.4-5.0	18.2	2.6	2.1-3.3
Liver / intrahepatic bile duct	110.0	8.5	7.8-9.3	82.0	14.1	12.8-15.6	28.0	4.0	3.3-4.7	73.8	5.7	5.1-6.3	52.4	9.2	8.1-10.4	21.4	3.0	2.5-3.7
Pancreas	194.4	15.8	14.8-16.8	96.8	17.9	16.3-19.6	97.6	14.0	12.7-15.4	148.6	11.7	10.9-12.6	72.6	13.3	11.9-14.8	76.0	10.4	9.4-11.6
Larynx	42.4	3.4	3.0-3.9	30.4	5.3	4.5-6.3	12.0	1.9	1.5-2.5	12.8	1.0	0.8-1.3	8.6	1.5	1.1-2.1	4.2	0.6	0.4-1.0
Lung and bronchus	885.8	70.1	68.0-72.3	411.4	75.2	71.9-78.6	474.4	67.2	64.5-70.0	519.8	40.8	39.2-42.5	251.2	46.4	43.8-49.1	268.6	37.0	35.0-39.1
Melanoma of the skin	356.0	30.3	28.8-31.8	204.0	37.7	35.4-40.2	152.0	25.2	23.3-27.2	27.0	2.2	1.8-2.6	16.6	3.2	2.5-4.0	10.4	1.5	1.1-2.0
Female breast							915.2	147.4	142.9-151.9							157.4	22.5	20.9-24.2
Cervix uteri							35.2	7.2	6.1-8.4							12.0	2.0	1.5-2.6
Corpus uterus and NOS							219.2	33.4	31.4-35.5							36.6	5.2	4.5-6.1
Ovary							75.0	11.9	10.7-13.3							52.0	7.6	6.7-8.6
Prostate				845.0	143.2	138.8-147.7							95.4	18.6	17.0-20.4			
Testis				32.2	7.4	6.3-8.7							0.6	0.1	0.0-0.4			
Urinary bladder (incl. in situ)	352.2	28.0	26.7-29.4	249.4	46.3	43.7-49.0	102.8	14.4	13.2-15.8	62.4	4.8	4.3-5.4	41.6	8.0	7.0-9.2	20.8	2.7	2.2-3.3
Kidney and renal pelvis	225.6	19.0	17.8-20.1	148.6	27.7	25.7-29.8	77.0	11.8	10.6-13.2	40.2	3.1	2.7-3.6	23.6	4.3	3.5-5.2	16.6	2.3	1.8-2.9
Brain and other central nervous system	72.6	7.0	6.3-7.8	40.2	8.2	7.1-9.5	32.4	6.1	5.1-7.1	48.6	4.1	3.6-4.7	27.6	5.2	4.4-6.2	21.0	3.2	2.6-3.9
Thyroid	167.8	17.6	16.3-18.8	42.8	8.9	7.7-10.3	125.0	25.8	23.7-28.0	4.4	0.3	0.2-0.5	2.0	0.4	0.2-0.7	2.4	0.3	0.2-0.6
Hodgkin lymphoma	29.0	3.0	2.6-3.6	15.6	3.4	2.7-4.3	13.4	2.7	2.1-3.5	1.8	0.1	0.1-0.3	1.2	0.2	0.1-0.5	0.6	0.1	0.0-0.3
Non-Hodgkin lymphomas	287.0	24.2	22.9-25.6	152.0	28.9	26.8-31.1	135.0	20.8	19.2-22.6	73.2	5.8	5.2-6.4	46.0	8.9	7.8-10.2	27.2	3.7	3.1-4.4
Myeloma	98.6	8.1	7.3-8.8	50.0	9.4	8.3-10.7	48.6	7.1	6.2-8.1	39.0	3.1	2.7-3.6	22.2	4.3	3.5-5.2	16.8	2.3	1.8-2.8
Leukemias	207.8	17.6	16.5-18.8	127.2	24.4	22.5-26.5	80.6	12.3	11.1-13.6	85.4	6.8	6.2-7.5	50.6	9.8	8.6-11.1	34.8	4.6	3.9-5.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Essex

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	273.2	449.0	424.2-475.2	144.6	486.3	450.0-525.2	128.6	424.7	390.0-462.3	104.4	164.3	150.0-179.9	56.2	193.4	170.9-218.4	48.2	145.5	126.4-167.3
Oral cavity and pharynx	5.4	8.4	5.5-12.8	3.6	12.1	7.0-20.1	1.8	4.6	2.1-10.5	1.0	1.8	0.6-4.8	1.0	3.8	1.2-9.8	0.0	0.0	0.0-4.8
Esophagus	4.8	7.4	4.7-11.6	3.6	11.2	6.6-18.7	1.2	3.8	1.4-9.8	4.2	6.5	4.0-10.5	3.2	11.1	6.3-18.8	1.0	2.6	0.8-8.0
Stomach	3.8	5.8	3.5-9.6	3.0	9.8	5.4-17.1	0.8	2.3	0.6-7.7	0.6	1.0	0.2-3.7	0.4	1.4	0.1-6.4	0.2	0.6	0.0-5.6
Colorectal	22.0	39.5	32.0-48.5	10.8	42.2	31.1-56.2	11.2	37.7	27.8-50.7	9.8	16.5	12.0-22.4	5.2	19.0	12.3-28.8	4.6	14.7	8.9-23.8
Colon excluding rectum	15.6	27.2	21.2-34.7	6.2	24.1	16.0-35.3	9.4	31.4	22.5-43.3	7.8	13.6	9.4-19.2	4.0	15.5	9.3-24.7	3.8	12.7	7.1-21.5
Rectum & rectosigmoid	6.4	12.3	8.2-18.0	4.6	18.1	11.2-28.0	1.8	6.3	2.5-13.7	2.0	2.9	1.4-6.0	1.2	3.6	1.3-9.0	0.8	2.1	0.6-7.3
Liver / intrahepatic bile duct	5.4	8.4	5.4-12.9	3.4	11.1	6.4-18.7	2.0	6.7	2.8-14.1	3.4	5.3	3.0-9.2	2.2	6.7	3.3-13.2	1.2	4.6	1.4-11.7
Pancreas	7.2	11.8	8.1-16.9	4.0	13.2	7.8-21.6	3.2	10.3	5.8-18.1	6.6	11.1	7.5-16.2	3.4	12.3	6.9-20.8	3.2	9.7	5.5-17.1
Larynx	1.8	3.0	1.3-6.2	1.2	4.2	1.5-10.1	0.6	1.9	0.4-7.3	0.8	1.7	0.4-5.0	0.6	2.6	0.4-8.6	0.2	0.7	0.0-5.7
Lung and bronchus	46.2	71.9	62.7-82.4	21.0	69.9	56.8-85.6	25.2	76.2	63.0-92.0	29.6	45.2	38.1-53.6	15.0	51.1	40.0-64.8	14.6	42.6	33.2-54.7
Melanoma of the skin	13.2	22.6	17.2-29.5	9.2	33.6	24.2-46.0	4.0	13.4	8.0-22.0	2.6	4.0	2.1-7.3	2.2	8.2	4.1-15.4	0.4	0.9	0.1-5.8
Female breast							33.6	113.3	95.6-134.0							5.2	15.0	9.6-23.4
Cervix uteri							1.6	8.6	3.3-18.2							0.6	2.7	0.4-9.5
Corpus uterus and NOS							7.8	25.5	17.8-36.2							1.6	4.2	1.8-10.0
Ovary							2.2	7.3	3.5-14.5							1.8	7.3	2.9-15.4
Prostate				30.8	90.0	76.1-106.4							4.4	15.8	9.8-24.6			
Testis				1.0	5.4	1.7-13.0							0.2	1.1	0.0-6.3			
Urinary bladder (incl. in situ)	17.2	27.2	21.6-34.1	14.6	49.5	38.5-63.2	2.6	7.2	3.8-13.8	2.8	4.0	2.2-7.2	1.8	6.4	2.9-13.0	1.0	2.2	0.7-7.3
Kidney and renal pelvis	8.8	12.9	9.3-17.8	5.4	16.6	10.8-25.1	3.4	9.0	5.2-15.8	2.2	3.3	1.6-6.5	2.0	6.4	3.0-12.8	0.2	0.5	0.0-5.4
Brain and other central nervous system	2.6	4.5	2.2-8.5	1.4	5.5	1.9-12.7	1.2	3.5	1.3-9.2	2.8	4.5	2.4-8.2	1.6	5.0	2.1-11.1	1.2	4.3	1.3-11.0
Thyroid	4.8	11.9	7.3-18.2	1.0	5.3	1.5-13.0	3.8	19.0	10.8-31.0	0.2	0.3	0.0-2.6	0.0	0.0	0.0-4.3	0.2	0.6	0.0-5.6
Hodgkin lymphoma	1.0	3.2	1.0-7.6	0.4	1.7	0.2-7.1	0.6	4.8	1.0-13.4	0.2	0.3	0.0-2.6	0.2	0.6	0.0-5.1	0.0	0.0	0.0-4.8
Non-Hodgkin lymphomas	12.0	18.5	14.0-24.4	6.6	21.2	14.4-30.7	5.4	16.8	10.8-25.9	3.6	5.2	3.1-8.9	1.8	5.8	2.6-12.1	1.8	5.0	2.2-11.0
Myeloma	3.2	4.8	2.7-8.3	2.0	6.3	2.9-12.7	1.2	3.4	1.2-9.0	2.0	3.1	1.4-6.4	0.6	1.7	0.3-6.7	1.4	4.3	1.5-10.6
Leukemias	9.4	15.4	11.1-21.2	5.8	21.0	13.7-31.4	3.6	9.9	5.8-17.0	4.2	6.6	4.0-10.8	2.0	6.5	3.1-13.0	2.2	6.9	3.1-14.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Franklin

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	323.8	502.2	477.4-528.0	186.8	581.7	543.9-621.5	137.0	438.2	404.4-474.2	100.2	155.8	142.2-170.4	50.6	169.6	148.8-192.6	49.6	145.3	127.3-165.5
Oral cavity and pharynx	6.0	9.2	6.1-13.4	4.0	12.1	7.3-19.2	2.0	6.3	2.9-12.1	0.8	1.3	0.3-3.5	0.8	2.6	0.7-7.1	0.0	0.0	0.0-3.4
Esophagus	5.4	7.9	5.2-11.8	4.8	13.9	8.8-21.1	0.6	1.6	0.3-5.7	3.4	5.2	3.0-8.5	2.8	8.5	4.6-14.7	0.6	2.1	0.4-6.9
Stomach	3.2	4.8	2.7-7.9	1.6	5.0	2.1-10.4	1.6	4.7	2.0-9.9	1.2	1.9	0.7-4.4	0.6	1.9	0.4-6.0	0.6	1.9	0.4-6.3
Colorectal	26.6	42.1	35.1-50.2	13.2	41.9	32.2-53.9	13.4	40.9	31.3-52.7	10.8	17.4	13.0-22.8	4.2	13.8	8.5-21.5	6.6	19.7	13.4-28.3
Colon excluding rectum	21.6	33.8	27.6-41.1	10.0	31.7	23.3-42.3	11.6	34.4	26.0-45.2	8.4	13.5	9.7-18.5	2.8	9.1	4.9-15.7	5.6	16.9	11.1-25.2
Rectum & rectosigmoid	5.0	8.3	5.3-12.6	3.2	10.2	5.8-17.0	1.8	6.4	2.7-13.0	2.4	3.8	1.9-6.9	1.4	4.7	1.8-10.0	1.0	2.8	0.9-7.2
Liver / intrahepatic bile duct	4.8	7.4	4.7-11.2	2.8	8.7	4.6-15.0	2.0	6.0	2.8-11.6	2.8	4.2	2.3-7.2	1.8	5.1	2.3-10.1	1.0	3.0	0.9-7.6
Pancreas	9.8	14.9	10.9-19.9	5.4	18.5	12.0-27.3	4.4	12.9	8.0-20.2	7.2	10.5	7.4-14.8	4.0	13.0	7.8-20.5	3.2	8.6	4.9-14.7
Larynx	3.4	4.8	2.7-7.9	2.6	7.3	3.8-13.0	0.8	2.2	0.6-6.4	1.2	1.7	0.6-3.9	1.0	2.9	0.9-7.2	0.2	0.5	0.0-4.2
Lung and bronchus	55.0	83.1	73.4-93.9	29.4	90.3	75.9-106.9	25.6	78.7	65.2-94.5	30.6	46.9	39.7-55.3	15.6	51.1	40.1-64.3	15.0	44.6	34.8-56.5
Melanoma of the skin	11.8	18.3	13.8-23.9	6.2	18.9	12.7-27.3	5.6	19.4	12.5-28.8	0.8	1.3	0.3-3.5	0.6	2.4	0.5-7.1	0.2	0.5	0.0-4.0
Female breast							33.0	107.3	90.7-126.3							5.6	16.6	10.9-24.6
Cervix uteri							1.6	5.7	2.4-11.8							0.6	2.5	0.4-7.7
Corpus uterus and NOS							8.8	25.9	18.6-35.5							1.2	3.4	1.2-8.1
Ovary							1.8	6.3	2.6-12.9							1.2	3.9	1.2-9.4
Prostate				53.2	157.5	138.7-178.4							4.0	15.3	9.3-23.7			
Testis				1.8	6.4	2.8-12.3							0.2	0.7	0.0-4.0			
Urinary bladder (incl. in situ)	18.0	28.7	22.9-35.5	14.0	47.2	36.6-60.2	4.0	13.0	7.7-20.8	2.8	4.4	2.4-7.5	1.6	6.0	2.5-12.0	1.2	3.0	1.1-7.5
Kidney and renal pelvis	12.4	18.8	14.3-24.3	8.6	24.7	17.7-33.7	3.8	11.7	6.9-18.9	2.2	3.5	1.8-6.5	1.6	5.6	2.4-11.2	0.6	1.5	0.3-5.4
Brain and other central nervous system	3.6	6.4	3.7-10.4	1.6	5.6	2.4-11.3	2.0	6.9	3.2-13.4	2.2	3.5	1.7-6.5	0.6	1.9	0.4-6.0	1.6	5.1	2.1-10.8
Thyroid	4.2	7.4	4.5-11.5	1.6	4.4	1.9-9.1	2.6	11.8	6.1-20.6	0.2	0.2	0.0-1.9	0.2	0.5	0.0-3.6	0.0	0.0	0.0-3.4
Hodgkin lymphoma	2.0	4.2	2.0-7.9	1.4	4.7	1.8-10.1	0.6	3.3	0.7-9.3	0.4	0.5	0.1-2.3	0.4	1.1	0.1-4.6	0.0	0.0	0.0-3.4
Non-Hodgkin lymphomas	12.4	20.2	15.3-26.1	7.4	24.8	17.2-34.6	5.0	16.9	10.7-25.7	2.4	4.1	2.1-7.4	1.4	5.1	2.0-10.6	1.0	2.9	0.9-7.5
Myeloma	4.8	7.5	4.8-11.4	2.8	9.4	5.1-16.1	2.0	5.8	2.8-11.3	2.4	3.7	1.9-6.6	1.0	3.0	0.9-7.5	1.4	4.1	1.6-9.2
Leukemias	10.8	18.0	13.4-23.7	7.2	25.4	17.6-35.5	3.6	11.5	6.7-18.9	2.8	4.6	2.5-8.0	1.8	7.2	3.3-13.7	1.0	2.5	0.8-6.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Fulton

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	406.0	540.9	516.7-566.0	211.2	597.9	561.1-636.6	194.8	501.4	468.7-535.9	126.4	162.3	149.5-175.9	68.4	194.5	173.9-217.1	58.0	138.6	122.4-156.6
Oral cavity and pharynx	8.2	10.3	7.3-14.2	6.0	15.6	10.4-22.8	2.2	5.6	2.8-10.6	1.8	2.4	1.0-4.8	1.4	3.7	1.4-8.2	0.4	1.4	0.2-5.3
Esophagus	8.2	11.2	7.9-15.5	7.0	20.2	13.9-28.6	1.2	3.3	1.1-7.9	6.4	8.2	5.6-11.9	5.8	15.8	10.5-23.2	0.6	1.9	0.3-6.2
Stomach	4.8	6.0	3.8-9.2	3.4	9.1	5.2-15.1	1.4	3.6	1.4-8.1	0.6	0.8	0.2-2.6	0.4	0.9	0.1-4.3	0.2	0.6	0.0-3.8
Colorectal	31.0	41.7	35.2-49.3	15.2	45.1	35.2-57.2	15.8	39.2	30.7-49.7	10.0	13.3	9.7-17.9	5.0	14.0	8.8-21.3	5.0	12.6	7.8-19.4
Colon excluding rectum	21.6	29.6	24.0-36.1	9.2	28.6	20.7-38.7	12.4	30.9	23.3-40.4	8.0	10.9	7.6-15.2	3.4	10.1	5.7-16.7	4.6	11.6	7.1-18.3
Rectum & rectosigmoid	9.4	12.2	8.8-16.6	6.0	16.5	10.9-24.2	3.4	8.4	4.8-14.0	2.0	2.4	1.1-4.7	1.6	3.9	1.6-8.4	0.4	0.9	0.1-4.2
Liver / intrahepatic bile duct	4.8	5.7	3.6-8.8	3.2	8.1	4.6-13.7	1.6	3.7	1.4-8.2	2.8	3.4	1.8-6.0	1.4	4.1	1.6-8.8	1.4	2.9	1.1-6.8
Pancreas	12.6	16.0	12.2-20.8	6.8	17.3	11.9-24.7	5.8	14.9	9.7-22.1	10.4	13.4	9.9-17.8	5.8	16.3	10.8-23.9	4.6	11.2	7.1-17.3
Larynx	2.8	3.7	2.0-6.5	2.6	7.3	3.8-13.0	0.2	0.5	0.0-3.6	0.4	0.5	0.1-2.2	0.2	0.5	0.0-3.7	0.2	0.5	0.0-3.6
Lung and bronchus	63.6	80.7	71.9-90.5	32.0	87.4	74.1-102.7	31.6	76.6	64.8-90.3	36.4	46.2	39.6-53.7	19.4	53.7	43.3-66.1	17.0	41.1	32.6-51.6
Melanoma of the skin	15.2	22.1	17.2-28.1	9.2	28.1	20.4-37.9	6.0	19.3	12.7-28.3	1.4	1.8	0.7-3.9	1.4	4.2	1.7-9.1	0.0	0.0	0.0-2.9
Female breast							49.4	126.2	110.2-144.1							7.0	16.5	11.2-23.8
Cervix uteri							2.8	9.1	4.8-15.8							0.8	2.0	0.5-5.9
Corpus uterus and NOS							13.8	34.6	26.6-44.5							1.0	3.0	1.0-7.5
Ovary							4.6	11.8	7.3-18.3							2.2	4.5	2.2-8.9
Prostate				49.0	126.4	110.7-144.0							4.6	14.7	9.3-22.4			
Testis				2.2	9.3	4.6-16.6							0.2	0.5	0.0-3.6			
Urinary bladder (incl. in situ)	27.6	35.9	30.0-42.7	20.0	58.7	47.5-71.9	7.6	18.8	13.1-26.4	4.2	5.2	3.2-8.3	3.4	10.2	5.9-16.8	0.8	1.8	0.5-5.4
Kidney and renal pelvis	14.4	20.1	15.6-25.7	8.6	25.0	17.8-34.2	5.8	15.8	10.3-23.4	3.0	3.8	2.1-6.6	1.8	4.9	2.1-10.0	1.2	2.9	1.0-6.9
Brain and other central nervous system	4.6	7.2	4.4-11.0	2.8	9.4	4.9-16.2	1.8	4.9	2.1-9.9	2.0	2.3	1.1-4.5	1.2	2.7	1.0-6.7	0.8	1.9	0.5-5.6
Thyroid	7.0	11.3	7.7-16.1	1.6	5.0	2.0-10.4	5.4	18.0	11.5-27.0	0.0	0.0	0.0-1.5	0.0	0.0	0.0-2.9	0.0	0.0	0.0-2.9
Hodgkin lymphoma	1.6	2.6	1.1-5.4	0.6	1.8	0.3-5.8	1.0	3.5	1.1-8.5	0.2	0.3	0.0-1.9	0.0	0.0	0.0-2.9	0.2	0.5	0.0-3.7
Non-Hodgkin lymphomas	14.6	20.4	15.8-26.1	8.0	24.2	17.0-33.7	6.6	16.0	10.8-23.1	3.4	4.6	2.6-7.6	1.6	5.2	2.2-10.5	1.8	4.1	1.8-8.5
Myeloma	7.2	9.9	6.8-13.9	4.8	14.2	9.0-21.6	2.4	6.0	3.0-11.3	1.6	2.1	0.9-4.3	1.0	3.1	1.0-7.6	0.6	1.2	0.2-4.6
Leukemias	12.8	18.1	13.8-23.4	6.6	20.4	13.9-29.1	6.2	16.0	10.6-23.5	3.8	5.3	3.1-8.6	2.0	6.6	3.1-12.4	1.8	4.4	1.9-9.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Genesee

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	407.0	515.5	492.5-539.4	207.2	554.1	519.8-590.1	199.8	490.4	458.8-523.7	135.6	162.7	150.4-175.9	72.6	193.8	174.0-215.5	63.0	142.0	126.1-159.6
Oral cavity and pharynx	10.8	13.4	10.0-17.8	7.6	19.6	13.7-27.3	3.2	8.0	4.4-13.7	2.4	2.6	1.3-4.9	2.0	5.2	2.5-10.0	0.4	0.8	0.1-3.8
Esophagus	4.2	4.9	3.0-7.8	3.6	8.8	5.2-14.4	0.6	1.5	0.3-4.9	3.6	4.3	2.5-7.0	3.0	7.3	4.0-12.5	0.6	1.3	0.3-4.6
Stomach	4.2	5.7	3.4-9.0	2.2	5.7	2.7-10.8	2.0	5.7	2.6-11.0	1.2	1.4	0.5-3.4	0.8	1.9	0.5-5.5	0.4	1.0	0.1-4.1
Colorectal	31.0	40.0	33.7-47.3	17.4	47.7	37.9-59.4	13.6	33.6	25.6-43.5	9.4	11.7	8.5-15.9	5.6	16.1	10.6-23.7	3.8	9.2	5.3-15.1
Colon excluding rectum	19.4	24.5	19.7-30.2	10.8	30.4	22.6-40.1	8.6	19.8	14.1-27.3	6.6	8.1	5.5-11.7	4.2	12.0	7.3-18.7	2.4	5.6	2.7-10.5
Rectum & rectosigmoid	11.6	15.5	11.6-20.4	6.6	17.3	11.8-24.8	5.0	13.8	8.5-21.2	2.8	3.6	1.9-6.3	1.4	4.2	1.6-8.8	1.4	3.6	1.4-8.0
Liver / intrahepatic bile duct	4.2	4.7	2.9-7.4	2.8	6.7	3.6-11.7	1.4	2.8	1.1-6.5	3.6	4.1	2.4-6.8	2.8	6.9	3.8-12.1	0.8	1.6	0.4-4.9
Pancreas	10.6	13.4	9.9-17.9	4.8	12.9	8.2-19.6	5.8	14.1	9.1-21.1	11.6	13.3	10.1-17.4	6.0	15.4	10.3-22.4	5.6	11.7	7.7-17.5
Larynx	3.6	4.3	2.5-7.0	3.0	7.2	4.0-12.3	0.6	1.6	0.3-5.1	0.8	1.0	0.3-2.8	0.6	1.5	0.3-5.0	0.2	0.5	0.0-3.4
Lung and bronchus	62.8	75.1	66.8-84.2	31.4	81.0	68.5-95.2	31.4	71.8	60.8-84.6	39.8	47.9	41.4-55.4	21.4	56.3	45.9-68.5	18.4	41.9	33.6-52.0
Melanoma of the skin	21.6	28.1	22.8-34.4	12.6	34.6	26.3-44.9	9.0	23.0	16.3-31.6	1.8	1.9	0.9-3.9	1.6	3.4	1.5-7.3	0.2	0.5	0.0-3.4
Female breast							56.8	140.6	124.0-159.1							8.2	18.4	12.9-25.7
Cervix uteri							1.2	3.3	1.1-7.9							0.4	0.9	0.1-4.1
Corpus uterus and NOS							14.0	33.0	25.4-42.4							2.8	6.3	3.4-11.0
Ovary							5.2	14.1	9.0-21.2							2.6	5.9	3.1-10.6
Prostate				51.2	125.9	110.7-142.9							8.2	23.6	16.9-32.3			
Testis				2.4	9.3	4.8-16.3							0.0	0.0	0.0-2.7			
Urinary bladder (incl. in situ)	21.0	25.9	21.1-31.6	16.2	45.7	36.1-57.1	4.8	9.6	6.1-14.9	5.4	6.0	3.9-8.9	3.2	9.2	5.2-15.2	2.2	4.5	2.2-8.7
Kidney and renal pelvis	16.6	20.4	16.1-25.5	9.8	25.4	18.6-34.1	6.8	16.7	11.4-23.9	2.8	3.3	1.8-5.7	1.8	4.6	2.1-9.2	1.0	2.3	0.7-5.9
Brain and other central nervous system	4.8	6.9	4.3-10.6	2.8	8.5	4.5-14.7	2.0	5.6	2.5-10.9	3.2	4.2	2.3-7.1	2.0	5.7	2.5-11.0	1.2	2.7	1.0-6.5
Thyroid	8.6	15.1	10.8-20.6	3.4	12.1	6.9-19.6	5.2	18.5	11.8-27.4	0.6	0.7	0.1-2.3	0.2	0.6	0.0-3.8	0.4	0.9	0.1-4.0
Hodgkin lymphoma	1.2	2.1	0.7-4.6	0.4	1.9	0.2-6.4	0.8	2.2	0.6-6.1	0.4	0.6	0.1-2.3	0.2	0.5	0.0-3.5	0.2	0.8	0.0-4.2
Non-Hodgkin lymphomas	15.4	19.7	15.4-25.0	7.0	19.4	13.3-27.4	8.4	20.3	14.3-28.2	3.2	3.8	2.1-6.3	1.4	3.9	1.6-8.4	1.8	3.7	1.7-7.7
Myeloma	6.2	7.8	5.2-11.3	2.6	7.8	4.1-13.7	3.6	8.1	4.8-13.3	3.2	3.8	2.2-6.5	1.2	3.4	1.2-7.7	2.0	4.6	2.2-9.0
Leukemias	11.6	16.0	11.9-21.1	7.0	20.3	13.9-28.9	4.6	11.8	7.2-18.5	5.4	6.4	4.2-9.7	2.8	6.9	3.7-12.1	2.6	6.1	3.1-11.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Greene

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	365.2	511.8	487.3-537.4	194.6	537.0	502.6-573.5	170.6	498.9	463.2-536.9	123.2	164.6	151.5-178.8	71.6	198.7	178.1-221.3	51.6	133.8	117.1-152.7
Oral cavity and pharynx	8.4	11.4	8.1-15.8	6.6	17.9	12.2-25.9	1.8	5.4	2.4-11.1	2.0	2.6	1.2-5.2	1.8	4.9	2.2-9.9	0.2	0.6	0.0-4.6
Esophagus	4.8	6.4	4.0-10.0	3.6	9.5	5.5-15.9	1.2	3.2	1.1-8.0	3.2	4.0	2.3-6.9	2.6	6.7	3.5-12.1	0.6	1.2	0.3-5.2
Stomach	3.8	5.7	3.3-9.3	2.2	7.4	3.5-13.9	1.6	4.0	1.7-9.0	1.4	1.8	0.7-4.1	1.0	2.8	0.9-7.2	0.4	0.8	0.1-4.7
Colorectal	30.0	43.8	36.7-52.0	16.4	47.1	37.1-59.3	13.6	41.9	31.8-54.6	8.2	12.0	8.5-16.8	5.0	15.3	9.7-23.2	3.2	9.0	4.9-15.7
Colon excluding rectum	21.6	31.1	25.2-38.1	11.4	33.1	24.8-43.7	10.2	30.1	21.8-41.0	6.2	9.0	6.0-13.3	3.6	10.9	6.3-17.9	2.6	7.3	3.7-13.6
Rectum & rectosigmoid	8.4	12.7	9.0-17.7	5.0	14.0	8.8-21.4	3.4	11.8	6.6-19.8	2.0	3.0	1.4-5.9	1.4	4.4	1.7-9.7	0.6	1.7	0.3-6.0
Liver / intrahepatic bile duct	6.4	7.8	5.3-11.3	5.8	14.8	9.8-21.9	0.6	1.4	0.3-5.5	4.2	5.0	3.1-8.0	3.6	9.1	5.4-15.1	0.6	1.3	0.3-5.3
Pancreas	13.2	18.6	14.2-24.1	8.2	23.8	16.8-33.1	5.0	13.3	8.5-20.5	12.2	16.8	12.7-21.9	7.2	19.6	13.5-28.0	5.0	14.0	8.9-21.6
Larynx	3.0	4.3	2.3-7.6	2.6	7.8	4.0-14.1	0.4	1.0	0.1-5.0	0.8	1.0	0.3-3.1	0.4	1.1	0.1-5.0	0.4	1.0	0.1-5.0
Lung and bronchus	61.8	79.6	70.8-89.4	32.2	85.7	72.8-100.7	29.6	74.9	63.0-89.0	33.4	43.5	37.0-51.1	19.4	53.4	43.1-65.9	14.0	34.4	26.6-44.4
Melanoma of the skin	13.0	18.6	14.1-24.2	9.6	26.7	19.5-36.1	3.4	12.2	6.7-20.6	1.2	1.5	0.5-3.7	0.8	2.0	0.5-6.2	0.4	1.0	0.1-5.1
Female breast							46.0	136.4	117.9-157.3							7.2	21.6	14.5-31.3
Cervix uteri							1.4	4.9	1.8-11.1							0.6	3.1	0.6-9.3
Corpus uterus and NOS							13.0	34.8	26.5-45.4							1.2	2.6	0.9-6.9
Ovary							4.0	11.3	6.5-18.7							3.2	7.8	4.4-13.7
Prostate				38.2	95.9	82.5-111.2							4.4	11.9	7.4-18.7			
Testis				1.0	4.5	1.4-10.6							0.0	0.0	0.0-3.3			
Urinary bladder (incl. in situ)	21.6	29.9	24.4-36.6	17.4	49.1	39.0-61.2	4.2	11.7	6.9-19.1	4.6	6.1	3.8-9.5	3.8	10.8	6.5-17.5	0.8	1.9	0.5-6.3
Kidney and renal pelvis	12.4	16.7	12.7-21.9	7.8	21.1	14.9-29.6	4.6	12.5	7.7-19.8	3.0	4.1	2.2-7.1	2.2	6.1	3.0-11.6	0.8	2.0	0.5-6.5
Brain and other central nervous system	3.6	5.6	3.2-9.4	1.8	5.5	2.4-11.2	1.8	6.1	2.4-12.8	3.2	4.1	2.3-7.0	2.2	5.8	2.8-11.1	1.0	2.2	0.7-6.4
Thyroid	13.0	23.9	18.0-31.1	3.4	11.4	6.3-19.2	9.6	37.9	27.0-51.7	1.0	1.2	0.4-3.4	0.4	1.1	0.1-5.0	0.6	1.2	0.3-5.2
Hodgkin lymphoma	2.2	4.1	2.0-7.6	1.6	5.9	2.5-12.0	0.6	2.0	0.4-6.9	0.2	0.6	0.0-3.0	0.2	1.2	0.0-5.9	0.0	0.0	0.0-3.7
Non-Hodgkin lymphomas	14.8	21.4	16.5-27.4	6.6	20.0	13.5-28.8	8.2	23.5	16.3-33.2	4.4	6.4	3.9-10.0	3.0	9.1	5.0-15.6	1.4	3.7	1.5-8.7
Myeloma	4.6	6.1	3.9-9.6	3.6	9.8	5.8-16.2	1.0	2.6	0.8-7.2	2.2	3.1	1.6-5.9	1.0	3.0	1.0-7.7	1.2	3.1	1.1-7.8
Leukemias	12.6	17.3	13.1-22.7	8.2	22.1	15.7-30.7	4.4	12.7	7.5-20.5	4.2	5.5	3.3-8.7	2.4	6.6	3.4-12.2	1.8	4.5	1.9-9.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Hamilton

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	47.0	527.7	452.7-615.2	26.2	549.2	447.3-676.1	20.8	501.6	395.1-634.9	16.8	180.7	141.2-232.6	10.0	202.8	149.2-282.0	6.8	159.9	104.7-243.4
Oral cavity and pharynx	1.0	9.7	3.1-34.1	0.6	10.9	2.2-58.7	0.4	8.0	1.0-55.2	0.4	5.1	0.5-29.9	0.2	6.9	0.2-56.9	0.2	3.1	0.1-49.7
Esophagus	1.2	11.9	4.2-36.8	1.2	23.5	8.4-73.7	0.0	0.0	0.0-46.9	0.4	3.8	0.5-27.3	0.4	8.0	0.9-55.9	0.0	0.0	0.0-46.9
Stomach	0.2	1.8	0.0-25.2	0.0	0.0	0.0-47.7	0.2	3.6	0.1-50.3	0.2	3.6	0.1-28.4	0.2	6.9	0.2-56.9	0.0	0.0	0.0-46.9
Colorectal	5.0	54.7	33.3-90.5	2.4	41.9	21.1-94.2	2.6	67.1	32.3-133.9	2.2	22.2	10.9-49.1	1.0	17.5	5.5-66.0	1.2	27.2	9.9-78.6
Colon excluding rectum	3.6	40.0	21.7-73.4	1.4	23.7	9.1-72.9	2.2	54.7	23.8-118.4	1.6	17.4	7.4-43.7	0.4	7.4	0.9-55.1	1.2	27.2	9.9-78.6
Rectum & rectosigmoid	1.4	14.8	5.6-40.8	1.0	18.2	5.7-67.1	0.4	12.4	1.4-63.0	0.6	4.8	1.0-28.2	0.6	10.1	1.9-57.7	0.0	0.0	0.0-46.9
Liver / intrahepatic bile duct	0.6	5.6	1.1-29.4	0.6	10.9	2.2-58.7	0.0	0.0	0.0-46.9	0.0	0.0	0.0-23.6	0.0	0.0	0.0-47.7	0.0	0.0	0.0-46.9
Pancreas	2.4	23.5	12.0-50.5	1.8	34.1	15.3-85.8	0.6	11.7	2.3-59.3	1.4	14.5	5.8-40.0	0.8	16.5	4.4-65.7	0.6	13.6	2.7-62.2
Lung and bronchus	7.0	74.7	50.8-112.0	3.8	72.0	42.9-130.1	3.2	74.8	40.5-139.3	5.2	58.5	37.0-93.9	3.4	70.2	40.5-129.4	1.8	45.3	18.5-105.2
Melanoma of the skin	1.6	15.4	6.5-40.9	1.2	24.1	8.6-74.6	0.4	7.3	0.8-54.2	0.0	0.0	0.0-23.6	0.0	0.0	0.0-47.7	0.0	0.0	0.0-46.9
Female breast							5.6	147.1	88.9-236.2							0.6	25.0	3.1-89.7
Cervix uteri							0.2	2.8	0.1-49.3							0.0	0.0	0.0-46.9
Corpus uteri and NOS							1.8	47.6	16.1-115.5							0.0	0.0	0.0-46.9
Ovary							0.4	8.6	1.0-56.2							0.2	5.0	0.1-52.5
Prostate				5.2	103.5	66.4-168.5							1.2	24.8	8.9-75.6			
Urinary bladder (incl. in situ)	4.0	39.6	23.9-69.6	3.6	71.7	41.8-130.9	0.4	8.0	1.0-55.2	0.4	4.1	0.5-27.9	0.2	5.2	0.1-53.6	0.2	3.1	0.1-49.7
Kidney and renal pelvis	1.6	29.4	9.6-68.9	1.0	36.5	8.7-104.2	0.6	22.4	2.2-86.5	0.4	2.8	0.3-26.0	0.2	2.8	0.1-50.0	0.2	2.8	0.1-49.3
Brain and other central nervous system	0.2	2.3	0.1-26.0	0.0	0.0	0.0-47.7	0.2	4.4	0.1-51.5	0.4	3.9	0.4-27.5	0.2	4.3	0.1-52.1	0.2	3.1	0.1-49.7
Thyroid	0.6	7.4	1.3-32.5	0.0	0.0	0.0-47.7	0.6	15.0	2.7-65.3	0.0	0.0	0.0-23.6	0.0	0.0	0.0-47.7	0.0	0.0	0.0-46.9
Hodgkin lymphoma	0.2	1.6	0.0-24.9	0.2	3.1	0.1-50.4	0.0	0.0	0.0-46.9	0.2	1.6	0.0-24.9	0.2	3.1	0.1-50.4	0.0	0.0	0.0-46.9
Non-Hodgkin lymphomas	2.6	25.7	13.3-53.4	1.0	17.3	5.5-65.6	1.6	35.5	14.7-89.3	0.8	7.7	2.0-31.9	0.4	7.3	0.8-55.0	0.4	8.6	1.0-56.2
Myeloma	0.6	5.1	1.0-28.6	0.2	2.8	0.1-50.0	0.4	7.3	0.8-54.2	0.0	0.0	0.0-23.6	0.0	0.0	0.0-47.7	0.0	0.0	0.0-46.9
Leukemias	1.2	18.7	4.8-51.9	1.0	33.0	7.4-98.4	0.2	3.6	0.1-50.3	0.6	6.4	1.3-30.6	0.4	7.8	0.9-55.6	0.2	5.0	0.1-52.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Herkimer

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	447.4	504.2	482.5-526.8	238.8	557.1	524.7-591.2	208.6	460.8	431.4-491.7	145.2	157.3	145.7-169.7	78.8	188.8	170.1-209.2	66.4	130.6	116.4-146.5
Oral cavity and pharynx	12.4	13.8	10.4-18.0	7.6	17.5	12.2-24.6	4.8	11.1	6.9-17.1	2.4	2.5	1.3-4.7	1.8	4.3	1.9-8.7	0.6	1.2	0.3-4.3
Esophagus	4.4	4.2	2.6-6.6	3.4	7.1	4.1-11.9	1.0	1.6	0.5-4.5	5.6	5.7	3.7-8.4	4.6	10.4	6.5-16.1	1.0	1.6	0.5-4.6
Stomach	8.0	8.5	6.0-11.8	5.8	13.0	8.6-19.2	2.2	4.5	2.2-8.7	1.8	1.9	0.8-3.8	1.2	3.0	1.1-6.9	0.6	1.1	0.2-4.0
Colorectal	37.2	42.3	36.2-49.3	18.6	46.6	37.1-57.8	18.6	37.4	30.0-46.4	13.8	15.8	12.2-20.4	8.0	20.7	14.6-28.7	5.8	11.3	7.4-16.8
Colon excluding rectum	26.0	29.1	24.1-34.9	11.4	28.7	21.4-37.7	14.6	28.5	22.2-36.4	10.4	11.5	8.5-15.4	5.8	14.3	9.5-21.1	4.6	9.1	5.6-14.2
Rectum & rectosigmoid	11.2	13.2	9.8-17.5	7.2	17.9	12.2-25.5	4.0	8.9	5.3-14.3	3.4	4.3	2.4-7.1	2.2	6.3	3.0-11.7	1.2	2.2	0.8-5.5
Liver / intrahepatic bile duct	6.4	6.2	4.2-9.1	5.4	11.6	7.6-17.4	1.0	1.7	0.6-4.8	3.4	3.6	2.0-6.0	3.0	7.1	3.9-12.2	0.4	0.7	0.1-3.4
Pancreas	13.6	13.9	10.8-17.9	7.0	15.5	10.6-22.0	6.6	12.2	8.3-17.6	10.6	11.1	8.2-14.8	5.2	11.4	7.3-17.2	5.4	10.4	6.7-15.8
Larynx	3.2	3.8	2.1-6.5	2.0	5.1	2.3-9.9	1.2	2.8	0.9-6.8	0.8	0.8	0.2-2.3	0.6	1.2	0.2-4.2	0.2	0.4	0.0-3.1
Lung and bronchus	66.8	72.2	64.5-80.7	34.0	78.2	66.5-91.6	32.8	66.2	56.3-77.7	41.0	44.1	38.1-50.9	21.8	50.8	41.4-61.8	19.2	38.5	30.9-47.7
Melanoma of the skin	16.8	20.8	16.3-26.2	9.0	22.9	16.5-31.3	7.8	19.8	13.6-27.9	2.4	3.1	1.5-5.8	1.6	4.4	1.8-9.1	0.8	2.0	0.4-5.8
Female breast							52.8	116.8	102.3-132.9							9.2	18.5	13.3-25.4
Cervix uteri							2.0	6.7	3.1-12.6							0.4	1.0	0.1-4.1
Corpus uterus and NOS							14.0	29.6	22.6-38.3							3.2	5.8	3.3-10.0
Ovary							5.4	11.3	7.2-17.1							2.2	4.7	2.1-9.1
Prostate				64.8	135.0	120.4-151.2							6.8	16.5	11.4-23.5			
Testis				1.4	4.4	1.6-9.3							0.6	1.6	0.3-5.1			
Urinary bladder (incl. in situ)	26.0	28.2	23.4-33.8	19.8	47.1	38.0-57.9	6.2	12.8	8.7-18.7	2.8	2.9	1.6-5.1	2.0	4.9	2.3-9.4	0.8	1.3	0.3-4.3
Kidney and renal pelvis	16.8	19.5	15.4-24.5	11.2	27.0	20.1-35.6	5.6	12.6	8.1-19.0	2.0	2.3	1.1-4.5	1.2	3.2	1.1-7.4	0.8	1.5	0.4-4.6
Brain and other central nervous system	6.2	8.4	5.5-12.2	3.0	8.3	4.5-14.1	3.2	8.8	4.7-15.0	4.4	4.8	2.9-7.5	2.4	5.9	3.0-10.8	2.0	3.7	1.7-7.5
Thyroid	11.2	17.9	13.2-23.6	3.8	10.8	6.2-17.4	7.4	24.9	17.1-35.0	1.0	1.2	0.4-3.0	0.6	1.5	0.3-4.9	0.4	0.9	0.1-3.8
Hodgkin lymphoma	2.6	3.7	1.9-6.6	1.8	4.9	2.1-9.7	0.8	2.5	0.6-6.8	0.4	0.4	0.1-1.9	0.2	0.4	0.0-3.2	0.2	0.4	0.0-3.1
Non-Hodgkin lymphomas	18.6	21.2	16.9-26.4	9.8	24.3	17.7-32.8	8.8	18.7	13.3-25.9	4.6	5.4	3.4-8.4	2.0	5.2	2.4-10.0	2.6	5.3	2.7-9.6
Myeloma	4.0	4.7	2.8-7.6	2.0	5.3	2.5-10.1	2.0	4.6	2.0-9.0	0.8	0.8	0.2-2.5	0.2	0.5	0.0-3.4	0.6	1.2	0.2-4.2
Leukemias	15.8	18.5	14.5-23.4	9.0	22.4	16.0-30.5	6.8	15.2	10.3-21.9	7.2	7.8	5.4-11.0	4.6	11.4	7.2-17.4	2.6	4.8	2.4-9.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Jefferson

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	664.4	573.7	553.9-594.0	351.8	644.4	613.8-676.2	312.6	525.1	498.6-552.8	202.6	174.0	163.2-185.2	104.0	201.6	184.2-220.2	98.6	156.7	142.7-171.6
Oral cavity and pharynx	17.4	14.1	11.3-17.5	12.6	21.5	16.4-27.7	4.8	7.6	4.7-11.5	3.0	2.6	1.4-4.3	2.4	4.8	2.5-8.5	0.6	0.9	0.2-2.8
Esophagus	9.4	8.0	5.9-10.7	7.4	13.6	9.5-18.9	2.0	3.1	1.5-5.8	6.4	5.6	3.8-8.0	5.6	10.8	7.1-15.7	0.8	1.3	0.3-3.4
Stomach	6.0	5.4	3.6-7.7	4.0	7.5	4.5-11.7	2.0	3.5	1.7-6.5	1.4	1.2	0.5-2.6	0.6	1.0	0.2-2.9	0.8	1.4	0.4-3.7
Colorectal	54.0	47.1	41.5-53.2	27.0	52.1	43.5-61.9	27.0	44.3	36.9-52.7	19.6	16.6	13.4-20.2	10.0	20.0	14.7-26.5	9.6	15.0	11.0-20.1
Colon excluding rectum	40.4	35.4	30.6-40.7	19.4	38.5	31.0-47.1	21.0	34.4	27.9-41.9	16.6	14.1	11.2-17.6	7.8	16.1	11.3-22.1	8.8	13.9	10.0-18.8
Rectum & rectosigmoid	13.6	11.7	9.0-14.9	7.6	13.6	9.6-18.9	6.0	9.9	6.6-14.3	3.0	2.4	1.3-4.1	2.2	3.8	1.9-7.0	0.8	1.1	0.3-3.0
Liver / intrahepatic bile duct	8.4	7.2	5.2-9.9	5.6	9.9	6.5-14.5	2.8	4.6	2.4-7.8	4.8	4.1	2.6-6.2	2.2	4.1	2.0-7.4	2.6	4.0	2.1-7.0
Pancreas	17.6	14.9	11.9-18.5	9.0	15.9	11.5-21.4	8.6	14.3	10.3-19.4	12.2	11.0	8.4-14.2	5.6	10.5	6.9-15.3	6.6	11.3	7.7-16.0
Larynx	5.8	4.7	3.1-6.8	3.8	6.2	3.7-9.8	2.0	3.4	1.6-6.5	1.8	1.3	0.6-2.6	1.4	2.3	0.9-4.9	0.4	0.6	0.1-2.3
Lung and bronchus	107.0	91.4	83.7-99.7	54.0	100.2	88.3-113.2	53.0	84.8	74.6-95.9	58.8	50.0	44.3-56.1	30.2	57.9	48.8-68.1	28.6	44.3	37.2-52.4
Melanoma of the skin	36.6	32.1	27.5-37.2	21.6	41.4	33.7-50.2	15.0	25.3	19.7-32.0	2.8	2.3	1.3-3.9	2.0	3.9	1.8-7.3	0.8	1.1	0.3-3.1
Female breast							75.8	129.1	116.0-143.2							11.2	19.0	14.2-24.9
Cervix uteri							4.0	8.3	5.0-12.8							1.0	1.9	0.5-4.5
Corpus uterus and NOS							20.2	34.5	27.9-42.3							3.6	5.7	3.3-9.2
Ovary							7.6	12.9	9.0-17.9							4.8	8.3	5.2-12.5
Prostate				81.8	141.3	127.6-156.0							9.6	19.4	14.2-25.8			
Testis				6.2	8.9	5.8-13.0							0.0	0.0	0.0-1.4			
Urinary bladder (incl. in situ)	35.0	30.3	25.9-35.2	25.8	50.5	42.0-60.2	9.2	14.2	10.3-19.1	5.6	4.6	3.0-6.7	4.0	8.5	5.1-13.2	1.6	2.0	0.8-4.2
Kidney and renal pelvis	22.4	19.7	16.2-23.8	15.0	28.6	22.3-36.0	7.4	12.3	8.6-17.1	3.8	3.3	2.0-5.2	2.0	4.2	2.0-7.7	1.8	2.6	1.2-5.1
Brain and other central nervous system	8.2	7.4	5.2-10.1	4.6	8.6	5.3-13.1	3.6	6.8	4.0-10.9	4.4	3.8	2.4-5.9	2.6	5.0	2.6-8.7	1.8	2.9	1.3-5.6
Thyroid	14.4	13.4	10.3-17.0	4.8	8.4	5.2-12.7	9.6	18.8	13.7-25.1	0.6	0.5	0.1-1.6	0.4	0.8	0.1-2.9	0.2	0.2	0.0-1.7
Hodgkin lymphoma	2.6	2.5	1.3-4.3	1.6	3.0	1.2-6.0	1.0	2.0	0.6-4.6	0.4	0.4	0.0-1.4	0.4	0.8	0.1-2.9	0.0	0.0	0.0-1.4
Non-Hodgkin lymphomas	26.2	23.2	19.3-27.6	13.6	26.8	20.7-34.1	12.6	21.1	16.1-27.2	4.4	3.8	2.4-5.8	2.0	4.4	2.1-8.0	2.4	3.6	1.8-6.4
Myeloma	8.6	7.6	5.5-10.3	4.4	7.6	4.7-11.7	4.2	7.3	4.4-11.3	4.0	3.6	2.1-5.5	1.6	2.6	1.1-5.3	2.4	4.1	2.1-7.3
Leukemias	21.8	19.5	15.9-23.6	12.6	24.0	18.3-30.8	9.2	16.5	12.0-22.2	7.0	6.0	4.2-8.4	3.8	7.2	4.2-11.3	3.2	4.7	2.7-7.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Lewis

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	174.8	491.3	458.0-526.7	91.2	510.9	463.5-562.2	83.6	478.4	431.2-529.5	78.0	210.1	189.3-232.8	39.4	228.0	196.8-263.1	38.6	199.8	171.4-231.9
Oral cavity and pharynx	4.4	12.5	7.6-19.5	2.8	15.9	8.4-27.9	1.6	8.4	3.6-17.6	1.6	4.1	1.7-8.6	1.0	5.7	1.8-14.1	0.6	2.3	0.5-8.9
Esophagus	1.0	2.7	0.9-6.8	0.6	3.3	0.7-10.9	0.4	2.3	0.3-9.4	1.2	3.5	1.3-8.0	1.2	7.1	2.6-16.1	0.0	0.0	0.0-5.8
Stomach	2.2	5.9	2.9-11.0	1.8	9.7	4.4-19.4	0.4	1.9	0.2-8.6	1.2	3.2	1.2-7.5	0.8	4.6	1.2-12.6	0.4	2.0	0.2-8.8
Colorectal	16.4	50.3	39.5-63.3	7.8	48.2	33.7-66.9	8.6	52.8	37.2-72.8	7.8	21.7	15.3-30.2	4.0	24.6	14.9-38.7	3.8	19.1	11.2-31.3
Colon excluding rectum	10.0	30.3	22.1-40.6	4.4	27.1	16.7-42.0	5.6	33.7	21.7-50.2	5.4	15.2	9.8-22.5	2.4	14.5	7.4-26.0	3.0	15.7	8.5-27.2
Rectum & rectosigmoid	6.4	20.0	13.3-29.0	3.4	21.0	11.9-34.6	3.0	19.1	10.1-32.8	2.4	6.6	3.3-11.9	1.6	10.1	4.3-20.5	0.8	3.4	0.9-10.5
Liver / intrahepatic bile duct	2.0	5.6	2.6-10.7	1.2	6.7	2.4-15.4	0.8	4.5	1.2-12.6	3.0	8.0	4.4-13.7	1.8	9.7	4.3-19.3	1.2	6.3	2.3-14.9
Pancreas	5.2	14.5	9.3-21.8	1.8	9.2	4.1-18.5	3.4	19.1	10.8-31.7	7.0	18.2	12.6-25.8	3.6	19.5	11.4-31.7	3.4	17.1	9.8-28.4
Larynx	0.8	2.5	0.6-6.9	0.4	1.6	0.2-7.9	0.4	3.2	0.3-11.7	0.6	2.1	0.4-6.6	0.2	0.8	0.0-6.7	0.4	3.4	0.3-12.4
Lung and bronchus	21.0	57.5	46.8-70.0	10.4	58.4	43.3-77.4	10.6	56.6	42.1-75.1	18.4	50.4	40.5-62.3	9.2	52.5	38.3-70.8	9.2	48.4	35.1-65.7
Melanoma of the skin	7.6	22.6	15.6-31.7	4.0	23.4	14.0-37.1	3.6	22.4	12.7-36.9	0.8	2.3	0.6-6.3	0.6	3.5	0.7-11.2	0.2	1.1	0.0-7.5
Female breast							21.0	115.7	93.6-141.7							4.6	23.7	14.7-37.0
Cervix uteri							1.2	8.9	3.1-19.9							0.8	5.7	1.4-15.3
Corpus uterus and NOS							5.6	29.8	19.3-44.5							2.2	11.2	5.4-21.3
Ovary							1.8	8.9	4.0-18.1							1.6	7.8	3.3-16.6
Prostate				26.4	131.9	109.9-157.6							3.6	21.9	12.9-35.1			
Testis				0.8	8.0	2.1-19.6							0.0	0.0	0.0-5.7			
Urinary bladder (incl. in situ)	8.8	23.7	17.0-32.3	6.8	38.6	26.4-55.0	2.0	10.8	5.1-20.9	2.0	5.5	2.6-10.5	1.2	7.6	2.8-17.1	0.8	3.9	1.0-11.5
Kidney and renal pelvis	4.4	12.2	7.4-19.1	2.2	10.7	5.2-20.4	2.2	13.6	6.5-25.5	1.0	2.6	0.8-6.7	0.8	4.5	1.2-12.4	0.2	0.9	0.0-7.1
Brain and other central nervous system	1.6	4.8	2.0-10.0	0.6	3.8	0.7-11.9	1.0	5.8	1.7-14.6	2.2	6.1	2.9-11.5	1.0	5.3	1.7-13.5	1.2	7.0	2.2-16.6
Thyroid	3.6	13.4	7.7-21.5	1.0	7.0	2.1-17.0	2.6	20.2	10.4-35.0	0.0	0.0	0.0-2.9	0.0	0.0	0.0-5.7	0.0	0.0	0.0-5.8
Hodgkin lymphoma	1.2	4.9	1.7-10.6	0.6	5.2	1.1-14.7	0.6	4.5	0.9-13.6	0.0	0.0	0.0-2.9	0.0	0.0	0.0-5.7	0.0	0.0	0.0-5.8
Non-Hodgkin lymphomas	8.2	23.9	16.8-33.1	5.6	32.6	21.3-48.2	2.6	15.8	8.0-28.3	3.6	9.0	5.3-14.6	2.2	12.6	6.2-23.3	1.4	6.6	2.6-14.9
Myeloma	3.6	10.4	6.1-16.9	2.4	14.4	7.3-26.0	1.2	7.1	2.5-16.4	1.0	2.5	0.8-6.5	0.4	2.1	0.2-8.9	0.6	3.2	0.6-10.5
Leukemias	8.2	23.3	16.4-32.2	4.6	26.5	16.5-40.8	3.6	20.9	11.9-34.3	3.4	9.3	5.3-15.3	1.4	8.3	3.3-17.9	2.0	10.8	5.0-21.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Livingston

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	427.6	510.6	488.3-533.7	235.4	581.8	547.9-617.4	192.2	454.4	424.5-486.0	141.8	167.6	155.1-180.9	74.2	193.6	173.9-215.1	67.6	149.2	133.0-167.0
Oral cavity and pharynx	10.2	13.1	9.5-17.5	7.6	19.5	13.6-27.4	2.6	6.4	3.3-11.5	2.2	2.5	1.3-4.8	1.6	4.0	1.7-8.3	0.6	1.3	0.3-4.5
Esophagus	5.8	6.3	4.2-9.3	4.2	10.1	6.1-15.9	1.6	3.6	1.5-7.7	5.0	5.2	3.4-8.0	3.8	9.0	5.4-14.6	1.2	2.3	0.8-5.7
Stomach	6.4	7.8	5.2-11.3	4.2	10.7	6.5-16.7	2.2	5.5	2.6-10.4	3.2	4.1	2.3-6.8	2.2	6.1	3.0-11.4	1.0	2.2	0.7-5.7
Colorectal	30.6	37.6	31.7-44.4	18.0	45.9	36.6-57.0	12.6	30.8	23.4-40.1	12.0	15.3	11.5-20.0	5.6	15.7	10.3-23.1	6.4	15.1	9.9-22.2
Colon excluding rectum	20.2	25.5	20.6-31.2	11.2	29.3	21.9-38.5	9.0	22.5	16.1-30.7	10.4	13.0	9.6-17.4	4.8	14.0	8.8-21.1	5.6	12.3	8.0-18.4
Rectum & rectosigmoid	10.4	12.2	9.0-16.2	6.8	16.6	11.3-23.7	3.6	8.4	4.9-13.7	1.6	2.2	0.9-4.7	0.8	1.8	0.5-5.2	0.8	2.8	0.6-7.6
Liver / intrahepatic bile duct	7.2	7.8	5.4-11.1	5.4	12.5	8.1-18.7	1.8	3.9	1.8-8.0	5.6	6.5	4.3-9.6	4.2	10.7	6.5-16.7	1.4	3.2	1.3-7.1
Pancreas	10.0	11.6	8.6-15.5	5.4	13.6	8.8-20.1	4.6	9.5	6.0-14.9	8.8	10.3	7.4-14.0	5.0	13.1	8.4-19.6	3.8	7.7	4.6-12.5
Larynx	2.0	2.2	1.0-4.3	1.0	2.3	0.7-5.9	1.0	2.2	0.7-5.8	0.8	1.0	0.3-2.8	0.4	1.0	0.1-4.1	0.4	1.0	0.1-4.2
Lung and bronchus	60.6	69.5	61.7-78.1	28.8	70.9	59.5-84.0	31.8	68.4	58.0-80.4	40.6	47.0	40.6-54.1	20.2	50.5	40.9-61.8	20.4	44.5	36.2-54.5
Melanoma of the skin	22.2	27.7	22.6-33.8	15.2	40.1	31.3-50.8	7.0	17.2	11.5-24.8	2.0	2.3	1.1-4.6	1.0	2.8	0.8-7.1	1.0	1.9	0.6-5.2
Female breast							60.4	147.6	130.4-166.6							8.8	19.2	13.7-26.5
Cervix uteri							1.6	6.5	2.6-13.0							0.8	3.5	0.9-8.9
Corpus uteri and NOS							14.8	34.6	26.8-44.2							2.2	4.7	2.3-9.0
Ovary							3.8	9.1	5.3-14.8							4.0	8.2	5.0-13.2
Prostate				64.0	142.0	126.4-159.1							6.8	17.9	12.3-25.4			
Testis				2.0	5.1	2.3-10.0							0.0	0.0	0.0-2.6			
Urinary bladder (incl. in situ)	20.6	24.3	19.7-29.7	17.6	44.5	35.4-55.3	3.0	6.1	3.4-10.6	4.2	4.8	2.9-7.5	3.4	8.7	5.0-14.3	0.8	1.6	0.4-5.0
Kidney and renal pelvis	17.6	21.4	17.0-26.8	12.4	31.2	23.7-40.5	5.2	12.8	8.0-19.6	2.4	3.5	1.7-6.3	1.6	4.6	1.9-9.5	0.8	2.7	0.6-7.2
Brain and other central nervous system	7.4	10.8	7.4-15.3	4.2	13.2	8.0-20.6	3.2	7.9	4.3-13.5	4.4	6.0	3.6-9.3	1.8	4.9	2.2-9.7	2.6	6.9	3.4-12.5
Thyroid	7.0	9.4	6.4-13.4	3.0	8.1	4.4-13.9	4.0	11.1	6.4-17.9	0.2	0.2	0.0-1.6	0.0	0.0	0.0-2.6	0.2	0.4	0.0-3.2
Hodgkin lymphoma	2.0	2.9	1.3-5.5	1.2	3.5	1.2-8.1	0.8	2.3	0.6-6.4	0.2	0.2	0.0-1.6	0.2	0.4	0.0-3.1	0.0	0.0	0.0-2.7
Non-Hodgkin lymphomas	16.0	18.7	14.7-23.6	9.2	23.0	16.6-31.1	6.8	15.7	10.7-22.5	4.2	4.6	2.8-7.3	3.0	8.0	4.4-13.5	1.2	2.1	0.8-5.5
Myeloma	5.2	6.7	4.2-10.0	3.4	9.4	5.4-15.4	1.8	4.7	2.0-9.6	1.6	1.9	0.8-3.9	0.8	2.2	0.6-6.0	0.8	1.7	0.5-5.1
Leukemias	14.8	17.2	13.4-21.9	8.2	21.4	15.2-29.5	6.6	13.4	9.2-19.3	5.4	6.2	4.1-9.2	2.4	6.3	3.2-11.3	3.0	6.3	3.5-11.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Madison

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	450.8	476.9	456.6-498.0	247.6	540.5	509.5-572.9	203.2	425.2	398.1-453.9	141.6	147.7	136.7-159.4	77.4	176.2	158.6-195.4	64.2	125.0	111.2-140.2
Oral cavity and pharynx	11.0	12.3	9.1-16.3	9.8	23.2	16.9-31.2	1.2	2.5	0.9-5.9	1.8	2.1	0.9-4.2	1.2	2.6	0.9-6.1	0.6	1.7	0.3-5.2
Esophagus	6.2	6.1	4.1-9.0	4.6	9.3	5.8-14.4	1.6	3.4	1.4-7.3	4.4	4.1	2.6-6.5	3.8	7.7	4.6-12.5	0.6	1.0	0.2-3.6
Stomach	6.0	6.0	4.0-8.8	3.8	7.7	4.6-12.5	2.2	4.3	2.1-8.1	1.4	1.7	0.6-3.6	0.6	1.2	0.2-4.1	0.8	2.1	0.5-5.6
Colorectal	35.2	38.9	33.2-45.5	20.2	48.9	39.4-60.1	15.0	30.2	23.6-38.3	11.4	12.3	9.2-16.3	6.4	15.2	10.2-22.0	5.0	10.0	6.4-15.3
Colon excluding rectum	24.2	26.4	21.7-31.9	12.6	30.3	23.0-39.3	11.6	22.9	17.3-30.1	8.6	9.3	6.6-12.8	4.8	11.3	7.1-17.3	3.8	7.8	4.6-12.7
Rectum & rectosigmoid	11.0	12.5	9.3-16.6	7.6	18.6	12.9-26.0	3.4	7.3	4.1-12.1	2.8	3.0	1.6-5.3	1.6	3.9	1.6-8.1	1.2	2.2	0.8-5.3
Liver / intrahepatic bile duct	3.8	4.0	2.4-6.5	2.6	6.0	3.1-10.6	1.2	2.5	0.9-5.8	2.2	2.1	1.0-4.0	1.4	2.9	1.2-6.5	0.8	1.4	0.4-4.1
Pancreas	11.8	12.6	9.5-16.5	5.6	12.1	7.9-17.9	6.2	12.9	8.6-18.9	9.6	9.9	7.3-13.3	5.2	11.6	7.5-17.4	4.4	8.3	5.2-13.0
Larynx	2.4	2.7	1.3-5.0	1.6	4.0	1.6-8.3	0.8	1.6	0.4-4.5	0.8	0.9	0.2-2.5	0.6	1.1	0.2-3.9	0.2	0.6	0.0-3.5
Lung and bronchus	68.8	68.5	61.3-76.4	37.4	77.2	66.2-89.6	31.4	61.0	51.6-71.9	43.8	43.2	37.6-49.5	23.6	50.7	41.7-61.2	20.2	36.8	29.9-45.1
Melanoma of the skin	19.6	22.7	18.2-28.0	9.6	22.5	16.4-30.3	10.0	23.9	17.3-32.3	1.6	1.7	0.7-3.5	1.0	2.4	0.8-5.9	0.6	1.0	0.2-3.6
Female breast							59.6	127.5	112.6-143.9							6.4	12.3	8.3-17.8
Cervix uteri							1.4	4.5	1.7-9.4							0.8	2.5	0.6-6.6
Corpus uterus and NOS							12.8	25.3	19.2-33.0							1.4	2.5	1.0-5.7
Ovary							4.0	9.1	5.3-14.6							2.4	5.3	2.6-9.7
Prostate				68.0	131.6	117.6-146.9							7.2	18.2	12.7-25.5			
Testis				2.2	6.3	3.1-11.5							0.2	0.5	0.0-3.0			
Urinary bladder (incl. in situ)	25.4	26.9	22.3-32.3	19.2	44.6	35.9-55.0	6.2	12.3	8.2-18.1	5.8	6.2	4.1-9.0	3.4	8.5	4.9-13.9	2.4	4.4	2.2-8.1
Kidney and renal pelvis	18.2	19.1	15.2-23.7	11.8	26.2	19.7-34.3	6.4	13.0	8.7-18.8	2.0	2.0	1.0-4.0	1.4	3.4	1.3-7.2	0.6	1.0	0.2-3.7
Brain and other central nervous system	6.6	8.2	5.5-11.8	3.6	9.7	5.5-15.8	3.0	6.9	3.7-11.9	3.8	4.1	2.5-6.6	2.2	5.1	2.5-9.5	1.6	3.3	1.4-6.9
Thyroid	10.2	12.6	9.2-16.8	3.2	7.0	3.9-11.9	7.0	17.9	12.2-25.4	0.2	0.2	0.0-1.5	0.2	0.6	0.0-3.3	0.0	0.0	0.0-2.3
Hodgkin lymphoma	2.0	2.4	1.1-4.7	1.2	3.4	1.2-7.7	0.8	1.4	0.4-4.3	0.2	0.4	0.0-2.1	0.2	0.8	0.0-4.1	0.0	0.0	0.0-2.3
Non-Hodgkin lymphomas	20.2	21.8	17.6-26.8	10.8	25.7	19.0-34.1	9.4	18.5	13.4-25.1	6.0	6.8	4.6-9.9	3.0	7.7	4.3-13.0	3.0	5.8	3.2-10.0
Myeloma	4.8	4.8	3.0-7.3	3.6	7.8	4.5-12.8	1.2	2.2	0.8-5.4	2.8	2.9	1.5-5.0	1.6	3.6	1.5-7.5	1.2	2.4	0.8-5.7
Leukemias	14.6	16.4	12.7-20.8	8.4	19.9	14.1-27.4	6.2	13.1	8.7-19.1	6.0	6.5	4.3-9.5	4.4	10.3	6.3-16.0	1.6	3.3	1.3-7.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Monroe

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4787.6	510.3	503.6-517.0	2405.2	562.0	551.7-572.4	2382.4	475.9	467.0-484.9	1476.6	152.6	149.0-156.2	742.6	179.6	173.7-185.6	734.0	134.6	130.1-139.2
Oral cavity and pharynx	118.6	12.5	11.5-13.6	80.0	18.5	16.7-20.5	38.6	7.3	6.3-8.5	25.0	2.6	2.1-3.1	16.8	3.9	3.1-4.9	8.2	1.4	1.0-2.0
Esophagus	43.6	4.5	3.9-5.1	31.4	7.2	6.0-8.4	12.2	2.2	1.7-2.9	42.4	4.3	3.7-5.0	30.6	7.1	6.0-8.3	11.8	2.1	1.6-2.8
Stomach	61.0	6.5	5.8-7.3	37.2	8.9	7.7-10.4	23.8	4.6	3.8-5.5	24.0	2.5	2.1-3.0	14.4	3.3	2.6-4.2	9.6	1.8	1.3-2.4
Colorectal	343.2	36.9	35.1-38.8	173.8	41.3	38.6-44.3	169.4	33.3	31.0-35.8	115.8	11.9	11.0-13.0	60.4	14.5	12.8-16.3	55.4	9.9	8.8-11.3
Colon excluding rectum	248.8	26.6	25.1-28.2	119.6	28.5	26.2-31.0	129.2	25.2	23.2-27.4	90.6	9.4	8.5-10.3	45.4	11.0	9.6-12.6	45.2	8.1	7.0-9.2
Rectum & rectosigmoid	94.4	10.3	9.3-11.3	54.2	12.8	11.3-14.5	40.2	8.1	7.0-9.3	25.2	2.6	2.1-3.1	15.0	3.5	2.7-4.4	10.2	1.9	1.4-2.5
Liver / intrahepatic bile duct	71.0	7.2	6.4-8.0	46.8	10.3	9.0-11.8	24.2	4.6	3.8-5.6	53.4	5.5	4.9-6.3	34.4	8.0	6.8-9.3	19.0	3.7	3.0-4.6
Pancreas	141.8	14.9	13.8-16.1	70.8	17.0	15.2-18.9	71.0	13.2	11.8-14.7	121.6	12.7	11.6-13.7	62.2	14.9	13.3-16.7	59.4	10.8	9.6-12.2
Larynx	28.6	2.9	2.4-3.4	22.8	5.0	4.1-6.1	5.8	1.1	0.7-1.6	8.4	0.8	0.6-1.1	6.2	1.4	0.9-2.0	2.2	0.4	0.2-0.8
Lung and bronchus	615.8	63.1	60.8-65.4	295.2	68.8	65.3-72.5	320.6	59.4	56.5-62.5	354.4	36.5	34.8-38.3	185.4	44.4	41.6-47.5	169.0	30.9	28.8-33.1
Melanoma of the skin	244.8	27.5	26.0-29.2	135.2	33.3	30.8-36.0	109.6	23.8	21.7-26.0	16.8	1.7	1.4-2.2	10.4	2.6	1.9-3.4	6.4	1.2	0.8-1.7
Female breast							722.8	148.2	143.1-153.3							96.4	18.3	16.7-20.1
Cervix uteri							23.8	5.6	4.6-6.8							10.0	2.1	1.5-2.8
Corpus uterus and NOS							166.4	32.2	30.0-34.6							36.2	6.5	5.5-7.5
Ovary							52.4	10.8	9.5-12.3							34.2	6.2	5.3-7.3
Prostate				672.6	146.8	141.8-152.0							75.2	19.0	17.1-21.1			
Testis				27.2	7.8	6.5-9.3							0.4	0.1	0.0-0.4			
Urinary bladder (incl. in situ)	229.8	23.6	22.2-25.1	172.0	41.2	38.4-44.1	57.8	10.6	9.4-11.9	42.4	4.2	3.7-4.9	29.4	7.3	6.1-8.6	13.0	2.2	1.7-2.8
Kidney and renal pelvis	186.6	20.2	18.9-21.6	126.0	29.8	27.4-32.3	60.6	12.3	10.9-13.8	30.2	3.1	2.6-3.6	19.0	4.5	3.6-5.6	11.2	2.0	1.5-2.6
Brain and other central nervous system	54.2	6.3	5.5-7.1	29.2	7.3	6.1-8.7	25.0	5.5	4.5-6.6	38.8	4.3	3.7-5.0	22.4	5.4	4.4-6.6	16.4	3.5	2.7-4.3
Thyroid	124.0	15.4	14.2-16.8	38.4	9.8	8.4-11.4	85.6	20.7	18.7-22.9	5.0	0.5	0.3-0.8	2.0	0.5	0.2-1.0	3.0	0.5	0.3-0.9
Hodgkin lymphoma	27.0	3.6	3.0-4.2	16.6	4.6	3.7-5.8	10.4	2.6	1.9-3.5	3.0	0.3	0.2-0.5	2.0	0.5	0.2-1.0	1.0	0.2	0.1-0.5
Non-Hodgkin lymphomas	206.2	22.3	21.0-23.8	112.0	27.0	24.8-29.5	94.2	18.8	17.1-20.6	57.2	6.0	5.3-6.7	28.8	7.2	6.0-8.5	28.4	5.1	4.3-6.1
Myeloma	69.4	7.2	6.4-8.0	39.2	9.2	7.9-10.6	30.2	5.7	4.8-6.8	30.8	3.2	2.7-3.7	16.6	4.1	3.2-5.1	14.2	2.5	2.0-3.2
Leukemias	140.8	15.2	14.0-16.4	82.0	19.9	18.0-22.0	58.8	11.4	10.1-12.9	59.8	6.3	5.6-7.0	33.2	8.3	7.0-9.6	26.6	4.8	4.0-5.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Montgomery

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	359.8	542.1	516.4-568.9	188.4	601.7	562.5-643.1	171.4	497.1	462.6-533.6	114.8	165.6	151.8-180.4	58.4	191.5	169.6-215.7	56.4	146.4	128.8-165.9
Oral cavity and pharynx	10.4	16.1	11.8-21.6	7.2	23.7	16.3-33.5	3.2	9.2	5.0-15.9	2.8	4.5	2.4-7.9	1.8	6.7	2.9-13.2	1.0	2.3	0.7-6.3
Esophagus	4.8	6.8	4.3-10.4	3.6	10.1	5.9-16.5	1.2	3.9	1.4-8.8	2.8	4.9	2.6-8.5	1.8	6.2	2.7-12.2	1.0	3.8	1.1-9.1
Stomach	3.4	5.4	3.1-8.9	2.0	6.3	2.9-12.1	1.4	4.8	1.9-10.3	1.0	1.5	0.5-3.8	0.4	1.1	0.1-4.7	0.6	1.8	0.3-5.9
Colorectal	31.8	50.4	42.5-59.3	17.2	58.8	46.7-73.2	14.6	44.0	33.9-56.2	8.4	12.0	8.5-16.5	4.2	13.9	8.5-21.6	4.2	10.7	6.3-17.3
Colon excluding rectum	24.4	37.4	30.8-45.1	13.2	45.4	34.8-58.2	11.2	31.4	23.3-41.6	7.0	9.6	6.6-13.7	3.2	10.3	5.8-17.1	3.8	9.5	5.4-15.7
Rectum & rectosigmoid	7.4	13.0	9.0-18.2	4.0	13.4	7.9-21.3	3.4	12.6	7.1-20.6	1.4	2.4	0.9-5.0	1.0	3.6	1.1-8.8	0.4	1.2	0.1-5.0
Liver / intrahepatic bile duct	5.4	6.7	4.4-10.1	4.0	10.3	6.2-16.5	1.4	3.3	1.2-7.6	2.6	3.5	1.8-6.2	1.4	4.3	1.7-9.3	1.2	2.7	0.9-6.8
Pancreas	14.0	19.0	14.7-24.3	7.0	20.7	14.3-29.3	7.0	17.6	12.1-25.3	10.6	14.6	10.9-19.4	4.8	15.1	9.5-23.0	5.8	13.6	8.9-20.2
Larynx	1.2	2.0	0.7-4.5	0.4	1.3	0.2-5.3	0.8	2.5	0.7-6.7	0.4	0.6	0.1-2.5	0.2	0.8	0.0-4.5	0.2	0.3	0.0-3.4
Lung and bronchus	59.2	84.6	75.0-95.2	29.2	90.4	76.0-107.0	30.0	81.3	68.4-96.2	34.4	47.8	40.7-55.8	19.0	58.2	46.8-71.8	15.4	39.5	30.8-50.1
Melanoma of the skin	11.6	18.1	13.5-23.8	7.8	24.6	17.2-34.4	3.8	12.8	7.3-20.7	1.2	1.6	0.6-3.8	0.8	2.4	0.6-6.7	0.4	1.1	0.1-4.8
Female breast							43.2	127.6	110.3-147.0							6.8	18.8	12.5-27.3
Cervix uteri							1.6	6.3	2.6-12.7							0.6	2.2	0.4-6.8
Corpus uterus and NOS							9.4	24.8	18.0-33.7							1.8	4.9	2.2-9.8
Ovary							2.2	6.3	3.0-11.9							2.6	6.7	3.5-12.1
Prostate				43.0	127.3	110.4-146.4							4.6	15.4	9.6-23.5			
Testis				1.6	7.3	3.1-14.4							0.0	0.0	0.0-3.1			
Urinary bladder (incl. in situ)	19.2	27.7	22.3-34.1	13.2	42.7	32.8-54.9	6.0	15.8	10.5-23.2	3.8	4.9	2.9-8.0	2.6	8.6	4.5-15.1	1.2	2.8	0.9-6.9
Kidney and renal pelvis	14.8	23.9	18.6-30.5	8.6	29.8	21.2-40.8	6.2	18.9	12.6-27.5	2.2	2.8	1.4-5.4	1.4	4.4	1.7-9.5	0.8	1.8	0.5-5.5
Brain and other central nervous system	4.6	8.5	5.3-13.0	3.0	11.4	6.3-19.1	1.6	5.8	2.4-11.8	4.0	7.2	4.3-11.4	2.2	9.1	4.4-16.5	1.8	5.3	2.2-10.9
Thyroid	7.2	12.8	8.8-18.0	2.2	6.5	3.1-12.3	5.0	18.9	12.0-28.3	0.6	0.9	0.2-2.9	0.4	1.5	0.2-5.6	0.2	0.5	0.0-3.7
Hodgkin lymphoma	1.0	1.7	0.5-4.1	0.4	1.5	0.2-5.6	0.6	2.0	0.4-6.3	0.2	0.4	0.0-2.2	0.2	0.9	0.0-4.7	0.0	0.0	0.0-3.0
Non-Hodgkin lymphomas	13.2	20.4	15.6-26.3	6.8	23.0	15.6-32.7	6.4	17.9	12.1-25.8	2.8	4.0	2.1-7.1	1.6	5.4	2.3-11.0	1.2	2.9	1.1-7.1
Myeloma	7.0	10.8	7.4-15.3	3.8	13.8	8.2-21.9	3.2	8.0	4.5-13.7	1.4	1.8	0.7-4.0	0.6	2.2	0.5-6.8	0.8	1.4	0.4-4.8
Leukemias	14.2	21.7	16.8-27.8	8.6	28.7	20.5-39.3	5.6	15.1	9.7-22.7	4.8	7.6	4.8-11.6	3.0	10.8	6.0-18.0	1.8	4.9	2.1-10.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Nassau

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9060.0	511.3	506.4-516.2	4477.6	550.1	542.7-557.6	4582.4	488.0	481.4-494.7	2333.4	123.7	121.4-126.1	1124.6	140.2	136.5-144.0	1208.8	112.9	110.0-116.0
Oral cavity and pharynx	195.0	11.0	10.3-11.8	127.8	15.7	14.4-17.0	67.2	7.1	6.3-8.0	28.0	1.5	1.2-1.7	14.4	1.8	1.4-2.3	13.6	1.2	0.9-1.5
Esophagus	76.4	4.2	3.8-4.6	56.0	6.9	6.1-7.8	20.4	1.9	1.6-2.4	51.0	2.8	2.4-3.2	39.6	4.9	4.3-5.7	11.4	1.0	0.8-1.4
Stomach	148.4	8.2	7.6-8.9	84.6	10.4	9.4-11.5	63.8	6.5	5.8-7.3	48.0	2.6	2.3-3.0	26.2	3.3	2.8-3.9	21.8	2.1	1.7-2.5
Colorectal	668.6	37.6	36.3-39.0	323.8	40.9	38.9-43.0	344.8	34.9	33.1-36.6	203.8	10.8	10.1-11.5	100.2	12.6	11.5-13.8	103.6	9.3	8.4-10.1
Colon excluding rectum	483.6	26.9	25.8-28.1	224.6	28.3	26.7-30.1	259.0	25.7	24.3-27.3	169.2	8.9	8.3-9.5	77.8	9.8	8.8-10.8	91.4	8.1	7.4-8.9
Rectum & rectosigmoid	185.0	10.7	10.0-11.4	99.2	12.5	11.4-13.7	85.8	9.1	8.2-10.1	34.6	1.9	1.6-2.2	22.4	2.9	2.4-3.5	12.2	1.1	0.9-1.5
Liver / intrahepatic bile duct	127.2	6.8	6.3-7.4	88.6	10.3	9.3-11.3	38.6	3.9	3.3-4.5	85.2	4.5	4.1-5.0	56.6	6.8	6.0-7.6	28.6	2.7	2.3-3.3
Pancreas	294.0	15.7	14.9-16.6	147.2	18.0	16.7-19.3	146.8	13.9	12.9-15.0	213.4	11.2	10.6-12.0	107.8	13.2	12.1-14.4	105.6	9.6	8.8-10.5
Larynx	46.6	2.5	2.2-2.9	38.4	4.6	4.0-5.4	8.2	0.8	0.6-1.1	12.4	0.6	0.5-0.8	10.0	1.2	0.9-1.6	2.4	0.2	0.1-0.4
Lung and bronchus	974.2	52.9	51.3-54.4	429.6	53.5	51.2-55.8	544.6	53.1	51.1-55.2	471.6	24.9	23.9-26.0	224.6	27.8	26.2-29.5	247.0	23.0	21.7-24.3
Melanoma of the skin	398.8	22.7	21.6-23.7	237.2	29.7	28.0-31.5	161.6	17.7	16.5-19.1	32.2	1.7	1.5-2.0	20.8	2.6	2.1-3.2	11.4	1.0	0.8-1.4
Female breast							1344.6	149.3	145.6-153.1							183.0	17.8	16.6-19.0
Cervix uteri							50.2	6.4	5.6-7.3							14.2	1.5	1.2-2.0
Corpus uterus and NOS							322.6	32.4	30.8-34.1							61.4	5.9	5.3-6.7
Ovary							110.8	12.2	11.1-13.3							59.6	5.7	5.1-6.5
Prostate				1238.4	141.7	138.1-145.3							106.4	13.3	12.2-14.5			
Testis				34.8	5.7	4.9-6.7							1.6	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	459.6	24.6	23.6-25.6	347.0	43.1	41.1-45.3	112.6	10.7	9.8-11.6	77.6	3.9	3.6-4.4	53.4	6.7	5.9-7.6	24.2	2.1	1.7-2.6
Kidney and renal pelvis	318.8	18.0	17.1-18.9	204.2	25.0	23.4-26.6	114.6	12.0	11.0-13.1	49.4	2.5	2.2-2.9	32.0	3.8	3.3-4.5	17.4	1.5	1.2-1.9
Brain and other central nervous system	113.4	7.2	6.6-7.9	61.0	8.2	7.3-9.2	52.4	6.3	5.5-7.2	70.2	4.0	3.6-4.5	39.4	4.9	4.2-5.6	30.8	3.3	2.8-3.9
Thyroid	347.6	23.7	22.5-24.8	104.2	14.0	12.8-15.3	243.4	32.9	31.0-34.9	12.2	0.7	0.5-0.9	4.8	0.6	0.4-1.0	7.4	0.6	0.5-0.9
Hodgkin lymphoma	51.6	3.6	3.2-4.1	26.6	3.8	3.2-4.6	25.0	3.5	2.9-4.2	5.0	0.3	0.2-0.4	2.6	0.3	0.2-0.5	2.4	0.2	0.1-0.4
Non-Hodgkin lymphomas	404.2	23.0	22.0-24.1	215.2	27.4	25.7-29.1	189.0	19.6	18.3-21.0	96.4	5.1	4.7-5.6	52.6	6.6	5.8-7.4	43.8	4.1	3.5-4.7
Myeloma	155.8	8.5	7.9-9.1	85.2	10.5	9.5-11.6	70.6	6.9	6.2-7.7	51.0	2.6	2.3-3.0	26.8	3.3	2.8-3.9	24.2	2.2	1.8-2.6
Leukemias	304.4	17.5	16.6-18.4	182.0	23.2	21.7-24.8	122.4	13.1	12.0-14.2	105.6	5.6	5.2-6.2	63.6	8.3	7.4-9.3	42.0	3.8	3.3-4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Niagara

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1626.0	558.7	546.1-571.6	851.6	624.1	604.7-643.9	774.4	512.5	495.6-530.0	511.4	168.8	162.2-175.7	270.0	203.6	192.6-215.2	241.4	145.5	137.0-154.4
Oral cavity and pharynx	41.2	13.7	11.8-15.8	26.6	18.1	15.0-21.6	14.6	9.8	7.5-12.6	8.2	2.7	1.9-3.8	6.2	4.2	2.8-6.2	2.0	1.4	0.6-2.8
Esophagus	20.0	6.3	5.1-7.8	16.8	11.5	9.1-14.4	3.2	2.0	1.1-3.4	17.4	5.5	4.3-6.8	14.2	9.6	7.4-12.3	3.2	2.0	1.1-3.4
Stomach	21.6	7.2	5.9-8.8	13.0	9.5	7.2-12.2	8.6	5.3	3.8-7.3	6.6	2.1	1.4-3.0	4.4	3.2	1.9-4.9	2.2	1.3	0.6-2.5
Colorectal	121.4	43.3	39.8-47.1	67.4	52.8	47.1-59.1	54.0	35.5	31.2-40.3	34.6	11.6	9.9-13.6	15.4	11.7	9.2-14.8	19.2	11.5	9.2-14.2
Colon excluding rectum	84.4	30.0	27.0-33.1	44.8	34.9	30.3-40.1	39.6	25.9	22.2-30.0	29.8	10.0	8.4-11.8	13.2	10.1	7.7-13.0	16.6	9.8	7.7-12.4
Rectum & rectosigmoid	37.0	13.3	11.4-15.5	22.6	17.9	14.6-21.7	14.4	9.6	7.4-12.3	4.8	1.6	1.0-2.5	2.2	1.6	0.8-3.0	2.6	1.6	0.9-3.0
Liver / intrahepatic bile duct	25.4	7.9	6.6-9.5	18.2	12.1	9.7-15.0	7.2	4.3	3.0-6.1	17.8	5.6	4.5-7.0	10.6	7.3	5.4-9.7	7.2	4.1	2.8-5.9
Pancreas	47.8	15.8	13.8-18.0	25.2	18.6	15.4-22.4	22.6	13.5	11.0-16.4	33.6	11.1	9.5-13.0	16.4	12.4	9.8-15.5	17.2	10.2	8.1-12.8
Larynx	11.8	4.0	3.0-5.2	10.2	7.4	5.4-9.8	1.6	1.1	0.4-2.3	3.2	1.0	0.6-1.7	2.4	1.8	0.9-3.3	0.8	0.4	0.1-1.2
Lung and bronchus	234.4	76.7	72.2-81.3	112.6	81.8	74.9-89.1	121.8	74.2	68.3-80.6	142.4	46.4	43.0-50.1	78.4	58.5	52.7-64.8	64.0	38.3	34.2-43.0
Melanoma of the skin	81.4	30.3	27.2-33.6	43.2	32.7	28.3-37.6	38.2	29.3	25.0-34.2	4.4	1.5	0.9-2.4	2.0	1.7	0.8-3.3	2.4	1.4	0.7-2.7
Female breast							209.6	140.1	131.2-149.4							31.8	20.4	17.2-24.1
Cervix uteri							10.6	10.1	7.4-13.4							2.4	1.6	0.8-2.9
Corpus uteri and NOS							49.2	31.6	27.6-36.1							7.2	4.2	2.9-5.9
Ovary							19.4	12.6	10.1-15.6							12.4	7.3	5.6-9.6
Prostate				215.2	143.6	134.8-152.7							23.4	18.7	15.4-22.5			
Testis				8.0	8.6	6.1-11.8							0.6	0.6	0.1-1.8			
Urinary bladder (incl. in situ)	101.2	33.1	30.2-36.2	76.6	57.3	51.5-63.6	24.6	14.3	11.8-17.2	14.6	4.7	3.7-6.0	10.4	8.0	5.9-10.6	4.2	2.5	1.5-4.0
Kidney and renal pelvis	55.2	19.1	16.8-21.7	37.2	27.6	23.6-32.1	18.0	11.7	9.2-14.6	11.4	3.9	2.9-5.1	6.6	5.1	3.5-7.3	4.8	2.8	1.8-4.4
Brain and other central nervous system	20.2	8.0	6.4-9.9	11.2	9.3	6.9-12.4	9.0	6.9	4.9-9.5	12.6	4.5	3.4-5.8	8.0	6.0	4.2-8.3	4.6	3.2	2.0-4.9
Thyroid	38.6	17.3	14.8-20.1	11.2	9.9	7.3-13.0	27.4	24.5	20.4-29.3	1.8	0.6	0.3-1.2	1.2	1.0	0.4-2.3	0.6	0.3	0.1-1.1
Hodgkin lymphoma	7.2	3.3	2.3-4.7	4.2	4.0	2.4-6.2	3.0	2.7	1.5-4.6	0.6	0.2	0.0-0.7	0.4	0.4	0.0-1.4	0.2	0.1	0.0-0.9
Non-Hodgkin lymphomas	62.2	21.5	19.1-24.2	33.0	24.7	20.9-29.1	29.2	18.9	15.8-22.4	18.6	6.1	4.9-7.5	10.8	7.9	5.9-10.5	7.8	4.6	3.2-6.5
Myeloma	18.8	6.4	5.2-8.0	11.6	9.0	6.8-11.8	7.2	4.2	2.9-5.9	9.2	3.2	2.3-4.3	5.8	4.7	3.1-6.8	3.4	2.1	1.2-3.5
Leukemias	53.6	19.4	17.0-22.0	31.8	25.7	21.7-30.2	21.8	14.4	11.7-17.7	20.8	6.9	5.6-8.4	11.8	9.3	7.1-12.2	9.0	5.1	3.7-7.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Oneida

Site of cancer	Incidence									Mortality									
	Males and Females			Males			Females			Males and Females			Males			Females			
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	
All Invasive Malignant Tumors	1581.0	517.4	505.7-529.4	830.8	573.9	556.1-592.2	750.2	478.9	462.7-495.4	531.8	164.8	158.4-171.4	285.2	199.0	188.6-209.9	246.6	139.0	131.0-147.4	
Oral cavity and pharynx	41.0	13.4	11.6-15.5	29.6	20.0	16.8-23.6	11.4	7.4	5.5-9.8	10.2	3.1	2.3-4.2	8.2	5.4	3.9-7.5	2.0	1.2	0.6-2.4	
Esophagus	17.8	5.7	4.5-7.0	12.6	8.6	6.5-11.1	5.2	3.3	2.1-5.0	16.6	5.0	4.0-6.3	13.0	8.8	6.7-11.3	3.6	2.0	1.2-3.3	
Stomach	22.2	7.2	5.9-8.8	12.6	8.9	6.8-11.5	9.6	6.1	4.4-8.3	5.0	1.6	1.0-2.5	2.2	1.6	0.8-3.0	2.8	1.7	0.9-3.0	
Colorectal	110.0	36.7	33.6-40.1	53.2	38.2	33.6-43.3	56.8	36.2	31.9-41.0	39.4	12.0	10.4-13.9	20.8	14.5	11.8-17.7	18.6	10.2	8.1-12.7	
Colon excluding rectum	75.2	25.0	22.5-27.8	32.6	23.9	20.3-28.0	42.6	26.6	22.9-30.7	33.2	10.0	8.5-11.7	16.6	11.6	9.2-14.5	16.6	8.8	6.9-11.1	
Rectum & rectosigmoid	34.8	11.7	10.0-13.7	20.6	14.3	11.6-17.5	14.2	9.6	7.4-12.3	6.2	2.1	1.4-3.0	4.2	2.9	1.8-4.5	2.0	1.4	0.6-2.7	
Liver / intrahepatic bile duct	24.8	7.9	6.5-9.5	16.2	11.0	8.7-13.8	8.6	5.2	3.7-7.2	18.4	5.6	4.5-7.0	11.6	7.8	5.9-10.2	6.8	3.9	2.6-5.6	
Pancreas	49.6	15.4	13.5-17.5	28.2	19.5	16.4-23.1	21.4	12.1	9.9-14.8	35.4	10.7	9.1-12.5	21.4	14.7	12.0-17.9	14.0	7.4	5.8-9.6	
Larynx	16.2	5.3	4.2-6.7	12.0	8.2	6.2-10.7	4.2	2.8	1.7-4.4	5.2	1.6	1.0-2.4	3.6	2.4	1.4-3.9	1.6	0.9	0.4-2.0	
Lung and bronchus	229.0	71.7	67.5-76.1	119.2	82.3	75.6-89.4	109.8	63.7	58.3-69.4	143.6	44.6	41.3-48.1	78.0	52.9	47.7-58.6	65.6	37.7	33.6-42.2	
Melanoma of the skin	52.6	18.1	15.9-20.5	28.8	20.9	17.5-24.8	23.8	16.8	13.7-20.3	8.4	2.6	1.9-3.6	5.4	3.8	2.5-5.6	3.0	1.6	0.9-2.9	
Female breast							196.8	128.6	120.2-137.5								29.0	17.3	14.5-20.6
Cervix uteri							6.8	5.0	3.4-7.2								2.2	1.2	0.6-2.2
Corpus uterus and NOS							56.0	34.9	30.7-39.5								10.8	6.2	4.7-8.2
Ovary							21.6	14.2	11.5-17.4								12.4	7.5	5.7-9.8
Prostate				221.8	141.2	132.8-150.0								21.6	15.5	12.7-18.8			
Testis				8.0	7.0	5.0-9.6							0.2	0.1	0.0-0.8				
Urinary bladder (incl. in situ)	91.4	28.6	25.9-31.4	69.6	49.2	44.1-54.8	21.8	12.2	10.0-14.9	18.2	5.4	4.4-6.7	14.0	10.0	7.8-12.8	4.2	2.2	1.3-3.5	
Kidney and renal pelvis	59.8	19.8	17.5-22.3	38.6	27.0	23.2-31.2	21.2	13.6	11.0-16.7	9.0	2.6	1.9-3.6	5.4	3.6	2.3-5.3	3.6	2.0	1.2-3.4	
Brain and other central nervous system	22.6	8.7	7.1-10.5	13.6	10.9	8.4-13.9	9.0	6.5	4.7-8.9	13.0	4.3	3.3-5.6	7.6	5.2	3.6-7.2	5.4	3.6	2.3-5.4	
Thyroid	49.8	20.4	17.8-23.2	15.0	11.6	9.0-14.7	34.8	29.7	25.2-34.7	1.8	0.6	0.3-1.1	1.0	0.8	0.3-1.9	0.8	0.4	0.1-1.2	
Hodgkin lymphoma	9.4	4.0	2.9-5.4	4.4	3.5	2.1-5.3	5.0	4.7	3.0-6.9	1.0	0.4	0.1-0.9	0.8	0.6	0.2-1.7	0.2	0.1	0.0-0.8	
Non-Hodgkin lymphomas	69.0	22.8	20.4-25.4	36.4	26.4	22.6-30.7	32.6	20.0	16.9-23.5	21.8	6.9	5.6-8.4	13.2	10.0	7.7-12.9	8.6	4.3	3.1-6.0	
Myeloma	20.8	6.9	5.6-8.4	13.0	9.5	7.3-12.3	7.8	4.6	3.2-6.5	8.6	2.6	1.9-3.6	4.8	3.5	2.2-5.3	3.8	2.0	1.2-3.3	
Leukemias	51.4	17.2	15.1-19.6	31.0	22.4	18.9-26.4	20.4	12.9	10.4-16.0	20.8	6.5	5.3-7.9	12.0	8.6	6.5-11.1	8.8	5.0	3.5-7.0	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Onondaga

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3048.4	521.1	512.6-529.7	1567.8	580.4	567.2-593.8	1480.6	477.9	466.6-489.5	902.8	150.6	146.1-155.2	452.0	175.4	168.1-183.0	450.8	133.6	127.9-139.5
Oral cavity and pharynx	78.4	13.2	11.9-14.7	52.4	18.9	16.6-21.5	26.0	8.4	7.0-10.1	13.6	2.2	1.7-2.8	7.4	2.7	1.9-3.7	6.2	1.8	1.2-2.6
Esophagus	27.2	4.6	3.8-5.5	21.2	7.9	6.4-9.6	6.0	1.8	1.2-2.7	26.0	4.2	3.5-5.0	21.4	7.9	6.4-9.6	4.6	1.3	0.8-2.0
Stomach	44.2	7.7	6.7-8.9	29.6	11.4	9.6-13.5	14.6	4.8	3.7-6.1	15.0	2.6	2.0-3.3	8.6	3.4	2.4-4.6	6.4	2.0	1.4-3.0
Colorectal	226.0	39.3	37.0-41.7	113.2	44.0	40.3-47.9	112.8	35.5	32.5-38.7	73.4	12.4	11.1-13.8	36.6	14.8	12.7-17.2	36.8	10.7	9.2-12.5
Colon excluding rectum	154.8	27.1	25.2-29.2	74.6	29.6	26.6-32.9	80.2	25.2	22.7-28.0	55.0	9.2	8.1-10.3	26.8	11.0	9.2-13.1	28.2	7.9	6.6-9.3
Rectum & rectosigmoid	71.2	12.2	10.9-13.5	38.6	14.4	12.3-16.6	32.6	10.3	8.7-12.1	18.4	3.3	2.6-4.0	9.8	3.8	2.8-5.1	8.6	2.9	2.0-3.9
Liver / intrahepatic bile duct	50.4	8.0	7.0-9.1	37.4	12.9	11.1-15.0	13.0	3.9	3.0-5.1	32.4	5.3	4.5-6.2	21.2	7.6	6.2-9.2	11.2	3.3	2.5-4.4
Pancreas	89.8	15.0	13.6-16.5	45.2	16.9	14.7-19.3	44.6	13.4	11.7-15.4	70.8	11.6	10.4-12.9	34.8	13.3	11.4-15.5	36.0	10.1	8.7-11.8
Larynx	23.4	3.8	3.1-4.6	19.8	7.0	5.7-8.6	3.6	1.1	0.7-1.9	6.4	1.0	0.7-1.4	5.6	2.0	1.3-3.0	0.8	0.2	0.1-0.6
Lung and bronchus	449.0	74.1	71.0-77.3	217.2	81.7	76.7-86.8	231.8	69.1	65.1-73.3	240.6	39.7	37.4-42.1	122.4	46.7	43.0-50.7	118.2	34.7	31.9-37.7
Melanoma of the skin	105.6	19.0	17.4-20.8	61.6	24.3	21.6-27.3	44.0	15.3	13.2-17.6	10.2	1.8	1.3-2.4	6.6	2.7	1.8-3.8	3.6	1.3	0.7-2.1
Female breast							420.8	139.5	133.3-145.9							61.0	18.5	16.4-20.9
Cervix uteri							16.0	6.2	4.8-7.8							4.8	1.6	1.0-2.4
Corpus uterus and NOS							97.4	31.2	28.4-34.2							13.4	4.0	3.0-5.1
Ovary							31.0	10.0	8.4-11.8							18.4	5.7	4.6-7.1
Prostate				469.4	159.0	152.5-165.7							38.0	15.3	13.2-17.7			
Testis				13.6	6.3	4.9-8.1							0.8	0.3	0.1-0.9			
Urinary bladder (incl. in situ)	156.2	26.4	24.5-28.4	115.6	45.4	41.7-49.4	40.6	12.2	10.5-14.1	22.0	3.6	3.0-4.4	14.4	5.8	4.5-7.4	7.6	2.1	1.5-3.0
Kidney and renal pelvis	112.4	19.6	17.9-21.4	70.8	26.4	23.7-29.5	41.6	13.8	11.9-15.9	17.4	2.8	2.3-3.5	10.2	3.6	2.7-4.8	7.2	2.1	1.5-3.0
Brain and other central nervous system	37.6	7.0	6.0-8.1	22.2	8.9	7.3-10.8	15.4	5.4	4.2-6.8	29.4	5.4	4.5-6.4	16.8	6.7	5.3-8.3	12.6	4.3	3.3-5.6
Thyroid	80.0	16.6	14.9-18.3	20.2	8.2	6.6-10.0	59.8	24.6	21.8-27.7	3.6	0.6	0.3-1.0	2.2	0.9	0.4-1.6	1.4	0.4	0.2-0.9
Hodgkin lymphoma	15.8	3.2	2.5-4.1	7.8	3.4	2.4-4.7	8.0	3.1	2.2-4.3	1.4	0.3	0.1-0.5	0.8	0.3	0.1-0.9	0.6	0.2	0.0-0.6
Non-Hodgkin lymphomas	115.4	20.1	18.5-21.9	58.2	22.4	19.8-25.2	57.2	18.1	16.0-20.5	28.0	4.7	3.9-5.5	16.2	6.5	5.1-8.1	11.8	3.2	2.4-4.2
Myeloma	43.6	7.7	6.7-8.9	22.0	8.6	7.0-10.5	21.6	7.0	5.7-8.6	15.4	2.6	2.0-3.3	7.2	2.8	2.0-3.9	8.2	2.5	1.8-3.4
Leukemias	105.2	18.2	16.7-19.9	61.0	23.5	20.9-26.4	44.2	14.0	12.1-16.1	36.6	6.4	5.5-7.5	18.6	7.7	6.2-9.5	18.0	5.5	4.3-6.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Ontario

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	809.0	521.2	504.5-538.3	424.8	581.5	556.1-607.9	384.2	479.8	457.3-503.3	256.4	159.0	150.2-168.2	133.6	191.1	176.5-206.7	122.8	138.1	127.1-150.0
Oral cavity and pharynx	22.4	14.1	11.5-17.2	15.4	20.2	15.7-25.6	7.0	9.1	6.1-13.0	4.4	2.7	1.7-4.2	3.2	4.5	2.5-7.5	1.2	1.5	0.5-3.6
Esophagus	10.2	6.1	4.5-8.1	9.0	12.1	8.8-16.5	1.2	1.3	0.5-3.1	7.4	4.5	3.1-6.3	6.4	8.6	5.8-12.4	1.0	1.1	0.4-3.0
Stomach	8.8	5.8	4.1-8.0	6.0	8.6	5.7-12.5	2.8	3.6	1.9-6.5	2.8	2.0	1.0-3.5	2.0	3.3	1.5-6.4	0.8	0.8	0.2-2.5
Colorectal	52.6	35.7	31.3-40.6	24.6	36.1	29.8-43.6	28.0	35.2	29.3-42.1	18.4	11.7	9.4-14.5	8.6	12.9	9.2-17.7	9.8	10.9	8.0-14.7
Colon excluding rectum	38.0	25.3	21.7-29.5	15.6	22.5	17.6-28.5	22.4	27.6	22.4-33.7	15.4	9.7	7.6-12.3	6.6	10.2	6.9-14.5	8.8	9.5	6.8-13.0
Rectum & rectosigmoid	14.6	10.4	8.0-13.3	9.0	13.6	9.7-18.6	5.6	7.6	4.9-11.4	3.0	2.0	1.1-3.5	2.0	2.7	1.3-5.3	1.0	1.4	0.4-3.6
Liver / intrahepatic bile duct	9.6	5.7	4.1-7.6	7.4	9.7	6.8-13.7	2.2	2.4	1.2-4.7	8.6	5.4	3.9-7.5	6.0	8.0	5.3-11.7	2.6	3.4	1.7-6.1
Pancreas	22.6	14.1	11.6-17.2	11.6	16.3	12.3-21.4	11.0	12.1	9.0-16.1	17.4	10.6	8.4-13.2	9.0	12.6	9.1-17.2	8.4	9.0	6.4-12.4
Larynx	5.4	3.3	2.2-5.0	4.8	6.3	4.0-9.6	0.6	0.7	0.1-2.4	1.0	0.6	0.2-1.7	0.8	1.2	0.3-3.3	0.2	0.2	0.0-1.7
Lung and bronchus	109.2	67.2	61.5-73.3	53.6	72.8	64.1-82.4	55.6	64.0	56.5-72.4	67.8	41.6	37.2-46.4	32.4	44.9	38.1-52.7	35.4	40.0	34.2-46.6
Melanoma of the skin	44.8	30.7	26.6-35.3	28.0	40.0	33.4-47.6	16.8	24.5	19.1-30.9	4.8	3.1	2.0-4.8	3.0	4.3	2.3-7.4	1.8	2.0	0.9-4.2
Female breast							119.4	148.7	136.3-162.0							14.8	17.1	13.3-21.9
Cervix uteri							5.2	9.3	5.8-14.0							1.4	1.3	0.5-3.2
Corpus uterus and NOS							30.8	34.6	29.2-40.9							5.0	5.2	3.4-8.0
Ovary							6.2	8.3	5.4-12.2							6.4	7.4	5.0-10.8
Prostate				121.8	153.2	141.0-166.4							10.6	15.9	11.9-21.1			
Testis				3.4	7.9	4.5-12.6							0.0	0.0	0.0-1.5			
Urinary bladder (incl. in situ)	44.2	27.5	23.9-31.5	35.6	49.7	42.4-57.9	8.6	10.2	7.3-14.1	7.8	4.6	3.3-6.4	6.2	9.3	6.3-13.4	1.6	1.7	0.7-3.7
Kidney and renal pelvis	28.0	18.9	15.7-22.6	18.6	25.8	20.6-32.1	9.4	12.9	9.2-17.6	5.4	3.2	2.1-4.8	4.6	6.1	3.8-9.4	0.8	0.7	0.2-2.4
Brain and other central nervous system	8.4	5.6	4.0-7.7	5.2	7.4	4.7-11.1	3.2	4.4	2.4-7.4	7.2	4.8	3.3-6.8	4.4	5.7	3.5-8.9	2.8	4.0	2.1-7.1
Thyroid	13.6	12.0	9.2-15.4	3.6	6.1	3.5-9.9	10.0	17.7	12.9-23.7	1.4	0.9	0.4-2.0	0.2	0.3	0.0-2.1	1.2	1.3	0.5-3.2
Hodgkin lymphoma	4.4	3.7	2.3-5.7	2.0	3.3	1.5-6.3	2.4	4.2	2.1-7.5	0.8	0.5	0.1-1.4	0.2	0.3	0.0-2.1	0.6	0.6	0.1-2.2
Non-Hodgkin lymphomas	33.0	21.4	18.1-25.1	16.6	23.0	18.2-28.9	16.4	20.2	15.8-25.5	12.6	8.1	6.2-10.5	6.8	10.3	7.1-14.6	5.8	6.2	4.1-9.3
Myeloma	11.6	7.4	5.5-9.7	7.0	9.2	6.4-13.1	4.6	5.7	3.5-8.9	6.2	3.8	2.6-5.5	3.8	5.4	3.2-8.7	2.4	2.7	1.4-5.0
Leukemias	27.2	17.9	14.9-21.5	16.0	23.0	18.0-29.0	11.2	13.8	10.2-18.4	12.4	7.7	5.8-9.9	7.2	10.1	7.0-14.3	5.2	5.9	3.8-9.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Orange

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2026.8	484.5	474.8-494.2	1008.6	516.5	501.8-531.5	1018.2	466.9	453.8-480.3	775.4	187.6	181.7-193.8	374.6	209.0	199.3-219.0	400.8	175.6	167.8-183.6
Oral cavity and pharynx	48.6	11.4	10.0-13.0	33.8	17.1	14.5-19.9	14.8	6.6	5.2-8.4	10.4	2.4	1.8-3.2	6.4	3.5	2.3-4.9	4.0	1.6	1.0-2.5
Esophagus	21.2	5.1	4.1-6.2	17.0	9.0	7.1-11.2	4.2	1.8	1.1-2.9	17.0	3.9	3.1-4.9	12.2	6.1	4.6-7.9	4.8	2.1	1.3-3.2
Stomach	36.6	8.8	7.5-10.2	20.8	10.7	8.6-13.0	15.8	7.3	5.7-9.2	13.4	3.3	2.5-4.2	7.4	4.0	2.8-5.6	6.0	2.8	1.8-4.0
Colorectal	160.2	38.7	36.0-41.6	86.2	44.8	40.5-49.4	74.0	33.6	30.2-37.3	65.2	16.2	14.4-18.1	32.0	18.0	15.2-21.1	33.2	14.8	12.6-17.3
Colon excluding rectum	115.4	28.0	25.7-30.4	58.4	30.8	27.3-34.7	57.0	25.7	22.7-28.9	51.6	12.7	11.2-14.4	25.8	14.4	11.9-17.2	25.8	11.5	9.5-13.7
Rectum & rectosigmoid	44.8	10.7	9.4-12.3	27.8	13.9	11.7-16.6	17.0	7.9	6.3-9.9	13.6	3.4	2.6-4.4	6.2	3.6	2.4-5.2	7.4	3.4	2.3-4.7
Liver / intrahepatic bile duct	39.8	9.0	7.7-10.3	28.0	13.1	11.0-15.6	11.8	5.2	4.0-6.8	34.6	8.0	6.9-9.4	24.4	12.4	10.2-14.9	10.2	4.4	3.3-5.8
Pancreas	63.8	14.7	13.1-16.4	31.8	15.9	13.4-18.6	32.0	13.6	11.6-16.0	65.0	15.4	13.8-17.2	31.0	16.2	13.7-19.1	34.0	14.6	12.4-17.0
Larynx	11.2	2.6	1.9-3.4	8.0	3.9	2.8-5.4	3.2	1.4	0.8-2.4	4.0	1.0	0.6-1.5	3.0	1.7	0.9-2.8	1.0	0.4	0.1-1.0
Lung and bronchus	256.2	61.4	58.0-64.9	122.2	65.1	59.8-70.6	134.0	59.3	54.8-64.1	177.2	43.0	40.2-46.0	86.2	47.6	43.1-52.5	91.0	40.1	36.4-44.0
Melanoma of the skin	78.0	18.5	16.7-20.5	45.4	23.5	20.4-26.8	32.6	15.0	12.7-17.6	9.8	2.2	1.6-3.0	7.0	3.7	2.5-5.2	2.8	1.2	0.7-2.1
Female breast							294.4	136.6	129.5-144.0							59.4	25.8	22.9-29.0
Cervix uteri							20.0	10.6	8.6-12.9							6.2	2.9	2.0-4.2
Corpus uteri and NOS							72.6	31.3	28.1-34.8							18.6	8.1	6.5-9.9
Ovary							26.4	12.1	10.0-14.4							19.6	8.6	7.0-10.6
Prostate				248.0	117.7	111.0-124.7							35.0	21.4	18.3-24.9			
Testis				12.2	6.9	5.3-8.9							0.4	0.2	0.0-0.8			
Urinary bladder (incl. in situ)	97.0	23.3	21.2-25.5	77.0	42.1	37.9-46.7	20.0	8.7	7.0-10.6	23.2	5.9	4.8-7.1	17.6	11.1	8.8-13.7	5.6	2.4	1.6-3.6
Kidney and renal pelvis	75.2	17.6	15.8-19.5	52.0	25.7	22.6-29.2	23.2	10.3	8.5-12.5	14.0	3.3	2.6-4.2	8.2	4.3	3.0-5.9	5.8	2.5	1.7-3.7
Brain and other central nervous system	21.6	5.4	4.4-6.5	14.0	7.4	5.7-9.4	7.6	3.7	2.6-5.2	22.4	5.4	4.4-6.5	11.8	5.9	4.5-7.7	10.6	4.8	3.6-6.3
Thyroid	66.2	18.1	16.1-20.2	16.4	8.8	6.9-11.0	49.8	27.4	24.0-31.1	1.8	0.5	0.2-0.9	1.0	0.6	0.2-1.4	0.8	0.3	0.1-0.9
Hodgkin lymphoma	10.8	2.8	2.1-3.7	5.6	3.0	2.0-4.4	5.2	2.7	1.7-3.9	1.0	0.3	0.1-0.6	0.8	0.4	0.1-1.0	0.2	0.1	0.0-0.7
Non-Hodgkin lymphomas	99.6	23.9	21.8-26.1	56.8	30.0	26.5-33.8	42.8	19.1	16.6-21.9	29.2	7.1	6.0-8.3	16.8	9.7	7.7-12.1	12.4	5.2	4.0-6.8
Myeloma	34.6	8.2	7.0-9.5	18.6	9.3	7.5-11.5	16.0	7.1	5.6-8.9	17.4	4.3	3.4-5.3	9.0	5.1	3.7-6.9	8.4	3.5	2.5-4.8
Leukemias	55.2	13.6	12.0-15.4	32.0	17.5	14.8-20.5	23.2	10.8	8.9-13.1	31.2	7.8	6.6-9.1	16.2	9.2	7.3-11.6	15.0	6.8	5.3-8.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Orleans

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	298.0	548.2	519.8-578.0	156.0	600.5	557.6-646.1	142.0	512.6	474.1-553.7	99.8	181.7	165.7-199.0	54.0	216.8	190.8-245.5	45.8	158.4	138.0-181.3
Oral cavity and pharynx	7.2	12.7	8.8-17.8	4.8	18.1	11.5-27.6	2.4	8.1	4.1-14.8	2.0	3.5	1.7-6.7	1.4	5.1	2.0-11.2	0.6	2.2	0.4-7.1
Esophagus	3.6	5.9	3.4-9.8	2.8	8.6	4.6-15.4	0.8	3.2	0.8-8.7	4.2	7.6	4.6-12.0	3.0	10.5	5.7-18.0	1.2	4.7	1.7-10.7
Stomach	3.2	6.0	3.4-10.1	2.2	8.1	4.0-15.2	1.0	3.9	1.2-9.6	1.4	2.2	0.9-4.9	1.4	4.9	1.9-10.9	0.0	0.0	0.0-3.8
Colorectal	25.6	48.1	39.8-57.7	12.8	49.4	37.5-64.1	12.8	45.7	34.7-59.4	7.6	14.0	9.8-19.5	4.0	16.0	9.5-25.6	3.6	12.4	7.2-20.4
Colon excluding rectum	16.8	32.5	25.6-40.7	8.2	32.5	22.9-45.1	8.6	31.2	22.2-43.0	6.2	11.1	7.5-16.2	3.4	13.2	7.4-22.0	2.8	9.5	5.1-16.7
Rectum & rectosigmoid	8.8	15.6	11.2-21.4	4.6	16.9	10.5-26.1	4.2	14.5	8.7-23.0	1.4	2.8	1.1-6.1	0.6	2.8	0.6-8.6	0.8	2.9	0.7-8.2
Liver / intrahepatic bile duct	5.0	9.0	5.7-13.6	3.4	12.4	7.1-20.6	1.6	5.7	2.3-12.1	4.4	7.6	4.7-11.9	2.8	10.0	5.3-17.4	1.6	5.2	2.2-11.1
Pancreas	10.6	19.6	14.6-26.0	5.2	21.3	13.7-31.8	5.4	17.6	11.5-26.4	8.6	15.5	11.2-21.2	3.8	14.7	8.7-23.5	4.8	16.6	10.5-25.4
Larynx	1.8	3.6	1.6-7.0	1.2	5.4	1.9-12.2	0.6	2.2	0.4-7.2	0.4	0.8	0.1-3.2	0.4	1.6	0.2-6.5	0.0	0.0	0.0-3.8
Lung and bronchus	49.4	87.3	76.5-99.4	25.6	98.7	81.8-118.4	23.8	79.6	65.7-96.0	27.8	49.7	41.6-59.1	15.0	58.9	45.8-74.7	12.8	43.1	33.1-55.7
Melanoma of the skin	17.2	31.5	24.9-39.4	9.6	37.0	26.9-49.9	7.6	27.8	19.3-39.1	1.0	1.8	0.6-4.5	0.6	2.4	0.5-7.7	0.4	1.3	0.2-5.6
Female breast							33.0	122.7	103.9-144.1							4.2	14.0	8.6-22.2
Cervix uteri							2.2	9.8	4.7-18.2							1.2	5.4	1.8-12.4
Corpus uteri and NOS							11.6	41.7	31.2-54.8							1.4	4.8	1.9-10.6
Ovary							3.8	12.8	7.7-20.7							1.2	4.0	1.4-9.5
Prostate				35.0	125.0	106.7-145.9							3.6	16.8	9.9-26.8			
Testis				1.6	7.8	3.3-15.7							0.0	0.0	0.0-3.9			
Urinary bladder (incl. in situ)	15.8	27.9	21.9-35.1	12.6	47.7	36.3-61.8	3.2	11.1	6.2-18.7	5.0	9.7	6.2-14.6	3.8	17.0	10.0-27.1	1.2	4.5	1.6-10.4
Kidney and renal pelvis	9.6	18.4	13.4-24.8	5.6	22.2	14.5-32.9	4.0	15.7	9.4-24.9	2.8	4.7	2.5-8.2	2.0	6.7	3.1-13.1	0.8	2.7	0.7-7.8
Brain and other central nervous system	2.6	5.5	2.8-9.7	0.8	3.6	0.9-9.5	1.8	7.6	3.3-15.0	3.0	6.2	3.4-10.6	1.2	5.9	2.1-13.2	1.8	6.7	2.9-13.6
Thyroid	5.8	12.0	7.9-17.7	1.0	4.2	1.3-10.4	4.8	19.9	12.4-30.4	0.0	0.0	0.0-1.9	0.0	0.0	0.0-3.9	0.0	0.0	0.0-3.8
Hodgkin lymphoma	2.0	4.3	2.0-8.2	1.0	4.1	1.3-10.1	1.0	4.7	1.5-11.2	0.2	0.4	0.0-2.7	0.2	0.9	0.0-5.5	0.0	0.0	0.0-3.8
Non-Hodgkin lymphomas	11.2	20.2	15.1-26.6	7.4	28.3	19.7-39.6	3.8	13.0	7.7-21.1	3.8	6.7	4.0-10.8	2.4	9.6	4.9-17.3	1.4	4.5	1.8-10.1
Myeloma	2.4	4.2	2.1-7.8	1.8	6.3	2.8-12.7	0.6	2.6	0.5-8.3	1.4	2.5	1.0-5.5	1.2	4.7	1.7-10.8	0.2	0.8	0.0-5.2
Leukemias	9.8	19.7	14.4-26.4	5.6	24.9	16.4-36.5	4.2	15.6	9.3-24.8	3.4	6.9	3.9-11.4	1.6	7.2	3.1-14.6	1.8	7.3	3.1-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Oswego

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	800.2	544.2	526.8-562.0	411.2	570.4	544.9-596.8	389.0	524.9	500.9-549.8	247.0	168.3	158.8-178.2	134.8	200.6	185.1-217.0	112.2	142.7	130.9-155.4
Oral cavity and pharynx	21.6	13.8	11.2-16.9	16.6	21.3	16.8-26.8	5.0	6.9	4.3-10.5	5.0	3.4	2.2-5.2	3.2	4.7	2.6-7.9	1.8	2.5	1.1-5.0
Esophagus	8.6	5.2	3.7-7.1	7.0	8.7	6.0-12.4	1.6	1.9	0.8-4.0	8.8	5.5	4.0-7.5	7.8	10.3	7.2-14.3	1.0	1.2	0.4-3.1
Stomach	11.0	7.7	5.7-10.2	8.0	11.4	8.0-15.8	3.0	4.4	2.4-7.4	2.2	1.4	0.7-2.7	1.6	2.2	0.9-4.7	0.6	0.8	0.2-2.5
Colorectal	56.2	39.0	34.5-44.1	26.8	38.4	31.9-45.9	29.4	38.8	32.6-45.9	19.0	12.8	10.3-15.8	11.2	16.6	12.4-21.8	7.8	9.4	6.6-13.0
Colon excluding rectum	41.6	29.0	25.1-33.4	17.8	25.2	20.0-31.3	23.8	31.6	26.1-38.1	14.0	9.5	7.3-12.1	8.4	12.2	8.7-16.8	5.6	6.9	4.6-10.2
Rectum & rectosigmoid	14.6	10.0	7.8-12.7	9.0	13.2	9.5-18.0	5.6	7.1	4.7-10.5	5.0	3.3	2.1-5.0	2.8	4.4	2.3-7.5	2.2	2.4	1.2-4.6
Liver / intrahepatic bile duct	11.8	8.0	6.0-10.5	7.8	11.3	7.9-15.8	4.0	5.2	3.1-8.2	8.8	6.0	4.3-8.2	4.6	7.0	4.3-10.7	4.2	5.1	3.1-8.0
Pancreas	25.0	16.5	13.6-19.8	14.0	20.0	15.4-25.7	11.0	13.4	10.0-17.6	19.8	13.2	10.7-16.2	10.0	15.1	11.1-20.2	9.8	11.9	8.8-15.9
Larynx	8.0	5.2	3.7-7.2	6.2	8.3	5.5-12.0	1.8	2.3	1.0-4.7	1.8	1.0	0.5-2.1	1.4	1.7	0.7-3.8	0.4	0.4	0.0-1.9
Lung and bronchus	153.8	100.8	93.6-108.5	79.0	109.8	98.8-121.7	74.8	93.2	83.8-103.5	77.2	51.4	46.3-57.0	45.0	64.7	56.2-74.1	32.2	40.1	34.0-47.0
Melanoma of the skin	26.2	19.2	15.9-23.0	13.4	19.2	14.7-24.8	12.8	19.8	15.0-25.6	2.0	1.5	0.7-2.9	1.0	1.4	0.4-3.6	1.0	1.6	0.5-3.9
Female breast							105.0	145.0	132.4-158.6							15.2	19.1	14.9-24.1
Cervix uteri							3.2	6.1	3.4-10.0							1.6	2.7	1.1-5.5
Corpus uterus and NOS							29.4	38.4	32.2-45.5							3.4	4.3	2.5-7.2
Ovary							8.6	12.1	8.6-16.6							4.2	5.4	3.3-8.5
Prostate				96.4	120.5	109.6-132.3							7.4	12.8	9.0-17.8			
Testis				5.2	10.0	6.5-14.8							0.0	0.0	0.0-1.3			
Urinary bladder (incl. in situ)	42.0	27.6	23.9-31.8	33.6	47.8	40.6-56.0	8.4	10.2	7.3-14.0	4.6	3.2	2.0-4.9	3.2	5.2	2.9-8.5	1.4	1.9	0.7-4.0
Kidney and renal pelvis	33.8	23.4	19.9-27.4	21.4	29.3	23.8-35.8	12.4	17.9	13.5-23.2	4.8	3.1	2.0-4.8	3.4	4.8	2.7-8.0	1.4	1.7	0.7-3.8
Brain and other central nervous system	10.2	8.2	6.0-10.9	5.4	8.2	5.3-12.2	4.8	8.2	5.1-12.3	7.2	5.4	3.7-7.5	3.8	5.4	3.1-8.6	3.4	5.2	3.0-8.5
Thyroid	17.8	13.9	11.0-17.2	4.4	7.0	4.3-10.9	13.4	20.9	16.0-26.9	0.8	0.5	0.1-1.4	0.6	1.0	0.2-3.0	0.2	0.2	0.0-1.6
Hodgkin lymphoma	3.8	3.3	2.0-5.2	2.8	5.2	2.8-8.9	1.0	1.4	0.5-3.5	0.4	0.3	0.0-1.3	0.4	0.7	0.1-2.6	0.0	0.0	0.0-1.3
Non-Hodgkin lymphomas	33.6	23.2	19.7-27.1	17.8	26.2	20.8-32.6	15.8	20.7	16.2-26.0	7.6	5.5	3.9-7.6	4.0	6.4	3.8-10.0	3.6	4.6	2.7-7.5
Myeloma	9.8	6.6	4.8-8.8	5.8	7.7	5.1-11.4	4.0	5.3	3.2-8.5	3.2	2.3	1.3-3.7	1.6	2.5	1.0-5.1	1.6	2.0	0.9-4.1
Leukemias	23.2	16.5	13.5-19.9	12.6	19.6	14.9-25.4	10.6	14.1	10.5-18.7	8.8	6.3	4.5-8.6	5.0	8.4	5.4-12.6	3.8	4.7	2.8-7.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Otsego

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	407.2	483.2	460.9-506.4	210.2	521.3	488.6-555.9	197.0	458.9	427.9-491.6	131.6	146.6	135.1-159.0	69.6	172.4	154.1-192.6	62.0	126.1	111.5-142.4
Oral cavity and pharynx	12.0	13.7	10.3-18.1	8.2	19.8	14.0-27.4	3.8	8.7	5.0-14.5	2.2	2.5	1.2-4.7	1.6	3.8	1.6-8.2	0.6	1.2	0.2-4.5
Esophagus	6.0	6.7	4.4-10.0	5.0	12.2	7.7-18.7	1.0	1.7	0.6-5.1	4.0	4.5	2.6-7.4	3.4	8.5	4.8-14.4	0.6	1.0	0.2-4.2
Stomach	3.8	4.7	2.7-7.8	2.6	7.2	3.5-13.1	1.2	2.3	0.8-5.9	1.6	2.0	0.7-4.3	1.4	3.6	1.3-8.3	0.2	0.4	0.0-3.4
Colorectal	36.4	45.0	38.2-52.7	22.6	59.6	48.5-72.7	13.8	31.9	24.2-41.5	11.4	13.1	9.8-17.4	6.0	14.5	9.6-21.2	5.4	11.5	7.2-17.9
Colon excluding rectum	24.8	30.3	24.9-36.7	14.4	37.5	28.9-48.0	10.4	23.6	17.1-32.0	7.8	9.1	6.3-12.8	4.0	10.2	6.1-16.3	3.8	7.7	4.3-13.2
Rectum & rectosigmoid	11.6	14.7	10.9-19.5	8.2	22.2	15.5-30.9	3.4	8.3	4.5-14.2	3.6	4.0	2.3-6.7	2.0	4.3	2.0-8.6	1.6	3.9	1.5-8.4
Liver / intrahepatic bile duct	5.2	6.3	4.0-9.5	3.6	8.8	5.1-14.4	1.6	4.1	1.7-8.8	3.4	4.0	2.2-6.8	2.0	4.9	2.3-9.6	1.4	3.4	1.2-7.9
Pancreas	11.4	12.1	9.1-16.0	5.2	12.5	8.1-18.9	6.2	12.0	8.1-17.8	9.6	9.9	7.3-13.5	4.4	10.5	6.5-16.5	5.2	9.7	6.3-14.9
Larynx	3.0	3.0	1.6-5.2	2.6	5.6	3.0-10.3	0.4	0.8	0.1-4.0	0.8	0.7	0.2-2.4	0.6	1.5	0.3-5.1	0.2	0.3	0.0-3.3
Lung and bronchus	54.0	58.6	51.6-66.4	27.8	65.9	55.1-78.4	26.2	52.8	43.8-63.6	28.8	31.3	26.2-37.2	16.0	37.9	29.9-47.9	12.8	25.7	19.6-33.5
Melanoma of the skin	23.0	29.6	23.9-36.2	14.8	38.5	29.8-49.1	8.2	23.5	16.1-33.3	2.2	2.4	1.1-4.6	1.2	3.0	1.0-7.2	1.0	1.8	0.6-5.3
Female breast							53.8	135.8	118.5-155.0							6.4	14.1	9.3-20.9
Cervix uteri							2.0	6.6	2.8-12.9							0.6	2.2	0.4-6.9
Corpus uterus and NOS							17.2	39.7	31.0-50.2							2.6	4.8	2.5-9.0
Ovary							5.0	12.7	7.7-19.8							4.2	8.4	5.1-13.6
Prostate				41.8	92.2	79.9-106.3							8.0	19.7	14.0-27.2			
Testis				1.8	8.5	3.8-16.1							0.0	0.0	0.0-2.9			
Urinary bladder (incl. in situ)	22.2	23.4	19.2-28.5	15.6	36.6	28.8-46.1	6.6	13.7	9.3-20.0	5.2	5.3	3.4-8.0	3.4	8.3	4.8-13.8	1.8	3.1	1.4-6.8
Kidney and renal pelvis	13.4	15.9	12.1-20.5	9.4	23.9	17.2-32.5	4.0	8.8	5.3-14.2	3.2	3.4	1.9-5.8	2.0	4.8	2.3-9.4	1.2	2.4	0.9-6.0
Brain and other central nervous system	6.6	9.0	5.9-13.2	3.2	9.5	5.1-16.1	3.4	8.9	4.7-15.3	4.4	5.5	3.3-8.8	2.2	6.1	2.9-11.5	2.2	5.1	2.3-10.1
Thyroid	7.6	12.6	8.6-17.9	2.6	8.8	4.3-15.8	5.0	16.6	10.2-25.4	0.2	0.4	0.0-2.3	0.0	0.0	0.0-2.9	0.2	0.8	0.0-4.5
Hodgkin lymphoma	1.2	2.2	0.7-5.0	0.8	2.8	0.7-7.7	0.4	1.5	0.1-5.8	0.0	0.0	0.0-1.5	0.0	0.0	0.0-2.9	0.0	0.0	0.0-2.9
Non-Hodgkin lymphomas	18.4	21.9	17.3-27.4	10.8	27.2	19.9-36.5	7.6	17.0	11.7-24.2	5.4	5.8	3.7-8.9	2.8	7.1	3.7-12.7	2.6	4.6	2.4-8.7
Myeloma	5.8	6.6	4.4-9.8	4.0	9.7	5.8-15.6	1.8	3.8	1.7-7.9	2.2	2.5	1.2-4.9	1.2	3.3	1.2-7.7	1.0	1.8	0.6-5.2
Leukemias	13.8	16.1	12.2-20.8	7.4	20.3	13.9-28.8	6.4	12.3	8.3-18.1	5.2	6.3	4.0-9.7	3.0	8.7	4.6-14.9	2.2	4.0	2.0-8.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Putnam

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	646.4	495.8	478.2-513.9	316.6	506.6	480.9-533.5	329.8	496.2	471.4-522.0	158.2	122.4	113.8-131.5	82.6	141.8	127.9-156.8	75.6	108.6	97.7-120.6
Oral cavity and pharynx	15.0	10.6	8.3-13.4	11.4	16.1	12.1-21.2	3.6	5.1	3.0-8.4	2.6	1.9	1.0-3.4	2.0	2.8	1.3-5.5	0.6	1.0	0.2-3.1
Esophagus	5.8	4.1	2.7-6.1	5.0	7.5	4.8-11.4	0.8	1.2	0.3-3.5	4.8	3.3	2.1-5.1	3.8	5.5	3.2-9.0	1.0	1.4	0.4-3.7
Stomach	8.8	6.6	4.7-9.0	4.0	6.8	4.1-10.8	4.8	6.7	4.3-10.3	1.8	1.5	0.7-3.1	1.2	2.1	0.7-4.8	0.6	1.1	0.2-3.5
Colorectal	44.2	33.7	29.3-38.7	22.2	34.3	27.9-41.7	22.0	31.9	26.0-38.8	11.6	8.8	6.7-11.5	5.4	8.5	5.5-12.7	6.2	8.6	5.8-12.5
Colon excluding rectum	30.6	23.4	19.8-27.6	13.8	21.5	16.6-27.6	16.8	24.4	19.3-30.5	9.2	7.1	5.1-9.6	3.6	5.9	3.4-9.6	5.6	7.8	5.1-11.5
Rectum & rectosigmoid	13.6	10.3	7.9-13.2	8.4	12.7	9.0-17.6	5.2	7.5	4.8-11.4	2.4	1.7	0.9-3.2	1.8	2.6	1.1-5.2	0.6	0.8	0.2-2.8
Liver / intrahepatic bile duct	9.6	6.7	4.9-9.1	7.2	10.4	7.2-14.8	2.4	3.3	1.7-6.2	4.6	3.4	2.1-5.2	2.4	3.5	1.8-6.5	2.2	3.4	1.7-6.4
Pancreas	20.2	15.4	12.5-18.8	12.8	21.7	16.5-28.0	7.4	10.3	7.2-14.5	12.8	9.7	7.4-12.5	8.8	14.6	10.5-20.0	4.0	5.6	3.4-8.9
Larynx	2.0	1.4	0.7-2.8	2.0	3.0	1.4-5.8	0.0	0.0	0.0-1.6	0.6	0.4	0.1-1.4	0.6	0.8	0.2-2.8	0.0	0.0	0.0-1.6
Lung and bronchus	88.8	66.6	60.5-73.4	40.0	65.4	56.3-75.5	48.8	68.7	60.2-78.2	42.4	32.7	28.3-37.5	21.0	37.0	30.0-45.1	21.4	29.9	24.4-36.4
Melanoma of the skin	27.0	21.0	17.5-25.1	15.4	25.8	20.2-32.7	11.6	17.9	13.3-23.6	1.8	1.3	0.6-2.7	1.0	1.5	0.5-3.8	0.8	1.1	0.3-3.2
Female breast							97.4	147.9	134.4-162.5							10.4	14.8	11.0-19.8
Cervix uteri							3.0	5.6	3.0-9.5							0.6	1.2	0.2-3.6
Corpus uterus and NOS							22.4	31.5	25.8-38.4							3.2	4.5	2.6-7.6
Ovary							10.4	16.4	12.0-22.0							5.8	8.5	5.6-12.5
Prostate				73.2	104.5	93.7-116.3							5.0	9.7	6.2-14.5			
Testis				4.2	9.1	5.5-14.0							0.2	0.2	0.0-2.0			
Urinary bladder (incl. in situ)	32.6	25.0	21.2-29.3	24.6	42.5	35.0-51.1	8.0	11.5	8.2-15.9	5.0	4.0	2.6-6.1	4.2	8.3	5.0-12.8	0.8	1.2	0.3-3.4
Kidney and renal pelvis	26.4	20.0	16.6-23.9	17.8	27.4	21.8-34.2	8.6	12.8	9.1-17.6	3.2	2.4	1.3-4.1	2.0	2.9	1.3-5.7	1.2	1.8	0.6-4.2
Brain and other central nervous system	8.8	7.1	5.1-9.8	5.8	9.7	6.4-14.3	3.0	4.8	2.6-8.2	4.4	3.5	2.1-5.5	2.8	4.4	2.3-7.8	1.6	2.6	1.1-5.5
Thyroid	23.8	21.3	17.4-25.8	6.8	11.1	7.5-15.9	17.0	31.7	24.9-39.8	0.2	0.1	0.0-1.0	0.2	0.3	0.0-2.1	0.0	0.0	0.0-1.6
Hodgkin lymphoma	6.0	6.4	4.2-9.2	3.0	6.1	3.3-10.3	3.0	6.7	3.6-11.1	0.2	0.1	0.0-1.0	0.2	0.2	0.0-1.9	0.0	0.0	0.0-1.6
Non-Hodgkin lymphomas	30.4	23.2	19.5-27.5	15.6	24.3	19.0-30.8	14.8	22.0	17.1-28.1	6.2	5.2	3.5-7.4	3.6	6.7	3.9-10.8	2.6	3.9	2.0-7.1
Myeloma	9.2	7.2	5.2-9.7	7.2	12.5	8.6-17.7	2.0	2.9	1.4-5.6	2.6	2.0	1.1-3.6	1.8	3.6	1.6-7.0	0.8	1.0	0.3-3.1
Leukemias	23.2	18.1	14.8-21.9	12.8	20.8	15.8-26.9	10.4	15.9	11.6-21.2	8.0	6.6	4.7-9.1	4.8	9.0	5.7-13.6	3.2	4.7	2.7-7.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Rensselaer

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1061.2	525.2	510.7-540.1	549.2	583.7	561.2-606.8	512.0	483.0	463.7-502.9	316.6	155.5	147.7-163.6	163.0	183.3	170.5-196.8	153.6	135.3	125.6-145.6
Oral cavity and pharynx	32.0	14.9	12.7-17.6	24.2	24.4	20.1-29.4	7.8	6.6	4.6-9.2	5.6	2.7	1.8-4.1	4.2	4.7	2.8-7.3	1.4	1.1	0.4-2.5
Esophagus	17.0	8.1	6.4-10.1	14.0	14.9	11.5-19.0	3.0	2.5	1.4-4.4	10.6	5.1	3.8-6.8	8.8	9.3	6.7-12.6	1.8	1.6	0.7-3.3
Stomach	12.2	6.0	4.6-7.8	8.6	9.3	6.6-12.8	3.6	3.4	2.0-5.6	3.2	1.6	0.9-2.6	2.2	2.4	1.1-4.4	1.0	0.9	0.3-2.3
Colorectal	74.8	39.0	35.0-43.3	38.2	44.0	37.8-51.0	36.6	34.5	29.5-40.2	23.6	12.0	9.8-14.4	12.8	15.3	11.7-19.7	10.8	9.4	7.0-12.5
Colon excluding rectum	54.2	28.2	24.8-31.8	25.0	29.0	24.0-34.8	29.2	27.2	22.8-32.3	18.0	9.0	7.2-11.1	9.0	10.5	7.6-14.3	9.0	7.7	5.6-10.5
Rectum & rectosigmoid	20.6	10.8	8.8-13.2	13.2	15.0	11.5-19.2	7.4	7.3	5.1-10.2	5.6	3.0	1.9-4.3	3.8	4.8	2.8-7.5	1.8	1.7	0.8-3.4
Liver / intrahepatic bile duct	19.6	9.4	7.6-11.5	15.6	16.2	12.7-20.4	4.0	3.7	2.2-5.9	11.4	5.7	4.3-7.4	9.4	10.3	7.4-13.8	2.0	1.8	0.9-3.5
Pancreas	30.8	15.2	12.9-18.0	17.0	19.3	15.3-24.0	13.8	12.1	9.4-15.6	19.8	9.8	7.9-12.0	11.0	12.4	9.3-16.3	8.8	7.8	5.6-10.6
Larynx	7.6	3.8	2.6-5.2	6.4	7.0	4.7-10.0	1.2	1.0	0.4-2.5	1.2	0.6	0.2-1.4	1.0	1.2	0.4-2.8	0.2	0.1	0.0-1.2
Lung and bronchus	171.6	82.2	76.7-88.1	82.0	86.1	77.7-95.2	89.6	79.9	72.5-88.0	90.6	43.8	39.8-48.2	44.8	47.9	41.7-54.9	45.8	41.0	35.7-46.9
Melanoma of the skin	46.0	23.3	20.3-26.6	27.0	30.2	25.1-36.0	19.0	18.3	14.6-22.7	6.4	3.1	2.1-4.4	4.0	4.4	2.6-6.9	2.4	2.1	1.1-3.9
Female breast							136.6	131.5	121.4-142.3							22.8	20.5	16.8-24.9
Cervix uteri							4.0	5.3	3.1-8.2							1.2	1.1	0.4-2.7
Corpus uterus and NOS							33.8	30.3	25.7-35.5							4.6	4.0	2.5-6.1
Ovary							12.8	12.8	9.7-16.6							7.8	6.8	4.8-9.5
Prostate				122.0	116.4	107.1-126.4							11.0	13.4	10.0-17.6			
Testis				5.8	7.8	5.1-11.2							0.2	0.2	0.0-1.2			
Urinary bladder (incl. in situ)	55.8	26.9	23.8-30.3	38.0	41.8	35.9-48.4	17.8	15.1	12.0-18.7	8.8	4.2	3.0-5.6	5.6	6.8	4.5-10.0	3.2	2.5	1.4-4.2
Kidney and renal pelvis	43.2	21.7	18.8-24.9	29.2	31.7	26.6-37.6	14.0	13.3	10.2-17.0	8.0	3.7	2.6-5.1	5.2	5.8	3.7-8.6	2.8	2.2	1.2-3.9
Brain and other central nervous system	14.2	7.9	6.1-10.1	7.2	8.0	5.5-11.2	7.0	7.9	5.4-11.3	8.8	4.5	3.3-6.2	6.4	7.4	5.0-10.7	2.4	2.0	1.0-3.7
Thyroid	24.6	14.3	11.8-17.2	8.4	9.5	6.7-13.0	16.2	19.1	15.0-24.0	0.6	0.3	0.1-0.9	0.0	0.0	0.0-1.0	0.6	0.5	0.1-1.7
Hodgkin lymphoma	5.6	3.3	2.2-4.8	3.6	4.1	2.4-6.7	2.0	2.6	1.2-4.8	0.6	0.3	0.1-1.0	0.4	0.6	0.1-2.0	0.2	0.2	0.0-1.2
Non-Hodgkin lymphomas	45.6	23.0	20.0-26.3	23.6	26.2	21.5-31.6	22.0	20.1	16.4-24.5	11.4	5.8	4.4-7.6	5.4	6.5	4.3-9.6	6.0	5.4	3.6-7.9
Myeloma	13.4	6.4	4.9-8.2	7.4	7.6	5.3-10.7	6.0	5.3	3.5-7.7	5.6	2.6	1.7-3.9	2.2	2.2	1.1-4.1	3.4	2.7	1.6-4.5
Leukemias	36.2	18.2	15.6-21.2	22.8	25.1	20.5-30.4	13.4	13.0	9.9-16.7	10.6	5.3	3.9-7.0	7.8	9.1	6.4-12.6	2.8	2.5	1.4-4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Rockland

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1777.8	472.8	462.8-483.0	894.0	516.7	501.3-532.3	883.8	444.2	430.7-458.1	421.2	107.1	102.5-111.8	204.8	121.2	113.8-128.9	216.4	97.3	91.5-103.5
Oral cavity and pharynx	39.0	10.2	8.8-11.8	27.2	15.2	12.7-18.1	11.8	6.0	4.5-7.8	7.8	1.9	1.3-2.6	4.4	2.4	1.5-3.6	3.4	1.5	0.8-2.4
Esophagus	16.2	4.2	3.3-5.2	12.0	6.9	5.2-8.9	4.2	2.1	1.2-3.2	6.6	1.6	1.1-2.3	5.8	3.3	2.2-4.8	0.8	0.4	0.1-1.1
Stomach	27.6	7.6	6.3-9.0	13.8	8.1	6.3-10.3	13.8	7.1	5.4-9.1	10.6	2.9	2.2-3.9	4.8	3.0	1.9-4.4	5.8	2.9	1.8-4.2
Colorectal	139.0	36.6	33.9-39.5	77.6	45.0	40.5-49.8	61.4	29.8	26.4-33.4	37.4	9.4	8.0-10.8	18.6	10.7	8.6-13.1	18.8	8.2	6.6-10.1
Colon excluding rectum	102.6	27.0	24.7-29.5	54.6	31.9	28.2-36.0	48.0	23.1	20.2-26.3	33.2	8.3	7.1-9.7	16.4	9.4	7.4-11.7	16.8	7.4	5.9-9.2
Rectum & rectosigmoid	36.4	9.6	8.2-11.1	23.0	13.0	10.7-15.7	13.4	6.7	5.1-8.6	4.2	1.1	0.6-1.6	2.2	1.3	0.6-2.3	2.0	0.8	0.4-1.6
Liver / intrahepatic bile duct	26.6	6.7	5.6-8.0	17.0	9.4	7.5-11.7	9.6	4.4	3.2-5.9	15.6	4.0	3.1-5.0	10.2	5.9	4.4-7.8	5.4	2.5	1.6-3.6
Pancreas	55.0	14.1	12.5-15.9	26.4	15.5	12.9-18.4	28.6	13.1	11.0-15.5	38.8	9.8	8.4-11.3	20.2	11.9	9.7-14.5	18.6	8.1	6.5-10.0
Larynx	9.6	2.5	1.8-3.4	8.4	4.8	3.5-6.6	1.2	0.5	0.2-1.2	1.6	0.4	0.2-0.8	1.4	0.8	0.3-1.6	0.2	0.1	0.0-0.6
Lung and bronchus	192.0	49.1	46.0-52.3	87.6	51.7	46.9-56.9	104.4	47.2	43.2-51.5	89.2	22.6	20.6-24.9	42.6	25.3	22.0-29.0	46.6	20.5	17.9-23.5
Melanoma of the skin	68.4	18.5	16.5-20.6	42.0	25.4	22.0-29.1	26.4	13.3	11.0-15.8	4.8	1.3	0.8-1.9	3.0	1.8	1.0-3.1	1.8	0.8	0.3-1.5
Female breast							261.4	138.3	130.6-146.3							34.6	16.7	14.2-19.6
Cervix uteri							10.2	6.2	4.6-8.3							2.0	0.9	0.4-1.8
Corpus uterus and NOS							62.0	29.7	26.4-33.3							7.4	3.5	2.5-4.9
Ovary							24.2	12.5	10.3-15.0							11.8	5.4	4.1-7.1
Prostate				245.4	133.6	126.1-141.5							19.8	11.9	9.6-14.5			
Testis				9.0	6.4	4.6-8.5							0.2	0.1	0.0-0.7			
Urinary bladder (incl. in situ)	87.2	22.3	20.3-24.6	64.4	37.7	33.6-42.1	22.8	10.4	8.5-12.6	12.8	3.1	2.4-4.0	8.8	5.3	3.8-7.2	4.0	1.6	1.0-2.6
Kidney and renal pelvis	67.2	17.8	15.9-19.9	44.2	25.6	22.2-29.3	23.0	11.4	9.3-13.8	10.0	2.6	1.9-3.5	6.4	3.9	2.7-5.6	3.6	1.7	1.0-2.7
Brain and other central nervous system	23.6	6.5	5.4-7.8	13.0	7.6	5.8-9.7	10.6	5.5	4.1-7.3	11.2	2.9	2.2-3.8	6.0	3.4	2.3-4.9	5.2	2.4	1.6-3.6
Thyroid	67.0	21.1	18.8-23.5	20.8	13.5	10.9-16.4	46.2	28.5	24.8-32.6	1.8	0.4	0.2-0.9	0.6	0.4	0.1-1.1	1.2	0.5	0.2-1.2
Hodgkin lymphoma	7.6	2.3	1.6-3.2	3.6	2.2	1.3-3.6	4.0	2.5	1.5-3.9	2.0	0.6	0.3-1.1	1.8	1.1	0.5-2.2	0.2	0.1	0.0-0.7
Non-Hodgkin lymphomas	88.2	24.0	21.8-26.4	45.6	27.9	24.3-31.8	42.6	21.1	18.3-24.3	14.2	3.6	2.8-4.6	7.2	4.3	3.0-5.9	7.0	3.1	2.1-4.4
Myeloma	28.6	7.2	6.0-8.5	17.2	9.6	7.7-11.9	11.4	5.4	4.0-7.0	9.0	2.2	1.6-3.0	4.0	2.2	1.4-3.5	5.0	2.1	1.4-3.2
Leukemias	62.8	16.7	14.9-18.7	37.8	22.3	19.1-25.7	25.0	12.3	10.2-14.7	22.4	5.6	4.6-6.8	13.4	8.0	6.2-10.3	9.0	3.8	2.8-5.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

St. Lawrence

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	665.2	478.3	461.6-495.4	361.6	538.2	512.9-564.4	303.6	430.2	407.8-453.7	217.4	152.6	143.5-162.2	116.8	178.5	164.0-194.1	100.6	131.6	120.1-144.1
Oral cavity and pharynx	20.8	14.3	11.6-17.4	15.6	22.7	17.8-28.6	5.2	6.3	4.1-9.4	3.4	2.2	1.3-3.7	2.2	3.3	1.6-6.1	1.2	1.3	0.5-3.1
Esophagus	7.8	5.5	3.9-7.7	7.2	10.7	7.4-15.0	0.6	0.8	0.2-2.7	8.0	5.5	3.9-7.6	7.4	10.8	7.5-15.1	0.6	0.9	0.2-2.8
Stomach	11.2	8.1	6.1-10.7	8.0	12.0	8.5-16.6	3.2	4.8	2.7-8.1	3.2	2.3	1.3-3.8	2.4	4.0	2.0-7.1	0.8	1.0	0.3-2.9
Colorectal	53.6	39.2	34.6-44.4	27.8	43.7	36.5-51.8	25.8	35.0	29.0-42.0	19.4	14.2	11.4-17.4	10.4	16.4	12.2-21.8	9.0	12.1	8.7-16.6
Colon excluding rectum	37.0	27.2	23.3-31.5	18.2	28.7	22.9-35.4	18.8	25.5	20.5-31.6	14.4	10.6	8.3-13.5	7.6	12.1	8.5-16.8	6.8	9.3	6.3-13.3
Rectum & rectosigmoid	16.6	12.1	9.6-15.1	9.6	15.0	11.0-20.1	7.0	9.5	6.5-13.5	5.0	3.5	2.2-5.3	2.8	4.3	2.3-7.5	2.2	2.8	1.4-5.4
Liver / intrahepatic bile duct	9.2	6.3	4.6-8.4	5.8	8.3	5.5-12.1	3.4	4.4	2.5-7.2	6.6	4.4	3.0-6.2	3.2	4.6	2.6-7.7	3.4	4.1	2.4-6.8
Pancreas	21.0	14.2	11.5-17.3	9.4	12.9	9.4-17.5	11.6	15.0	11.3-19.7	15.8	10.9	8.6-13.7	8.0	11.1	7.8-15.3	7.8	10.2	7.2-14.2
Larynx	8.4	5.9	4.2-8.0	6.0	8.6	5.7-12.5	2.4	3.3	1.6-6.0	0.6	0.4	0.1-1.2	0.6	0.8	0.2-2.7	0.0	0.0	0.0-1.5
Lung and bronchus	105.6	72.8	66.6-79.4	55.4	80.9	71.5-91.4	50.2	65.9	57.8-74.9	62.8	42.8	38.1-47.9	33.4	49.2	41.8-57.5	29.4	38.4	32.3-45.3
Melanoma of the skin	29.6	22.2	18.6-26.3	18.0	28.1	22.4-34.8	11.6	17.8	13.3-23.5	2.6	1.9	1.0-3.3	2.4	4.3	2.2-7.5	0.2	0.2	0.0-1.7
Female breast							72.4	104.7	93.6-116.8							9.8	13.6	9.9-18.4
Cervix uteri							4.4	8.0	4.8-12.3							1.6	2.4	1.0-5.1
Corpus uterus and NOS							21.2	28.8	23.4-35.3							2.4	2.9	1.5-5.3
Ovary							4.6	7.5	4.6-11.6							3.8	5.4	3.2-8.8
Prostate				88.2	123.9	112.3-136.4							8.4	14.1	10.1-19.2			
Testis				4.0	7.8	4.7-12.1							0.0	0.0	0.0-1.4			
Urinary bladder (incl. in situ)	43.2	29.9	26.0-34.3	31.4	47.9	40.5-56.3	11.8	15.4	11.6-20.1	6.4	4.3	3.0-6.2	4.4	6.9	4.3-10.6	2.0	2.3	1.1-4.6
Kidney and renal pelvis	24.0	18.4	15.1-22.2	15.0	23.5	18.2-29.7	9.0	13.5	9.7-18.3	4.4	2.9	1.8-4.6	2.6	3.5	1.8-6.3	1.8	2.2	1.0-4.5
Brain and other central nervous system	8.8	7.4	5.3-10.1	4.4	7.8	4.7-12.0	4.4	6.9	4.2-10.9	5.0	4.0	2.5-6.0	3.0	5.2	2.9-8.8	2.0	2.6	1.2-5.0
Thyroid	12.6	11.4	8.7-14.8	2.0	3.7	1.7-6.9	10.6	19.8	14.5-26.3	0.8	0.6	0.2-1.6	0.4	0.8	0.1-2.7	0.4	0.6	0.1-2.4
Hodgkin lymphoma	1.8	1.7	0.8-3.3	0.8	1.3	0.3-3.4	1.0	2.3	0.7-5.2	0.4	0.3	0.0-1.1	0.4	0.6	0.1-2.3	0.0	0.0	0.0-1.5
Non-Hodgkin lymphomas	22.8	16.4	13.5-19.9	13.2	19.3	14.8-24.9	9.6	13.4	9.8-18.1	6.8	4.8	3.3-6.8	3.6	5.5	3.2-8.9	3.2	4.2	2.4-7.1
Myeloma	8.8	6.3	4.5-8.6	5.2	8.1	5.2-12.1	3.6	4.9	2.8-8.0	3.2	2.3	1.3-3.9	2.0	3.2	1.5-6.1	1.2	1.7	0.6-4.0
Leukemias	24.2	17.9	14.8-21.6	15.6	23.8	18.6-30.0	8.6	12.3	8.7-16.9	5.8	4.4	2.9-6.5	4.0	6.8	4.1-10.7	1.8	2.2	1.0-4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Saratoga

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1581.0	523.8	512.0-535.9	808.8	570.5	552.5-589.0	772.2	492.9	476.9-509.4	464.0	151.6	145.3-158.0	242.8	179.5	169.2-190.2	221.2	131.3	123.5-139.5
Oral cavity and pharynx	44.2	14.3	12.4-16.4	31.2	21.0	17.7-24.8	13.0	8.2	6.2-10.6	8.4	2.7	1.9-3.7	5.4	3.7	2.4-5.5	3.0	1.8	1.0-3.2
Esophagus	21.6	7.0	5.7-8.5	16.6	11.5	9.1-14.4	5.0	3.0	1.9-4.6	14.0	4.5	3.5-5.8	10.6	7.4	5.5-9.8	3.4	2.0	1.1-3.3
Stomach	17.0	5.6	4.4-7.0	10.8	7.6	5.6-10.0	6.2	3.8	2.6-5.6	6.6	2.1	1.5-3.0	4.0	2.8	1.7-4.4	2.6	1.5	0.8-2.7
Colorectal	113.6	38.7	35.5-42.1	57.2	42.8	37.8-48.2	56.4	35.0	30.9-39.5	41.4	13.6	11.8-15.7	20.8	15.6	12.7-19.1	20.6	11.8	9.6-14.4
Colon excluding rectum	80.6	27.3	24.7-30.2	38.6	29.0	24.9-33.6	42.0	25.6	22.1-29.5	31.0	10.1	8.6-11.9	15.2	11.3	8.8-14.3	15.8	9.0	7.1-11.3
Rectum & rectosigmoid	33.0	11.4	9.6-13.3	18.6	13.8	11.0-17.0	14.4	9.4	7.3-12.0	10.4	3.5	2.6-4.7	5.6	4.3	2.8-6.4	4.8	2.8	1.8-4.3
Liver / intrahepatic bile duct	26.4	8.3	6.9-9.9	20.2	13.6	11.0-16.7	6.2	3.6	2.4-5.2	16.4	5.1	4.0-6.4	13.4	8.9	6.8-11.5	3.0	1.9	1.0-3.2
Pancreas	42.2	13.5	11.7-15.5	24.6	17.0	14.0-20.5	17.6	10.4	8.3-13.0	30.8	9.8	8.3-11.6	16.8	11.5	9.1-14.4	14.0	8.2	6.4-10.5
Larynx	8.8	2.8	2.0-3.8	6.4	4.3	2.9-6.2	2.4	1.6	0.8-2.9	2.0	0.6	0.3-1.2	1.2	0.8	0.3-1.8	0.8	0.4	0.1-1.2
Lung and bronchus	220.0	70.2	66.1-74.6	105.0	74.0	67.6-80.9	115.0	68.3	62.8-74.3	127.2	41.3	38.1-44.7	62.4	45.2	40.2-50.7	64.8	38.7	34.6-43.3
Melanoma of the skin	81.0	27.5	24.8-30.4	48.4	34.9	30.5-39.7	32.6	21.8	18.5-25.7	8.4	2.8	2.0-3.9	5.8	4.3	2.8-6.2	2.6	1.5	0.8-2.8
Female breast							226.0	146.3	137.5-155.5							29.8	17.7	14.9-20.9
Cervix uteri							6.4	5.1	3.4-7.3							1.0	0.6	0.2-1.6
Corpus uterus and NOS							44.8	26.3	22.8-30.1							7.4	4.3	3.0-6.0
Ovary							17.6	10.8	8.6-13.5							8.6	4.9	3.5-6.7
Prostate				196.8	126.5	118.5-134.9							20.4	17.3	14.1-21.1			
Testis				8.6	8.0	5.7-10.8							0.2	0.1	0.0-0.8			
Urinary bladder (incl. in situ)	85.2	27.9	25.3-30.8	66.0	48.5	43.3-54.2	19.2	11.3	9.1-14.0	12.4	4.0	3.0-5.1	8.8	6.6	4.8-9.0	3.6	2.1	1.2-3.5
Kidney and renal pelvis	57.6	19.3	17.1-21.8	37.2	26.7	22.9-31.1	20.4	12.9	10.4-15.9	9.8	3.3	2.4-4.4	5.2	3.8	2.4-5.7	4.6	2.8	1.8-4.3
Brain and other central nervous system	19.4	7.2	5.8-8.9	11.2	8.4	6.3-11.1	8.2	6.1	4.3-8.5	13.4	4.3	3.3-5.6	8.4	5.5	3.9-7.6	5.0	3.2	2.1-4.9
Thyroid	52.6	20.7	18.2-23.5	14.6	11.1	8.6-14.2	38.0	30.3	26.0-35.2	1.6	0.5	0.2-1.1	1.0	0.8	0.3-1.9	0.6	0.3	0.1-1.2
Hodgkin lymphoma	8.2	3.5	2.5-4.8	4.2	3.7	2.2-5.7	4.0	3.4	2.0-5.3	0.8	0.2	0.1-0.7	0.4	0.3	0.0-1.1	0.4	0.2	0.0-0.9
Non-Hodgkin lymphomas	69.2	22.8	20.4-25.4	37.8	26.8	23.0-31.1	31.4	19.5	16.5-22.9	19.6	6.7	5.4-8.2	10.8	8.3	6.2-10.9	8.8	5.4	3.9-7.3
Myeloma	24.2	7.8	6.5-9.4	14.8	10.0	7.8-12.7	9.4	5.9	4.3-7.9	7.8	2.5	1.7-3.4	5.4	4.0	2.6-5.9	2.4	1.4	0.7-2.5
Leukemias	46.4	16.1	14.0-18.4	26.8	20.0	16.7-23.9	19.6	12.9	10.3-15.8	15.8	5.5	4.4-7.0	10.0	8.1	6.0-10.8	5.8	3.4	2.3-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Schenectady

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1000.0	504.9	490.5-519.6	485.4	536.2	514.4-558.6	514.6	488.6	469.1-508.8	317.2	151.8	144.2-159.7	156.4	175.4	163.0-188.6	160.8	136.6	126.9-146.9
Oral cavity and pharynx	26.6	13.4	11.1-16.0	18.4	20.1	16.1-24.8	8.2	7.5	5.3-10.3	6.6	3.2	2.2-4.7	4.4	4.6	2.9-7.2	2.2	1.9	0.9-3.7
Esophagus	11.0	5.5	4.1-7.2	8.4	9.3	6.6-12.7	2.6	2.5	1.3-4.5	9.0	4.3	3.1-5.9	6.6	7.0	4.8-10.0	2.4	2.1	1.1-3.9
Stomach	15.6	7.6	5.9-9.5	9.4	10.3	7.5-13.9	6.2	5.4	3.6-7.8	4.2	1.9	1.2-3.0	2.8	3.0	1.6-5.2	1.4	1.1	0.4-2.5
Colorectal	68.4	35.6	31.8-39.7	39.2	45.8	39.4-52.9	29.2	26.5	22.2-31.5	19.2	9.0	7.2-11.1	9.0	9.6	7.0-13.1	10.2	8.4	6.1-11.3
Colon excluding rectum	46.2	23.8	20.7-27.2	25.4	29.8	24.7-35.6	20.8	18.5	15.0-22.7	15.2	7.1	5.6-9.1	6.8	7.3	5.0-10.4	8.4	6.9	4.8-9.6
Rectum & rectosigmoid	22.2	11.8	9.6-14.3	13.8	16.0	12.3-20.4	8.4	8.0	5.7-11.0	4.0	1.9	1.1-3.0	2.2	2.3	1.1-4.3	1.8	1.5	0.7-3.0
Liver / intrahepatic bile duct	19.0	9.1	7.3-11.2	13.0	13.7	10.5-17.7	6.0	5.2	3.5-7.6	11.4	5.6	4.2-7.4	7.2	8.3	5.7-11.6	4.2	3.5	2.1-5.6
Pancreas	34.2	17.1	14.6-20.0	16.6	18.7	14.8-23.3	17.6	16.0	12.7-20.0	26.0	12.9	10.7-15.4	12.6	14.4	11.0-18.6	13.4	11.5	8.9-14.9
Larynx	8.4	4.0	2.9-5.5	6.6	6.9	4.7-9.9	1.8	1.6	0.7-3.3	1.2	0.5	0.2-1.3	1.0	1.0	0.3-2.5	0.2	0.1	0.0-1.1
Lung and bronchus	148.6	72.5	67.3-78.1	70.8	79.8	71.5-88.9	77.8	68.3	61.5-75.7	85.0	40.9	37.0-45.1	40.6	46.0	39.7-53.0	44.4	37.7	32.8-43.2
Melanoma of the skin	32.2	16.4	13.9-19.2	17.4	18.7	14.9-23.3	14.8	14.8	11.5-18.8	4.6	2.3	1.4-3.5	2.8	3.3	1.8-5.8	1.8	1.4	0.6-2.9
Female breast							150.8	148.1	137.3-159.6							22.0	19.5	15.8-23.8
Cervix uteri							6.8	8.1	5.5-11.5							1.6	1.8	0.7-3.7
Corpus uteri and NOS							35.8	32.2	27.6-37.5							5.6	4.4	2.9-6.6
Ovary							11.4	11.0	8.2-14.4							6.8	5.7	3.9-8.2
Prostate				115.2	118.5	108.7-128.9							15.6	17.4	13.7-21.9			
Testis				4.6	6.9	4.3-10.3							0.0	0.0	0.0-1.0			
Urinary bladder (incl. in situ)	49.0	24.0	21.0-27.3	35.0	39.5	33.7-46.0	14.0	12.1	9.3-15.5	11.0	4.9	3.6-6.5	8.0	8.7	6.1-12.0	3.0	2.3	1.2-4.1
Kidney and renal pelvis	35.2	17.9	15.2-20.8	21.2	22.7	18.5-27.6	14.0	14.2	10.9-18.2	5.8	2.8	1.8-4.1	3.6	3.8	2.2-6.1	2.2	2.1	1.0-4.0
Brain and other central nervous system	11.2	6.5	4.8-8.5	7.0	8.7	6.0-12.2	4.2	4.5	2.7-7.1	8.6	4.4	3.2-6.0	5.0	5.5	3.5-8.3	3.6	3.3	1.9-5.4
Thyroid	27.6	16.8	14.0-20.0	6.2	7.2	4.8-10.4	21.4	26.1	21.2-31.8	0.4	0.2	0.0-0.9	0.2	0.2	0.0-1.4	0.2	0.2	0.0-1.3
Hodgkin lymphoma	5.6	3.6	2.4-5.3	3.4	4.7	2.7-7.5	2.2	2.7	1.3-4.9	1.2	0.5	0.2-1.2	0.8	0.8	0.2-2.3	0.4	0.3	0.0-1.3
Non-Hodgkin lymphomas	46.4	22.9	19.9-26.2	24.6	26.6	21.9-31.9	21.8	19.8	16.1-24.1	10.6	4.8	3.6-6.4	6.0	6.7	4.4-9.7	4.6	3.5	2.2-5.4
Myeloma	14.2	6.7	5.2-8.6	7.2	8.0	5.5-11.2	7.0	5.9	4.0-8.4	7.0	3.2	2.2-4.5	4.0	4.4	2.7-7.0	3.0	2.3	1.2-4.0
Leukemias	32.0	16.7	14.1-19.6	20.4	23.9	19.4-29.2	11.6	11.2	8.4-14.8	12.2	5.8	4.4-7.6	8.2	9.5	6.7-13.0	4.0	3.3	2.0-5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Schoharie

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	215.2	456.2	427.9-486.1	115.2	492.3	451.1-536.7	100.0	426.0	387.1-468.3	73.4	150.8	135.3-167.9	40.4	174.0	150.1-201.1	33.0	130.3	110.4-153.4
Oral cavity and pharynx	6.2	13.3	8.9-19.4	4.8	21.3	13.4-32.8	1.4	5.6	2.2-13.0	1.0	1.8	0.6-5.1	0.6	1.9	0.4-7.6	0.4	1.6	0.2-7.6
Esophagus	2.4	4.8	2.4-9.1	1.6	6.7	2.8-14.6	0.8	3.0	0.8-9.4	2.0	3.6	1.7-7.4	1.6	6.1	2.6-13.3	0.4	1.2	0.1-6.9
Stomach	2.8	6.1	3.3-10.7	1.4	6.1	2.4-13.7	1.4	5.9	2.3-13.5	1.0	2.1	0.6-5.5	0.8	3.5	0.9-10.3	0.2	0.6	0.0-6.1
Colorectal	13.6	29.3	22.4-37.9	7.2	32.5	22.3-46.4	6.4	25.9	17.4-38.0	6.0	12.7	8.4-18.8	3.0	13.4	7.1-23.5	3.0	11.9	6.5-21.0
Colon excluding rectum	9.6	21.1	15.2-28.7	5.2	24.5	15.5-37.2	4.4	17.6	10.7-28.1	5.2	10.9	6.9-16.6	2.8	12.4	6.5-22.3	2.4	9.2	4.6-17.6
Rectum & rectosigmoid	4.0	8.2	5.0-13.3	2.0	8.1	3.8-16.1	2.0	8.4	3.9-16.6	0.8	1.8	0.5-5.3	0.2	0.9	0.0-6.7	0.6	2.7	0.5-9.3
Liver / intrahepatic bile duct	3.8	7.4	4.4-12.2	3.4	13.1	7.5-22.3	0.4	1.7	0.2-7.9	2.4	5.1	2.5-9.5	2.0	8.6	4.0-17.1	0.4	1.5	0.2-7.4
Pancreas	6.6	14.0	9.4-20.2	2.2	10.1	5.0-19.1	4.4	18.0	10.9-28.7	4.2	9.1	5.4-14.5	1.8	8.4	3.8-16.8	2.4	10.4	5.0-19.8
Larynx	1.2	2.4	0.9-5.9	1.2	4.8	1.7-11.9	0.0	0.0	0.0-5.4	0.4	0.9	0.1-4.0	0.4	1.9	0.2-8.1	0.0	0.0	0.0-5.4
Lung and bronchus	30.8	62.4	52.6-73.9	16.4	69.4	54.6-87.6	14.4	56.3	43.6-72.3	22.0	46.3	37.7-56.6	11.4	50.2	37.6-66.4	10.6	42.7	31.5-57.3
Melanoma of the skin	8.4	19.3	13.4-26.9	5.0	23.5	14.6-36.2	3.4	15.9	8.7-27.1	1.2	2.5	0.9-6.0	1.2	5.6	2.0-13.2	0.0	0.0	0.0-5.4
Female breast							29.6	129.4	107.9-154.5							3.6	14.0	8.1-23.4
Cervix uteri							1.2	8.4	2.9-18.8							0.2	0.8	0.0-6.4
Corpus uterus and NOS							7.6	30.5	21.2-43.3							1.0	3.5	1.1-9.9
Ovary							1.6	6.1	2.6-13.5							1.2	4.5	1.6-11.4
Prostate				27.4	108.6	90.9-129.5							5.2	22.4	14.6-33.8			
Testis				1.0	7.2	2.2-17.1							0.0	0.0	0.0-5.3			
Urinary bladder (incl. in situ)	13.8	27.9	21.6-35.9	10.8	45.1	33.5-60.0	3.0	12.0	6.7-21.0	1.4	2.9	1.2-6.6	1.0	4.3	1.4-11.4	0.4	1.7	0.2-7.7
Kidney and renal pelvis	9.0	18.9	13.5-26.0	5.4	23.2	15.0-35.0	3.6	14.7	8.3-24.8	2.0	4.2	2.0-8.2	0.8	3.7	1.0-10.5	1.2	4.7	1.7-11.7
Brain and other central nervous system	4.0	8.9	5.2-14.7	3.0	12.5	6.6-22.1	1.0	5.7	1.6-14.7	2.8	5.4	2.8-9.8	2.2	8.3	4.0-16.4	0.6	2.4	0.5-8.7
Thyroid	6.2	18.1	11.9-26.5	1.4	8.7	3.0-19.2	4.8	27.6	17.1-42.3	0.2	0.5	0.0-3.4	0.0	0.0	0.0-5.3	0.2	0.9	0.0-6.8
Hodgkin lymphoma	1.0	2.8	0.9-6.9	0.8	4.8	1.3-12.7	0.2	0.7	0.0-6.4	0.0	0.0	0.0-2.7	0.0	0.0	0.0-5.3	0.0	0.0	0.0-5.4
Non-Hodgkin lymphomas	7.8	16.2	11.4-22.8	4.2	18.2	11.1-28.8	3.6	14.8	8.5-24.8	3.2	6.8	3.8-11.6	2.0	8.3	3.9-16.4	1.2	5.3	1.8-12.9
Myeloma	3.0	5.6	3.1-9.9	2.4	8.9	4.6-16.9	0.6	2.5	0.5-9.0	1.0	2.2	0.7-5.7	0.8	3.5	0.9-10.3	0.2	1.1	0.0-7.1
Leukemias	7.8	15.9	11.2-22.3	5.6	23.5	15.4-35.2	2.2	8.6	4.2-16.7	3.0	6.4	3.6-11.1	1.6	7.6	3.3-15.9	1.4	5.6	2.2-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Schuyler

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	141.4	538.0	496.9-581.9	69.6	545.6	486.5-610.7	71.8	543.0	485.0-606.7	48.8	181.5	158.8-207.1	25.4	205.9	170.5-247.3	23.4	162.8	133.5-197.7
Oral cavity and pharynx	3.2	13.4	7.4-22.8	1.8	15.2	6.6-30.9	1.4	12.7	4.9-27.7	0.2	0.5	0.0-5.2	0.2	1.0	0.0-10.3	0.0	0.0	0.0-9.1
Esophagus	1.2	4.5	1.6-11.0	1.2	9.7	3.4-23.2	0.0	0.0	0.0-9.1	1.0	3.9	1.2-10.2	1.0	8.5	2.6-21.6	0.0	0.0	0.0-9.1
Stomach	1.6	6.1	2.5-13.0	1.2	8.8	3.2-21.3	0.4	3.5	0.3-14.8	0.8	2.6	0.7-8.0	0.4	3.1	0.4-13.5	0.4	2.2	0.3-11.8
Colorectal	12.6	54.2	40.8-70.9	6.2	56.5	37.2-82.8	6.4	53.2	35.2-77.8	4.2	16.5	9.9-26.3	3.0	25.1	13.5-43.6	1.2	7.2	2.6-18.5
Colon excluding rectum	8.6	38.3	27.0-52.9	3.8	35.6	20.5-58.0	4.8	41.1	25.3-63.6	3.2	13.1	7.2-22.3	2.0	18.2	8.2-35.4	1.2	7.2	2.6-18.5
Rectum & rectosigmoid	4.0	16.0	9.4-25.8	2.4	20.9	10.2-38.6	1.6	12.2	4.9-26.4	1.0	3.4	1.1-9.2	1.0	7.0	2.2-18.6	0.0	0.0	0.0-9.1
Liver / intrahepatic bile duct	2.0	7.9	3.6-15.6	1.0	7.3	2.3-19.3	1.0	8.1	2.3-21.3	1.4	5.4	2.1-12.0	0.8	6.9	1.9-19.2	0.6	3.8	0.8-14.2
Pancreas	4.2	16.4	10.0-26.0	1.4	12.0	4.6-26.6	2.8	20.5	11.0-36.5	3.0	12.4	6.8-21.4	0.6	7.0	1.4-20.8	2.4	17.6	8.9-32.8
Larynx	1.2	4.3	1.5-10.5	0.8	6.5	1.7-18.5	0.4	2.4	0.3-12.2	0.2	0.7	0.0-5.5	0.2	1.4	0.0-11.1	0.0	0.0	0.0-9.1
Lung and bronchus	22.2	77.1	63.1-93.8	11.2	80.6	60.2-106.8	11.0	73.2	54.7-97.2	14.2	51.9	40.3-66.3	7.2	56.7	39.3-80.2	7.0	47.6	32.8-68.3
Melanoma of the skin	7.4	27.6	19.1-39.1	5.6	41.5	27.0-62.0	1.8	16.1	7.1-32.2	1.2	4.4	1.6-10.7	1.0	8.8	2.8-22.1	0.2	1.3	0.0-10.8
Female breast							19.8	145.3	116.7-179.6							2.8	23.2	11.8-41.7
Cervix uteri							0.4	4.3	0.4-17.1							0.0	0.0	0.0-9.1
Corpus uteri and NOS							3.4	21.5	12.4-36.6							0.8	5.5	1.5-16.7
Ovary							1.4	10.3	3.9-23.6							0.8	5.4	1.4-16.6
Prostate				14.8	101.3	78.5-129.8							2.6	21.5	11.2-38.4			
Testis				0.6	7.0	1.4-20.7							0.0	0.0	0.0-9.1			
Urinary bladder (incl. in situ)	6.8	23.9	16.5-34.2	5.6	44.0	28.9-65.3	1.2	7.5	2.7-19.1	1.8	6.6	3.0-13.5	1.6	14.9	6.3-30.6	0.2	1.1	0.0-10.5
Kidney and renal pelvis	4.6	18.2	11.1-28.5	2.8	21.5	11.2-38.4	1.8	14.7	6.3-30.2	1.4	4.9	1.9-11.1	0.4	3.1	0.3-13.8	1.0	6.2	2.0-17.2
Brain and other central nervous system	2.6	12.7	6.4-22.8	1.6	16.7	6.6-34.7	1.0	9.5	2.8-23.9	1.8	6.6	2.9-13.6	0.8	5.3	1.4-16.3	1.0	7.4	2.2-19.7
Thyroid	2.6	14.3	7.3-25.1	0.4	4.6	0.3-18.0	2.2	24.3	11.8-44.4	0.2	0.9	0.0-5.9	0.0	0.0	0.0-9.1	0.2	1.7	0.0-11.8
Hodgkin lymphoma	0.4	2.9	0.3-10.1	0.2	3.5	0.1-16.9	0.2	2.7	0.1-14.3	0.0	0.0	0.0-4.5	0.0	0.0	0.0-9.1	0.0	0.0	0.0-9.1
Non-Hodgkin lymphomas	5.8	19.8	12.9-29.7	2.2	16.4	7.4-32.2	3.6	23.8	13.8-39.8	1.4	4.9	1.9-11.2	0.6	3.8	0.7-14.3	0.8	5.3	1.4-16.3
Myeloma	1.8	7.0	3.1-14.3	1.0	8.2	2.6-21.1	0.8	6.6	1.7-19.0	0.8	3.0	0.8-8.7	0.6	4.2	0.8-15.0	0.2	1.7	0.0-11.8
Leukemias	5.0	21.0	13.1-32.2	2.2	19.6	9.3-37.2	2.8	22.6	11.7-40.3	2.2	8.0	4.0-15.2	1.2	10.7	3.9-24.6	1.0	6.3	2.0-17.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Seneca

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	242.0	523.7	493.3-555.6	129.4	574.5	529.6-622.3	112.6	489.2	446.8-534.8	80.6	166.3	150.0-184.1	41.8	184.8	160.0-212.7	38.8	154.4	132.6-179.3
Oral cavity and pharynx	6.6	14.3	9.6-20.6	4.8	20.3	12.7-31.1	1.8	8.2	3.6-16.6	1.0	1.9	0.6-4.9	1.0	4.0	1.3-10.3	0.0	0.0	0.0-4.8
Esophagus	3.4	6.8	3.9-11.2	3.0	12.6	7.0-21.4	0.4	1.5	0.2-6.9	4.6	8.7	5.5-13.5	4.2	16.7	10.2-26.4	0.4	1.5	0.2-6.9
Stomach	4.2	8.8	5.3-13.8	3.4	14.3	8.3-23.6	0.8	4.4	1.1-11.9	1.0	1.8	0.6-4.8	0.8	3.4	0.9-9.4	0.2	0.6	0.0-5.6
Colorectal	16.6	36.7	28.9-46.1	9.2	41.0	29.6-55.6	7.4	33.6	23.1-47.7	5.4	11.3	7.3-16.8	3.2	13.8	7.7-23.0	2.2	9.5	4.4-18.1
Colon excluding rectum	12.2	26.6	20.1-34.7	6.4	28.4	19.2-40.9	5.8	25.7	16.8-38.0	4.4	9.3	5.7-14.6	2.6	11.1	5.8-19.6	1.8	8.1	3.5-16.6
Rectum & rectosigmoid	4.4	10.1	6.1-15.8	2.8	12.6	6.7-21.9	1.6	8.0	3.1-16.9	1.0	1.9	0.6-5.0	0.6	2.7	0.5-8.6	0.4	1.4	0.2-6.6
Liver / intrahepatic bile duct	3.4	6.6	3.7-11.1	1.8	6.9	3.1-14.0	1.6	6.7	2.5-14.7	3.0	5.6	3.1-9.6	2.0	8.2	3.9-15.9	1.0	3.5	1.1-9.6
Pancreas	7.6	15.2	10.6-21.3	4.4	19.0	11.7-29.5	3.2	11.6	6.6-19.8	5.8	11.7	7.7-17.3	2.4	10.6	5.4-19.1	3.4	13.1	7.3-22.4
Larynx	1.0	2.3	0.7-5.8	0.8	4.0	1.0-10.6	0.2	0.7	0.0-5.9	0.8	1.6	0.4-4.6	0.4	1.4	0.2-6.4	0.4	1.7	0.2-7.3
Lung and bronchus	36.4	74.9	64.1-87.1	16.6	71.4	56.6-89.3	19.8	79.3	63.8-97.9	23.6	48.0	39.5-58.0	10.2	43.6	32.1-58.2	13.4	52.0	40.0-67.0
Melanoma of the skin	11.8	27.4	20.5-36.0	7.8	37.2	26.0-51.7	4.0	18.8	11.0-30.3	1.4	3.1	1.2-6.9	0.2	0.7	0.0-5.4	1.2	5.5	1.8-13.1
Female breast							28.6	127.3	105.7-152.2							4.0	17.2	10.1-27.7
Cervix uteri							1.6	9.2	3.8-18.6							0.8	3.6	0.9-10.2
Corpus uterus and NOS							10.2	42.6	31.1-57.3							0.6	2.2	0.5-7.9
Ovary							2.4	10.6	5.2-19.6							1.8	7.1	3.2-14.5
Prostate				30.2	122.0	102.9-144.0							2.4	11.8	6.1-20.9			
Testis				1.8	10.4	4.6-20.0							0.0	0.0	0.0-4.3			
Urinary bladder (incl. in situ)	10.0	19.3	14.2-25.9	7.2	30.5	21.1-42.9	2.8	9.4	5.1-17.0	1.0	1.9	0.6-5.0	0.6	3.1	0.6-9.3	0.4	1.4	0.2-6.6
Kidney and renal pelvis	8.8	21.6	15.4-29.5	6.4	30.2	20.3-43.4	2.4	13.0	6.2-23.8	1.4	2.7	1.1-6.1	1.0	3.4	1.1-9.0	0.4	2.1	0.2-8.1
Brain and other central nervous system	3.4	8.4	4.8-13.9	1.6	8.1	3.4-16.4	1.8	8.9	3.7-18.1	1.8	3.3	1.5-6.8	1.0	3.5	1.1-9.3	0.8	3.3	0.8-9.8
Thyroid	5.0	15.8	10.0-23.6	1.2	7.8	2.8-17.0	3.8	24.6	14.3-39.2	0.0	0.0	0.0-2.3	0.0	0.0	0.0-4.3	0.0	0.0	0.0-4.8
Hodgkin lymphoma	2.6	6.6	3.4-11.7	1.6	8.4	3.5-17.0	1.0	4.9	1.5-12.3	0.4	1.1	0.1-4.1	0.0	0.0	0.0-4.3	0.4	2.2	0.2-8.6
Non-Hodgkin lymphomas	9.6	21.1	15.4-28.5	6.2	29.5	19.8-42.5	3.4	13.3	7.5-22.3	3.4	7.1	4.1-11.8	2.0	9.6	4.5-18.1	1.4	5.0	2.0-11.6
Myeloma	1.8	3.7	1.7-7.5	1.4	6.7	2.6-14.2	0.4	1.5	0.2-6.9	1.0	2.1	0.7-5.4	0.6	2.9	0.6-8.9	0.4	1.7	0.2-7.3
Leukemias	8.6	19.7	14.1-27.1	6.0	29.9	19.9-43.3	2.6	11.0	5.7-19.8	3.8	8.5	5.0-13.7	3.2	16.5	9.4-27.1	0.6	2.3	0.5-8.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Steuben

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	650.2	486.0	468.7-503.8	338.2	516.7	491.5-543.0	312.0	463.6	439.6-488.7	224.2	162.1	152.5-172.2	120.0	190.4	175.1-206.7	104.2	140.6	128.3-153.8
Oral cavity and pharynx	18.4	12.7	10.2-15.8	15.0	21.4	16.7-27.2	3.4	4.8	2.7-7.9	3.2	2.3	1.3-3.8	2.4	3.5	1.8-6.5	0.8	1.1	0.3-3.2
Esophagus	7.4	5.7	4.0-8.1	6.0	10.1	6.7-14.7	1.4	1.7	0.7-4.0	5.4	4.0	2.6-6.0	4.4	7.2	4.5-11.1	1.0	1.2	0.4-3.2
Stomach	5.2	3.9	2.5-5.8	3.4	5.2	3.0-8.6	1.8	2.8	1.2-5.7	2.8	2.1	1.1-3.6	1.4	2.4	0.9-5.2	1.4	1.8	0.7-4.1
Colorectal	55.8	41.5	36.6-47.0	28.2	44.6	37.3-53.0	27.6	38.9	32.4-46.5	21.4	15.8	12.8-19.2	11.6	19.1	14.5-25.0	9.8	13.2	9.6-17.8
Colon excluding rectum	40.8	30.3	26.2-34.9	20.2	32.3	26.2-39.6	20.6	28.6	23.1-35.0	15.6	11.5	9.0-14.5	8.4	14.1	10.1-19.2	7.2	9.4	6.5-13.4
Rectum & rectosigmoid	15.0	11.3	8.7-14.3	8.0	12.3	8.6-17.1	7.0	10.4	7.0-14.8	5.8	4.2	2.8-6.2	3.2	5.1	2.9-8.4	2.6	3.8	2.0-6.7
Liver / intrahepatic bile duct	6.6	4.4	3.0-6.4	3.8	5.4	3.2-8.7	2.8	3.6	1.9-6.3	5.8	4.0	2.6-5.9	3.6	5.1	3.0-8.4	2.2	2.8	1.4-5.4
Pancreas	21.0	15.3	12.4-18.7	10.0	15.6	11.5-20.9	11.0	14.9	11.0-19.7	16.4	11.8	9.4-14.8	8.6	13.7	9.8-18.7	7.8	10.0	7.0-13.9
Larynx	7.8	5.8	4.1-8.1	6.2	9.2	6.1-13.3	1.6	2.6	1.1-5.3	3.0	2.3	1.2-3.9	2.4	3.7	1.8-6.8	0.6	1.0	0.2-3.1
Lung and bronchus	99.6	69.6	63.5-76.2	53.2	78.2	68.9-88.6	46.4	61.7	53.8-70.5	64.4	45.5	40.6-50.9	36.0	54.7	46.9-63.7	28.4	37.7	31.6-44.7
Melanoma of the skin	30.6	25.6	21.5-30.4	17.4	29.0	23.0-36.2	13.2	23.7	18.0-30.7	4.8	3.8	2.4-5.8	3.2	5.6	3.1-9.4	1.6	2.2	0.9-4.7
Female breast							83.4	125.8	113.3-139.4							12.4	17.1	12.9-22.4
Cervix uteri							4.8	7.9	4.9-12.2							1.6	2.2	0.9-4.7
Corpus uterus and NOS							22.4	33.8	27.5-41.3							4.4	6.0	3.7-9.4
Ovary							6.0	9.2	6.0-13.5							5.2	7.8	5.0-11.8
Prostate				80.8	112.1	101.2-124.0							11.2	18.5	13.9-24.2			
Testis				2.4	5.6	2.9-9.7							0.4	0.5	0.1-2.3			
Urinary bladder (incl. in situ)	34.0	24.0	20.5-28.1	26.0	40.4	33.6-48.2	8.0	10.8	7.7-15.0	5.8	4.0	2.7-5.9	5.4	8.9	5.8-13.1	0.4	0.5	0.1-2.3
Kidney and renal pelvis	21.6	17.6	14.3-21.5	12.8	22.3	16.9-29.0	8.8	12.8	9.2-17.6	3.6	2.6	1.5-4.2	1.8	2.6	1.2-5.2	1.8	2.6	1.2-5.2
Brain and other central nervous system	7.2	6.9	4.7-9.7	4.0	7.7	4.6-12.2	3.2	6.0	3.3-10.0	5.2	4.4	2.8-6.7	2.8	4.7	2.5-8.2	2.4	4.3	2.1-7.8
Thyroid	13.6	13.3	10.2-17.2	3.6	7.1	4.1-11.6	10.0	19.6	14.2-26.3	0.6	0.4	0.1-1.3	0.4	0.5	0.1-2.3	0.2	0.2	0.0-1.9
Hodgkin lymphoma	1.6	1.5	0.6-3.1	1.2	2.5	0.9-5.5	0.4	0.5	0.1-2.3	0.4	0.4	0.0-1.6	0.2	0.3	0.0-2.0	0.2	0.6	0.0-3.0
Non-Hodgkin lymphomas	23.8	18.6	15.3-22.4	12.0	19.4	14.7-25.2	11.8	18.0	13.5-23.7	6.0	4.7	3.1-6.8	2.6	4.4	2.3-7.8	3.4	4.7	2.7-8.0
Myeloma	7.4	5.8	4.0-8.1	4.4	7.3	4.5-11.3	3.0	4.5	2.4-7.7	3.2	2.2	1.3-3.7	1.2	2.0	0.7-4.6	2.0	2.4	1.1-4.8
Leukemias	21.2	15.4	12.5-18.8	12.0	17.3	13.1-22.5	9.2	13.4	9.7-18.3	8.2	5.8	4.1-8.0	3.6	5.7	3.4-9.2	4.6	5.7	3.6-8.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Suffolk

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	10051.2	532.4	527.7-537.2	5092.0	584.6	577.3-592.1	4959.2	498.5	492.1-505.0	2669.4	137.8	135.4-140.2	1342.4	160.2	156.3-164.2	1327.0	122.7	119.7-125.8
Oral cavity and pharynx	231.6	11.9	11.2-12.7	160.2	17.8	16.5-19.1	71.4	6.9	6.2-7.7	37.6	2.0	1.7-2.3	26.6	3.1	2.6-3.8	11.0	1.0	0.7-1.3
Esophagus	93.4	4.7	4.3-5.2	72.4	7.9	7.1-8.8	21.0	2.0	1.6-2.4	72.6	3.6	3.2-4.0	58.6	6.5	5.8-7.3	14.0	1.3	1.0-1.6
Stomach	145.8	7.6	7.1-8.2	86.6	9.9	9.0-10.9	59.2	5.8	5.2-6.6	54.2	2.8	2.5-3.2	31.0	3.6	3.0-4.2	23.2	2.2	1.8-2.7
Colorectal	766.2	40.6	39.3-42.0	403.0	46.8	44.7-49.0	363.2	35.6	33.9-37.3	223.6	11.6	10.9-12.3	115.8	13.9	12.8-15.2	107.8	9.8	9.0-10.7
Colon excluding rectum	543.2	28.9	27.8-30.1	268.2	31.6	29.9-33.4	275.0	26.8	25.3-28.3	179.6	9.3	8.7-10.0	90.4	10.9	9.9-12.0	89.2	8.1	7.4-8.9
Rectum & rectosigmoid	223.0	11.7	11.0-12.4	134.8	15.2	14.1-16.5	88.2	8.8	8.0-9.7	44.0	2.3	2.0-2.6	25.4	3.0	2.5-3.6	18.6	1.7	1.4-2.1
Liver / intrahepatic bile duct	153.6	7.7	7.2-8.3	110.4	12.0	11.0-13.1	43.2	4.0	3.5-4.6	101.6	5.1	4.7-5.6	65.8	7.5	6.7-8.4	35.8	3.3	2.8-3.8
Pancreas	311.2	16.1	15.3-16.9	161.8	18.6	17.3-19.9	149.4	14.0	13.0-15.1	214.6	11.1	10.4-11.7	111.0	12.9	11.8-14.0	103.6	9.5	8.7-10.4
Larynx	59.6	3.0	2.7-3.4	48.0	5.4	4.7-6.1	11.6	1.1	0.8-1.4	14.8	0.7	0.6-0.9	12.2	1.4	1.1-1.8	2.6	0.2	0.1-0.4
Lung and bronchus	1263.6	65.0	63.4-66.7	581.6	68.0	65.5-70.6	682.0	63.4	61.3-65.6	617.2	31.7	30.6-32.9	300.4	35.7	33.9-37.6	316.8	29.0	27.5-30.5
Melanoma of the skin	482.2	25.7	24.7-26.8	293.2	34.2	32.4-36.0	189.0	19.5	18.2-20.8	38.0	1.9	1.6-2.2	25.4	2.9	2.4-3.5	12.6	1.2	0.9-1.5
Female breast							1363.6	139.7	136.3-143.2							186.2	17.4	16.3-18.6
Cervix uteri							52.2	6.5	5.7-7.4							15.2	1.6	1.2-2.0
Corpus uterus and NOS							336.4	32.1	30.5-33.7							58.8	5.5	4.9-6.2
Ovary							124.6	12.6	11.6-13.7							75.0	6.9	6.2-7.7
Prostate				1271.8	136.0	132.6-139.5							126.6	15.9	14.7-17.2			
Testis				49.2	7.1	6.2-8.1							1.6	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	530.4	27.7	26.6-28.8	393.2	47.1	45.0-49.2	137.2	12.8	11.9-13.9	91.6	4.7	4.3-5.2	65.2	8.3	7.4-9.2	26.4	2.3	1.9-2.8
Kidney and renal pelvis	375.4	19.8	18.9-20.7	239.8	27.2	25.6-28.8	135.6	13.4	12.3-14.5	56.0	2.8	2.5-3.2	36.0	4.2	3.6-4.9	20.0	1.8	1.5-2.2
Brain and other central nervous system	124.8	7.3	6.7-7.9	68.0	8.3	7.4-9.3	56.8	6.4	5.6-7.2	80.4	4.2	3.8-4.7	43.2	4.9	4.2-5.6	37.2	3.7	3.1-4.3
Thyroid	365.4	23.0	21.9-24.1	103.0	12.6	11.5-13.7	262.4	33.3	31.5-35.3	10.8	0.6	0.4-0.7	4.6	0.5	0.3-0.8	6.2	0.6	0.4-0.8
Hodgkin lymphoma	50.4	3.2	2.8-3.7	26.2	3.3	2.7-3.9	24.2	3.2	2.6-3.8	4.6	0.3	0.2-0.4	2.0	0.2	0.1-0.5	2.6	0.3	0.2-0.5
Non-Hodgkin lymphomas	437.0	23.5	22.5-24.5	239.2	28.3	26.7-30.0	197.8	19.7	18.4-21.0	88.4	4.6	4.2-5.1	50.6	6.2	5.4-7.0	37.8	3.5	3.0-4.1
Myeloma	169.0	8.8	8.2-9.4	96.8	11.2	10.2-12.2	72.2	6.8	6.1-7.6	53.4	2.7	2.4-3.0	30.2	3.5	3.0-4.2	23.2	2.1	1.7-2.5
Leukemias	373.6	20.3	19.4-21.3	220.6	26.4	24.8-28.0	153.0	15.5	14.4-16.7	105.6	5.6	5.2-6.2	63.4	8.0	7.1-8.9	42.2	4.0	3.4-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Sullivan

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	460.8	447.4	428.6-466.9	237.4	455.1	428.7-482.9	223.4	447.3	420.0-476.0	161.6	155.3	144.6-166.8	86.6	174.0	157.5-191.9	75.0	139.9	125.7-155.5
Oral cavity and pharynx	14.0	13.1	10.1-16.8	11.6	21.6	16.2-28.4	2.4	4.7	2.4-8.7	2.2	1.7	0.8-3.2	1.8	2.7	1.2-5.6	0.4	0.6	0.1-3.0
Esophagus	4.2	4.0	2.4-6.3	3.0	5.8	3.2-10.0	1.2	2.1	0.8-5.1	4.2	3.7	2.3-5.9	3.6	6.5	3.8-10.8	0.6	1.2	0.2-3.9
Stomach	5.8	5.5	3.6-8.1	3.8	7.2	4.3-11.7	2.0	3.8	1.8-7.5	2.0	1.9	0.9-3.7	1.6	3.3	1.3-6.8	0.4	0.9	0.1-3.5
Colorectal	40.2	40.8	35.1-47.1	23.4	47.7	39.1-57.8	16.8	33.5	26.4-42.2	13.6	13.1	10.1-16.8	8.2	16.3	11.6-22.5	5.4	9.7	6.3-14.5
Colon excluding rectum	27.4	26.7	22.3-31.8	15.2	29.7	23.2-37.6	12.2	23.8	18.0-31.1	10.6	10.2	7.6-13.5	6.6	13.0	8.9-18.7	4.0	7.1	4.3-11.4
Rectum & rectosigmoid	12.8	14.0	10.6-18.2	8.2	18.0	12.6-24.9	4.6	9.7	5.9-15.2	3.0	2.9	1.6-5.0	1.6	3.3	1.4-6.9	1.4	2.6	1.0-5.7
Liver / intrahepatic bile duct	10.4	8.9	6.6-11.9	8.8	15.4	11.1-21.1	1.6	2.6	1.1-5.6	5.8	4.9	3.2-7.2	4.4	7.6	4.7-11.9	1.4	2.3	0.9-5.2
Pancreas	16.0	15.2	11.9-19.1	7.4	14.2	9.8-20.0	8.6	16.2	11.6-22.4	14.4	13.8	10.7-17.6	7.6	14.7	10.2-20.6	6.8	12.8	8.8-18.4
Larynx	3.8	3.7	2.2-5.9	2.8	5.8	3.1-10.1	1.0	1.7	0.5-4.5	0.8	0.7	0.2-2.1	0.6	1.2	0.2-3.9	0.2	0.4	0.0-2.8
Lung and bronchus	70.4	65.0	58.2-72.4	36.2	69.3	59.3-80.7	34.2	61.3	52.3-71.6	47.6	43.9	38.4-50.0	25.0	49.4	40.9-59.3	22.6	39.1	32.1-47.4
Melanoma of the skin	17.2	17.2	13.6-21.6	11.0	20.5	15.3-27.1	6.2	14.3	9.4-20.9	2.0	2.0	0.9-3.8	1.2	2.8	1.0-6.3	0.8	1.4	0.4-4.1
Female breast							58.8	120.1	106.0-135.8							12.4	24.8	18.8-32.3
Cervix uteri							3.4	6.9	3.8-11.6							1.6	4.1	1.6-8.5
Corpus uterus and NOS							19.6	38.1	30.5-47.2							2.6	5.5	2.8-9.8
Ovary							3.8	7.7	4.5-12.5							2.6	4.8	2.5-8.5
Prostate				49.8	86.3	75.7-98.2							6.0	13.5	9.0-19.6			
Testis				1.8	4.6	2.1-8.9							0.2	0.4	0.0-2.5			
Urinary bladder (incl. in situ)	25.2	24.3	20.2-29.1	20.0	41.4	33.4-50.8	5.2	9.6	6.2-14.5	3.2	3.3	1.9-5.5	3.2	7.5	4.2-12.4	0.0	0.0	0.0-2.1
Kidney and renal pelvis	15.6	15.9	12.4-20.1	8.6	17.4	12.4-23.9	7.0	14.3	9.8-20.5	5.4	5.3	3.4-7.9	3.6	7.3	4.3-11.9	1.8	3.1	1.4-6.3
Brain and other central nervous system	5.8	6.3	4.2-9.3	4.2	9.6	5.8-14.9	1.6	3.4	1.4-7.2	3.6	3.8	2.2-6.2	2.4	5.6	2.8-10.0	1.2	2.0	0.7-4.8
Thyroid	11.0	12.6	9.3-16.6	2.2	4.1	2.0-7.7	8.8	21.8	15.5-29.7	0.0	0.0	0.0-1.0	0.0	0.0	0.0-2.0	0.0	0.0	0.0-2.1
Hodgkin lymphoma	1.8	2.4	1.0-4.6	1.2	3.2	1.1-7.0	0.6	1.5	0.3-4.9	0.2	0.2	0.0-1.4	0.2	0.4	0.0-2.7	0.0	0.0	0.0-2.1
Non-Hodgkin lymphomas	17.0	17.0	13.4-21.3	8.2	15.7	11.1-21.7	8.8	19.1	13.6-26.2	3.0	2.9	1.6-5.0	2.2	4.5	2.2-8.4	0.8	1.5	0.4-4.4
Myeloma	8.0	7.5	5.3-10.3	5.2	9.4	6.0-14.1	2.8	5.4	2.9-9.4	1.6	1.7	0.7-3.4	0.8	2.1	0.5-5.5	0.8	1.6	0.4-4.5
Leukemias	13.2	13.5	10.3-17.4	6.8	14.4	9.8-20.6	6.4	12.6	8.4-18.2	6.0	5.7	3.8-8.3	3.2	7.2	4.0-11.9	2.8	4.6	2.5-8.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Tioga

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	352.8	505.6	481.1-531.2	186.4	544.2	508.4-582.0	166.4	475.8	441.9-511.8	95.8	131.0	119.2-143.7	51.6	151.5	133.2-172.0	44.2	114.2	99.1-131.3
Oral cavity and pharynx	8.2	11.7	8.2-16.3	7.0	21.2	14.4-30.3	1.2	2.6	1.0-6.6	1.0	1.5	0.4-3.8	0.8	2.5	0.6-7.1	0.2	0.4	0.0-3.7
Esophagus	3.8	4.8	2.9-7.9	2.8	6.8	3.7-12.1	1.0	3.0	0.9-7.6	3.0	4.0	2.3-7.0	2.6	7.6	4.0-13.5	0.4	1.0	0.1-4.7
Stomach	4.2	5.4	3.3-8.6	2.6	6.4	3.4-11.6	1.6	4.3	1.8-9.4	1.4	2.0	0.8-4.5	1.0	2.9	0.9-7.6	0.4	1.0	0.1-4.7
Colorectal	29.2	42.3	35.4-50.2	15.8	48.4	37.9-61.2	13.4	36.5	27.9-47.2	8.4	11.1	8.0-15.3	4.6	13.0	8.2-20.1	3.8	9.8	5.9-16.0
Colon excluding rectum	19.8	28.6	23.0-35.3	10.2	31.1	22.8-41.6	9.6	26.2	19.0-35.7	6.2	8.2	5.5-11.9	3.2	9.0	5.1-15.2	3.0	7.8	4.3-13.5
Rectum & rectosigmoid	9.4	13.7	9.9-18.6	5.6	17.3	11.2-25.8	3.8	10.3	6.1-16.7	2.2	2.9	1.5-5.6	1.4	4.0	1.6-8.9	0.8	2.1	0.5-6.2
Liver / intrahepatic bile duct	5.4	7.1	4.6-10.7	4.0	11.0	6.5-17.8	1.4	3.5	1.4-8.0	2.6	3.7	1.9-6.8	2.0	6.4	2.9-12.4	0.6	1.5	0.3-5.4
Pancreas	7.8	10.4	7.3-14.6	3.6	11.1	6.4-18.1	4.2	9.8	6.1-15.7	7.0	9.5	6.5-13.5	3.6	10.7	6.2-17.6	3.4	8.3	4.8-13.9
Larynx	2.8	4.2	2.2-7.4	2.6	7.6	3.9-13.7	0.2	1.0	0.0-5.1	0.6	1.0	0.2-3.2	0.6	2.0	0.4-6.4	0.0	0.0	0.0-3.2
Lung and bronchus	46.0	62.0	54.1-71.0	24.8	70.0	58.1-84.1	21.2	55.4	45.0-67.9	28.6	38.0	31.9-45.1	15.0	43.1	33.8-54.6	13.6	33.8	26.0-43.6
Melanoma of the skin	19.8	30.5	24.5-37.7	13.2	41.9	32.0-54.2	6.6	20.0	13.3-29.1	1.0	2.1	0.6-5.1	0.2	0.6	0.0-4.2	0.8	3.7	0.9-9.5
Female breast							51.8	150.3	131.3-171.3							6.2	17.9	11.8-26.3
Cervix uteri							2.4	8.9	4.3-16.2							0.8	2.4	0.6-6.8
Corpus uterus and NOS							12.4	33.8	25.4-44.3							1.4	3.7	1.4-8.5
Ovary							3.2	8.5	4.7-14.6							2.0	5.2	2.5-10.2
Prostate				41.6	107.4	93.1-123.6							5.2	14.9	9.7-22.3			
Testis				1.2	5.9	2.1-12.7							0.0	0.0	0.0-3.3			
Urinary bladder (incl. in situ)	22.0	29.0	23.7-35.2	17.8	50.3	40.2-62.6	4.2	10.2	6.3-16.3	2.6	3.5	1.8-6.2	1.6	4.2	1.8-9.1	1.0	2.6	0.8-6.9
Kidney and renal pelvis	12.6	17.9	13.5-23.3	8.4	24.8	17.6-34.3	4.2	11.5	6.9-18.3	2.0	3.0	1.4-5.8	1.2	3.8	1.3-8.9	0.8	2.3	0.6-6.6
Brain and other central nervous system	2.8	4.2	2.2-7.4	2.0	6.9	3.2-13.3	0.8	1.7	0.5-5.5	2.2	3.0	1.5-5.7	1.4	4.3	1.7-9.5	0.8	1.8	0.5-5.7
Thyroid	9.8	19.6	14.2-26.4	2.8	10.8	5.7-18.7	7.0	28.6	19.3-40.5	0.2	0.3	0.0-2.0	0.2	0.6	0.0-4.1	0.0	0.0	0.0-3.2
Hodgkin lymphoma	0.8	1.7	0.4-4.5	0.6	3.0	0.6-8.4	0.2	0.5	0.0-3.8	0.0	0.0	0.0-1.6	0.0	0.0	0.0-3.3	0.0	0.0	0.0-3.2
Non-Hodgkin lymphomas	11.8	17.5	13.1-23.0	7.0	21.1	14.4-30.0	4.8	14.4	8.9-22.4	3.2	4.1	2.3-7.0	2.2	6.3	3.1-11.8	1.0	2.5	0.8-6.7
Myeloma	5.4	7.2	4.7-10.8	2.4	6.7	3.4-12.3	3.0	7.9	4.4-13.6	1.6	2.2	0.9-4.6	1.2	3.5	1.3-8.3	0.4	1.0	0.1-4.6
Leukemias	12.8	19.0	14.4-24.7	8.2	26.0	18.3-36.0	4.6	13.2	8.1-20.6	3.8	5.0	3.0-8.1	2.4	7.2	3.7-13.0	1.4	3.3	1.3-7.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Tompkins

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	483.0	449.0	430.6-468.0	237.6	475.7	448.0-504.7	245.4	433.2	408.4-459.3	151.2	140.1	130.0-150.8	74.6	157.9	141.8-175.3	76.6	129.0	116.0-143.2
Oral cavity and pharynx	12.2	11.3	8.5-14.7	8.2	16.2	11.5-22.4	4.0	6.8	4.0-10.8	1.6	1.3	0.6-2.8	1.4	2.5	1.0-5.6	0.2	0.4	0.0-2.5
Esophagus	7.4	6.6	4.6-9.2	5.4	10.4	6.7-15.5	2.0	3.3	1.5-6.3	5.2	4.5	2.9-6.7	3.4	6.8	3.9-11.1	1.8	2.7	1.2-5.5
Stomach	5.0	5.2	3.3-7.7	3.2	6.9	3.9-11.4	1.8	3.4	1.5-6.7	2.4	2.4	1.2-4.2	1.0	2.5	0.8-5.8	1.4	2.1	0.8-4.7
Colorectal	25.4	24.6	20.4-29.4	12.8	26.2	20.0-33.8	12.6	22.6	17.2-29.3	9.0	8.6	6.2-11.7	4.2	8.6	5.2-13.4	4.8	8.7	5.5-13.3
Colon excluding rectum	19.8	19.3	15.6-23.7	8.8	18.4	13.3-25.0	11.0	19.7	14.7-26.0	7.8	7.5	5.2-10.4	3.4	6.7	3.8-11.0	4.4	8.0	4.9-12.5
Rectum & rectosigmoid	5.6	5.2	3.4-7.8	4.0	7.7	4.6-12.3	1.6	2.9	1.2-6.1	1.2	1.2	0.4-2.6	0.8	1.9	0.5-5.0	0.4	0.7	0.1-2.9
Liver / intrahepatic bile duct	6.4	5.5	3.7-7.9	4.2	7.5	4.5-11.7	2.2	3.8	1.8-7.0	5.8	4.8	3.2-7.0	3.6	6.5	3.7-10.6	2.2	3.3	1.6-6.3
Pancreas	16.8	15.8	12.5-19.7	8.2	16.9	12.0-23.2	8.6	14.9	10.6-20.4	12.4	11.4	8.7-14.7	5.8	12.2	8.0-17.7	6.6	10.8	7.4-15.5
Larynx	2.4	1.9	1.0-3.5	2.2	3.6	1.8-6.8	0.2	0.4	0.0-2.6	1.2	1.2	0.4-2.8	1.2	2.6	0.9-6.0	0.0	0.0	0.0-1.8
Lung and bronchus	60.0	53.7	47.6-60.4	29.6	59.4	49.9-70.2	30.4	50.7	42.8-59.8	35.4	33.0	28.2-38.4	20.2	42.4	34.3-51.9	15.2	26.3	20.6-33.2
Melanoma of the skin	24.0	22.1	18.2-26.7	13.2	27.5	21.1-35.3	10.8	18.0	13.4-24.0	2.0	1.8	0.8-3.5	1.4	3.0	1.1-6.3	0.6	1.1	0.2-3.5
Female breast							80.0	146.6	132.0-162.4							11.4	19.6	14.6-25.7
Cervix uteri							1.4	3.0	1.1-6.3							0.6	1.3	0.2-4.0
Corpus uteri and NOS							13.0	20.9	15.9-27.0							1.8	2.9	1.3-5.8
Ovary							7.2	13.0	9.0-18.5							4.2	6.4	3.9-10.2
Prostate				60.2	109.3	96.9-123.0							8.0	17.7	12.6-24.3			
Testis				3.4	8.1	4.6-13.2							0.2	0.4	0.0-2.4			
Urinary bladder (incl. in situ)	22.8	21.4	17.6-25.9	16.6	35.2	27.8-44.0	6.2	11.2	7.5-16.2	3.6	3.6	2.1-5.9	2.2	5.0	2.5-9.2	1.4	2.6	1.0-5.7
Kidney and renal pelvis	13.2	12.5	9.6-16.1	8.8	17.7	12.7-24.1	4.4	8.1	5.0-12.5	3.4	3.2	1.8-5.3	2.4	5.4	2.7-9.7	1.0	1.7	0.5-4.3
Brain and other central nervous system	7.0	6.5	4.5-9.2	4.2	8.5	5.1-13.3	2.8	4.9	2.6-8.4	7.8	7.5	5.2-10.4	4.8	10.1	6.3-15.4	3.0	5.3	2.9-9.1
Thyroid	11.0	11.4	8.4-15.0	2.6	5.2	2.6-9.3	8.4	17.1	12.1-23.5	0.6	0.5	0.1-1.8	0.2	0.6	0.0-3.0	0.4	0.5	0.1-2.5
Hodgkin lymphoma	2.8	3.0	1.6-5.2	1.6	3.5	1.4-7.3	1.2	2.5	0.9-5.7	0.2	0.3	0.0-1.5	0.0	0.0	0.0-1.9	0.2	0.6	0.0-2.9
Non-Hodgkin lymphomas	22.6	21.7	17.8-26.3	12.8	27.8	21.2-35.8	9.8	16.7	12.3-22.4	4.6	4.4	2.8-6.7	2.0	4.2	2.0-8.0	2.6	4.5	2.3-7.9
Myeloma	11.6	10.5	7.9-13.7	6.6	12.4	8.4-17.8	5.0	8.8	5.6-13.3	3.2	2.7	1.5-4.6	2.2	4.3	2.1-8.1	1.0	1.5	0.5-3.9
Leukemias	19.2	17.6	14.2-21.7	9.8	21.2	15.5-28.3	9.4	15.2	11.1-20.6	7.4	6.9	4.8-9.7	3.2	7.5	4.3-12.3	4.2	6.7	4.1-10.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Ulster

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1179.8	468.0	455.7-480.7	607.4	505.3	486.8-524.3	572.4	444.1	427.0-461.7	394.2	152.3	145.5-159.4	207.0	177.6	166.6-189.1	187.2	131.7	123.2-140.9
Oral cavity and pharynx	40.4	15.5	13.3-17.9	28.2	22.3	18.7-26.5	12.2	9.2	7.0-12.1	4.4	1.7	1.1-2.7	3.4	3.0	1.7-5.0	1.0	0.7	0.2-1.9
Esophagus	16.4	6.1	4.8-7.7	12.6	10.0	7.6-13.0	3.8	2.5	1.5-4.2	12.6	4.8	3.6-6.2	9.0	7.3	5.3-10.0	3.6	2.4	1.4-3.9
Stomach	14.8	5.7	4.5-7.3	9.4	7.4	5.4-10.0	5.4	4.5	2.9-6.9	5.4	2.1	1.3-3.1	3.8	3.3	2.0-5.3	1.6	1.0	0.4-2.3
Colorectal	97.2	39.7	36.1-43.6	50.4	44.2	38.7-50.3	46.8	35.8	31.1-41.1	31.6	12.6	10.7-14.8	15.6	14.1	11.1-17.8	16.0	11.2	8.8-14.2
Colon excluding rectum	67.6	27.7	24.7-31.0	33.8	30.4	25.9-35.6	33.8	25.5	21.6-30.0	24.2	9.6	7.9-11.6	12.4	11.2	8.5-14.5	11.8	8.2	6.2-10.8
Rectum & rectosigmoid	29.6	12.0	10.0-14.2	16.6	13.8	10.9-17.3	13.0	10.3	7.8-13.3	7.4	3.0	2.1-4.2	3.2	2.9	1.6-4.9	4.2	3.0	1.8-4.8
Liver / intrahepatic bile duct	28.2	10.1	8.4-12.0	22.8	16.8	13.7-20.3	5.4	4.1	2.7-6.2	18.8	7.0	5.6-8.7	14.4	11.2	8.7-14.3	4.4	3.2	2.0-5.1
Pancreas	33.6	12.8	10.9-15.0	17.6	14.2	11.3-17.7	16.0	11.4	9.0-14.4	26.6	10.0	8.3-11.9	14.8	11.9	9.3-15.1	11.8	8.2	6.2-10.8
Larynx	7.0	2.6	1.8-3.8	5.8	4.5	2.9-6.6	1.2	1.0	0.3-2.4	2.2	0.8	0.4-1.6	1.6	1.2	0.5-2.6	0.6	0.5	0.1-1.6
Lung and bronchus	173.6	64.6	60.3-69.2	87.4	71.2	64.5-78.5	86.2	59.2	53.7-65.3	99.4	38.0	34.7-41.6	54.2	45.3	39.9-51.3	45.2	31.6	27.6-36.2
Melanoma of the skin	38.4	15.8	13.6-18.4	21.2	19.3	15.7-23.6	17.2	13.5	10.6-17.0	5.6	2.4	1.5-3.5	2.0	1.8	0.8-3.5	3.6	2.8	1.6-4.7
Female breast							159.4	127.4	118.2-137.2							27.6	19.3	16.1-23.1
Cervix uteri							7.4	7.6	5.2-10.8							2.4	2.0	1.0-3.7
Corpus uterus and NOS							42.0	30.6	26.4-35.4							9.0	6.8	4.9-9.4
Ovary							14.8	11.7	9.1-15.0							7.4	5.4	3.8-7.7
Prostate				131.2	99.5	91.8-107.7							18.4	16.7	13.4-20.6			
Testis				5.6	6.5	4.3-9.4							0.0	0.0	0.0-0.9			
Urinary bladder (incl. in situ)	65.4	24.8	22.1-27.8	49.8	42.2	37.0-48.0	15.6	10.7	8.4-13.5	13.6	5.2	4.0-6.6	9.6	8.6	6.3-11.6	4.0	2.6	1.6-4.2
Kidney and renal pelvis	38.4	15.5	13.3-18.0	25.2	20.4	16.9-24.5	13.2	10.9	8.3-14.2	8.6	3.4	2.4-4.6	4.4	3.6	2.2-5.6	4.2	3.1	1.8-4.9
Brain and other central nervous system	15.8	7.2	5.6-9.1	9.4	8.8	6.3-11.9	6.4	5.6	3.6-8.1	10.2	4.2	3.1-5.6	5.2	4.7	3.0-7.1	5.0	3.6	2.3-5.6
Thyroid	31.6	15.8	13.3-18.7	7.8	7.1	4.9-10.0	23.8	24.8	20.3-30.0	1.6	0.6	0.3-1.3	0.8	0.7	0.2-2.0	0.8	0.5	0.1-1.7
Hodgkin lymphoma	6.0	3.1	2.1-4.5	3.6	3.8	2.2-6.0	2.4	2.5	1.3-4.6	0.8	0.3	0.1-0.9	0.8	0.7	0.2-1.9	0.0	0.0	0.0-0.9
Non-Hodgkin lymphomas	55.6	22.8	20.1-25.8	32.6	28.3	24.0-33.3	23.0	18.2	14.9-22.2	13.4	5.2	4.0-6.7	9.0	8.1	5.9-11.0	4.4	3.0	1.9-4.8
Myeloma	17.4	7.0	5.6-8.8	12.4	10.8	8.2-14.0	5.0	3.9	2.5-6.0	6.6	2.4	1.7-3.5	4.0	3.3	2.0-5.3	2.6	1.7	0.9-3.2
Leukemias	37.2	14.8	12.7-17.3	22.2	19.2	15.7-23.3	15.0	11.1	8.6-14.3	15.6	6.0	4.7-7.6	10.4	9.3	6.9-12.4	5.2	3.4	2.2-5.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Warren

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	514.2	525.3	504.0-547.3	260.8	556.1	525.0-588.7	253.4	502.9	473.5-533.8	172.4	169.2	157.7-181.5	94.6	203.6	185.0-223.8	77.8	138.3	124.4-153.8
Oral cavity and pharynx	13.0	13.9	10.6-18.0	8.4	18.6	13.2-25.6	4.6	9.6	5.9-15.0	4.2	4.1	2.5-6.6	3.2	6.5	3.7-11.2	1.0	1.9	0.6-5.1
Esophagus	9.0	8.9	6.4-12.1	7.2	14.7	10.2-20.9	1.8	3.8	1.7-7.7	5.6	5.3	3.5-8.0	4.0	7.6	4.6-12.3	1.6	3.3	1.4-7.1
Stomach	5.4	5.3	3.4-8.0	4.0	8.9	5.3-14.2	1.4	2.1	0.8-5.1	2.8	3.0	1.5-5.3	1.6	4.1	1.7-8.6	1.2	1.9	0.7-5.0
Colorectal	32.6	35.5	29.9-42.0	17.0	39.4	31.0-49.6	15.6	31.9	24.6-40.8	13.4	13.7	10.4-17.7	7.0	16.2	11.0-23.2	6.4	10.9	7.3-16.1
Colon excluding rectum	24.2	26.3	21.5-31.9	12.6	29.3	22.1-38.2	11.6	23.5	17.3-31.3	9.0	9.2	6.6-12.7	4.8	11.4	7.1-17.6	4.2	7.0	4.3-11.5
Rectum & rectosigmoid	8.4	9.3	6.5-12.9	4.4	10.2	6.2-16.0	4.0	8.4	4.9-13.8	4.4	4.4	2.7-7.1	2.2	4.8	2.2-9.3	2.2	3.9	1.9-7.6
Liver / intrahepatic bile duct	7.6	7.1	4.9-10.0	6.2	12.2	8.2-18.0	1.4	2.5	1.0-5.8	5.6	5.2	3.4-7.8	4.4	8.6	5.3-13.7	1.2	2.1	0.8-5.3
Pancreas	13.0	12.2	9.3-15.8	6.4	12.4	8.3-18.0	6.6	12.0	8.2-17.5	10.0	9.4	6.9-12.7	5.6	11.4	7.5-17.1	4.4	7.5	4.6-12.0
Larynx	4.2	4.1	2.4-6.5	2.6	4.7	2.5-8.7	1.6	3.3	1.3-7.4	2.0	1.9	0.9-3.9	1.4	3.0	1.1-6.8	0.6	0.9	0.2-3.7
Lung and bronchus	79.4	74.8	67.4-82.8	40.2	81.0	69.9-93.6	39.2	69.4	59.8-80.5	48.0	45.6	39.9-52.1	25.8	52.8	43.8-63.3	22.2	39.1	31.9-47.7
Melanoma of the skin	29.2	34.0	28.3-40.5	17.6	41.5	32.9-51.9	11.6	29.1	21.6-38.5	4.0	4.0	2.4-6.5	3.4	7.6	4.3-12.6	0.6	1.2	0.2-4.1
Female breast							77.2	152.1	136.2-169.5							8.2	14.7	10.4-20.7
Cervix uteri							1.8	4.4	1.8-9.0							0.2	0.9	0.0-4.6
Corpus uterus and NOS							14.2	28.9	22.0-37.4							2.6	4.2	2.2-7.9
Ovary							5.4	11.1	7.0-17.0							2.4	5.4	2.5-10.2
Prostate				65.2	125.8	112.2-140.8							7.8	16.8	11.9-23.5			
Testis				1.8	6.0	2.7-11.6							0.4	0.9	0.1-3.9			
Urinary bladder (incl. in situ)	26.0	24.5	20.4-29.4	19.0	40.7	32.7-50.2	7.0	11.2	7.8-16.2	6.0	5.9	3.9-8.6	4.4	10.1	6.3-15.6	1.6	2.5	1.0-5.7
Kidney and renal pelvis	17.0	17.6	13.9-22.2	10.0	22.1	16.1-29.9	7.0	13.5	9.1-19.6	3.6	3.5	2.0-5.8	2.2	4.7	2.3-8.9	1.4	2.5	1.0-5.8
Brain and other central nervous system	6.2	8.8	5.8-12.9	2.8	8.2	4.2-14.2	3.4	9.6	5.2-16.0	4.6	5.1	3.1-8.0	2.6	6.6	3.3-11.9	2.0	3.7	1.7-7.6
Thyroid	14.2	19.2	14.7-24.7	3.0	7.5	4.0-13.1	11.2	30.5	22.4-40.6	0.4	0.3	0.0-1.7	0.2	0.5	0.0-3.3	0.2	0.3	0.0-2.9
Hodgkin lymphoma	1.4	1.8	0.7-4.0	0.8	2.2	0.5-6.0	0.6	1.5	0.2-5.1	0.8	1.0	0.2-2.9	0.4	0.8	0.1-3.7	0.4	1.2	0.1-4.9
Non-Hodgkin lymphomas	23.4	24.2	19.8-29.5	11.8	26.3	19.7-34.6	11.6	22.7	16.9-30.1	5.8	6.0	3.9-8.9	2.2	5.5	2.6-10.3	3.6	6.3	3.7-10.6
Myeloma	8.8	8.6	6.1-11.8	4.8	10.2	6.4-15.8	4.0	7.0	4.2-11.5	3.6	3.3	2.0-5.6	2.2	4.6	2.2-8.8	1.4	2.1	0.8-5.3
Leukemias	14.6	14.8	11.5-19.0	8.2	18.9	13.4-26.3	6.4	11.1	7.4-16.4	8.6	8.5	6.1-11.7	4.6	10.0	6.3-15.5	4.0	7.1	4.3-11.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Washington

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	446.4	514.1	492.3-536.9	230.0	540.0	508.3-573.4	216.4	499.7	468.7-532.4	144.8	162.8	150.9-175.6	76.0	186.1	167.3-206.5	68.8	143.4	128.2-160.2
Oral cavity and pharynx	11.8	13.0	9.8-17.1	8.0	17.8	12.6-24.7	3.8	8.5	5.0-13.9	2.0	2.4	1.1-4.7	1.2	3.0	1.0-7.0	0.8	1.6	0.4-4.9
Esophagus	5.4	6.1	4.0-9.1	3.6	8.0	4.7-13.0	1.8	4.4	2.0-8.9	4.2	4.9	3.0-7.8	2.4	5.9	3.0-10.7	1.8	4.3	1.8-8.8
Stomach	5.6	6.6	4.3-9.9	3.6	9.1	5.2-14.8	2.0	3.8	1.8-7.6	1.6	1.9	0.8-4.1	1.2	3.1	1.1-7.2	0.4	0.7	0.1-3.7
Colorectal	33.6	40.8	34.7-47.9	17.8	44.1	35.1-54.8	15.8	37.5	29.2-47.7	13.0	14.4	11.0-18.6	7.2	16.4	11.3-23.3	5.8	11.8	7.7-17.6
Colon excluding rectum	23.8	29.7	24.4-35.8	11.6	29.7	22.3-38.8	12.2	29.0	21.7-38.1	10.0	11.4	8.3-15.3	5.6	13.3	8.7-19.7	4.4	9.2	5.6-14.7
Rectum & rectosigmoid	9.8	11.2	8.2-15.1	6.2	14.4	9.6-20.9	3.6	8.6	4.9-14.2	3.0	3.0	1.7-5.2	1.6	3.1	1.3-6.7	1.4	2.6	1.0-6.1
Liver / intrahepatic bile duct	8.2	9.4	6.6-13.0	6.4	14.6	9.9-21.1	1.8	4.6	2.0-9.3	5.4	6.6	4.2-9.8	4.0	9.9	5.9-15.7	1.4	3.4	1.3-7.8
Pancreas	13.4	14.9	11.5-19.1	7.8	18.0	12.7-25.1	5.6	11.5	7.5-17.2	10.2	11.6	8.6-15.4	6.4	15.4	10.4-22.2	3.8	7.7	4.6-12.6
Larynx	5.0	5.4	3.4-8.2	4.0	8.9	5.4-14.2	1.0	2.5	0.7-6.5	1.2	1.4	0.5-3.3	1.0	2.7	0.9-6.6	0.2	0.3	0.0-3.1
Lung and bronchus	71.4	77.7	69.7-86.6	34.0	78.7	67.0-92.1	37.4	77.8	66.9-90.3	41.2	45.1	39.0-51.9	20.6	48.4	39.3-59.2	20.6	42.1	34.3-51.6
Melanoma of the skin	20.0	23.7	19.1-29.2	12.2	29.5	22.4-38.5	7.8	19.4	13.4-27.3	2.8	3.1	1.7-5.4	1.8	4.9	2.2-9.5	1.0	1.9	0.6-5.3
Female breast							60.2	140.8	124.5-158.9							7.6	15.7	11.0-22.1
Cervix uteri							3.0	9.5	5.1-16.3							1.0	2.0	0.6-5.5
Corpus uteri and NOS							13.8	29.6	22.8-38.0							2.6	6.2	3.2-11.2
Ovary							4.8	11.6	7.2-18.0							3.2	6.8	3.8-11.5
Prostate				50.0	109.6	96.1-124.6							5.8	14.0	9.2-20.4			
Testis				1.0	3.6	1.2-8.4							0.2	0.8	0.0-4.2			
Urinary bladder (incl. in situ)	21.0	23.1	18.8-28.2	16.0	36.8	29.0-46.3	5.0	10.9	6.9-16.7	1.2	1.6	0.5-3.7	1.0	2.8	0.8-6.8	0.2	0.3	0.0-3.1
Kidney and renal pelvis	15.6	17.3	13.6-21.8	11.0	25.4	19.0-33.5	4.6	9.9	6.2-15.3	4.6	4.9	3.1-7.6	2.8	6.6	3.5-11.4	1.8	3.7	1.7-7.6
Brain and other central nervous system	6.6	8.1	5.4-11.6	4.4	11.3	6.9-17.6	2.2	4.8	2.3-9.3	5.4	6.4	4.1-9.6	3.2	7.4	4.1-12.5	2.2	5.9	2.8-11.1
Thyroid	11.0	16.3	12.1-21.6	3.2	8.6	4.7-14.5	7.8	25.4	17.6-35.4	0.2	0.3	0.0-1.7	0.2	0.6	0.0-3.5	0.0	0.0	0.0-2.7
Hodgkin lymphoma	1.0	1.4	0.4-3.6	0.6	1.4	0.3-4.7	0.4	1.4	0.1-5.4	0.4	0.5	0.1-2.1	0.0	0.0	0.0-2.5	0.4	0.9	0.1-4.1
Non-Hodgkin lymphomas	20.2	23.6	19.1-29.1	12.2	29.3	22.2-38.2	8.0	17.8	12.4-24.9	4.0	4.8	2.9-7.6	2.2	6.0	2.9-11.1	1.8	3.6	1.6-7.5
Myeloma	9.4	10.3	7.5-13.9	5.4	12.2	7.9-18.2	4.0	8.9	5.4-14.2	3.2	3.4	1.9-5.8	2.0	4.9	2.3-9.3	1.2	2.4	0.9-6.0
Leukemias	12.8	15.8	12.0-20.4	7.0	17.6	12.1-24.9	5.8	13.7	8.9-20.4	5.0	5.9	3.8-8.9	2.8	7.3	3.9-12.5	2.2	4.6	2.3-8.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Wayne

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	646.8	520.8	502.2-539.9	338.0	563.0	535.3-591.8	308.8	487.4	462.1-513.8	218.6	172.2	161.9-183.1	108.8	187.8	171.9-204.9	109.8	161.7	148.0-176.5
Oral cavity and pharynx	15.2	11.5	9.0-14.6	11.8	18.7	14.1-24.4	3.4	4.8	2.8-8.1	2.6	1.9	1.0-3.4	2.0	3.2	1.5-6.3	0.6	0.9	0.2-3.0
Esophagus	7.6	5.6	3.9-7.8	6.8	10.7	7.3-15.3	0.8	1.0	0.3-3.1	7.8	5.5	3.9-7.7	6.2	9.2	6.2-13.4	1.6	2.1	0.9-4.6
Stomach	6.8	5.2	3.5-7.5	4.2	7.0	4.2-11.0	2.6	3.6	1.9-6.5	4.0	3.1	1.9-4.9	2.4	4.2	2.1-7.6	1.6	2.1	0.9-4.5
Colorectal	52.2	43.1	37.8-49.0	28.6	49.7	41.5-59.0	23.6	37.2	30.5-45.1	17.2	13.7	10.9-17.1	9.8	16.9	12.3-22.7	7.4	10.8	7.5-15.3
Colon excluding rectum	36.2	30.4	26.0-35.4	19.4	35.0	28.1-43.1	16.8	26.1	20.7-32.8	12.6	10.3	7.9-13.4	6.2	10.9	7.2-15.8	6.4	9.6	6.5-14.0
Rectum & rectosigmoid	16.0	12.7	10.0-16.1	9.2	14.7	10.6-19.9	6.8	11.1	7.4-16.0	4.6	3.4	2.1-5.2	3.6	6.0	3.5-9.8	1.0	1.2	0.4-3.3
Liver / intrahepatic bile duct	8.6	6.3	4.5-8.6	6.2	9.5	6.3-13.8	2.4	3.4	1.7-6.3	5.4	3.8	2.5-5.8	3.2	4.9	2.8-8.3	2.2	2.9	1.4-5.6
Pancreas	17.2	13.8	11.0-17.2	8.4	14.7	10.5-20.2	8.8	13.1	9.5-17.9	15.2	12.2	9.6-15.5	7.2	12.5	8.6-17.6	8.0	12.0	8.5-16.6
Larynx	3.8	2.9	1.7-4.7	3.2	5.1	2.8-8.7	0.6	0.8	0.2-2.9	1.2	0.9	0.3-2.2	1.0	1.7	0.5-4.3	0.2	0.3	0.0-2.1
Lung and bronchus	94.6	73.1	66.5-80.3	49.2	80.3	70.2-91.4	45.4	67.2	58.4-77.0	60.8	47.8	42.5-53.7	32.6	54.8	46.5-64.2	28.2	41.9	35.2-49.7
Melanoma of the skin	32.4	28.7	24.2-33.8	16.8	30.3	23.9-38.0	15.6	27.7	21.6-35.2	2.8	2.1	1.1-3.6	1.4	2.7	1.0-5.7	1.4	1.8	0.7-4.2
Female breast							87.6	143.8	129.9-158.9							13.2	20.4	15.5-26.5
Cervix uteri							4.6	10.6	6.5-16.2							1.8	3.8	1.6-7.5
Corpus uteri and NOS							23.6	34.5	28.4-41.7							4.2	5.8	3.6-9.2
Ovary							8.6	13.2	9.4-18.2							7.2	10.3	7.1-14.7
Prostate				87.4	130.6	118.4-144.0							8.6	16.1	11.6-21.8			
Testis				5.0	12.6	8.0-18.7							0.6	1.9	0.4-5.3			
Urinary bladder (incl. in situ)	32.6	25.6	21.7-30.0	26.8	45.7	38.0-54.5	5.8	8.4	5.6-12.4	7.2	5.5	3.8-7.7	4.6	8.5	5.3-13.0	2.6	3.4	1.8-6.2
Kidney and renal pelvis	29.2	23.8	19.9-28.3	18.6	32.2	25.6-40.0	10.6	16.1	11.9-21.4	5.0	3.9	2.5-5.8	3.2	5.4	3.0-9.0	1.8	2.7	1.2-5.5
Brain and other central nervous system	7.4	6.4	4.4-9.0	3.8	6.6	3.8-10.7	3.6	6.0	3.5-9.7	6.8	5.7	3.8-8.1	3.6	5.7	3.3-9.4	3.2	5.6	3.1-9.4
Thyroid	12.2	12.0	9.0-15.7	4.6	9.9	6.1-15.3	7.6	14.1	9.7-19.8	0.6	0.5	0.1-1.6	0.4	0.8	0.1-3.0	0.2	0.3	0.0-2.1
Hodgkin lymphoma	2.2	2.7	1.3-4.8	1.4	3.3	1.3-6.9	0.8	2.0	0.5-5.1	0.4	0.4	0.0-1.5	0.2	0.4	0.0-2.3	0.2	0.4	0.0-2.3
Non-Hodgkin lymphomas	29.0	24.1	20.1-28.6	15.0	25.9	20.2-32.9	14.0	22.5	17.2-28.9	7.0	5.5	3.8-7.7	2.6	4.4	2.3-7.9	4.4	6.1	3.8-9.6
Myeloma	8.4	6.2	4.5-8.6	5.0	7.8	5.0-11.9	3.4	4.6	2.7-7.8	4.0	3.3	2.0-5.2	2.2	4.0	2.0-7.5	1.8	2.7	1.2-5.5
Leukemias	21.0	17.0	13.8-20.7	11.4	20.1	15.1-26.4	9.6	14.0	10.2-19.0	8.4	6.9	4.9-9.5	3.8	7.1	4.2-11.3	4.6	6.8	4.2-10.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019
Westchester**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5844.0	474.9	469.3-480.5	2853.8	515.3	506.7-524.1	2990.2	451.4	443.9-459.0	1421.8	108.7	106.1-111.3	682.8	124.6	120.4-129.0	739.0	98.5	95.2-101.8
Oral cavity and pharynx	117.6	9.4	8.7-10.3	80.6	14.1	12.7-15.6	37.0	5.6	4.8-6.5	19.2	1.5	1.2-1.8	13.6	2.4	1.9-3.1	5.6	0.8	0.5-1.1
Esophagus	47.0	3.7	3.2-4.2	33.4	6.1	5.2-7.1	13.6	1.9	1.4-2.4	32.0	2.5	2.1-2.9	23.2	4.3	3.5-5.2	8.8	1.2	0.8-1.6
Stomach	103.2	8.4	7.6-9.1	58.4	10.9	9.6-12.2	44.8	6.5	5.7-7.5	36.4	2.8	2.4-3.3	20.4	3.7	3.0-4.5	16.0	2.2	1.7-2.8
Colorectal	417.4	33.7	32.2-35.2	207.6	38.1	35.7-40.5	209.8	30.3	28.5-32.3	125.6	9.5	8.7-10.3	59.2	10.8	9.6-12.1	66.4	8.4	7.5-9.4
Colon excluding rectum	296.6	23.9	22.6-25.1	142.4	26.3	24.4-28.4	154.2	22.0	20.4-23.7	99.2	7.4	6.8-8.1	46.6	8.4	7.4-9.6	52.6	6.7	5.8-7.6
Rectum & rectosigmoid	120.8	9.8	9.1-10.7	65.2	11.7	10.5-13.1	55.6	8.4	7.4-9.5	26.4	2.0	1.7-2.4	12.6	2.3	1.8-3.0	13.8	1.8	1.4-2.3
Liver / intrahepatic bile duct	97.8	7.6	7.0-8.4	66.0	11.5	10.3-12.8	31.8	4.5	3.8-5.3	55.0	4.2	3.7-4.8	37.2	6.4	5.5-7.4	17.8	2.6	2.0-3.2
Pancreas	184.6	14.5	13.5-15.5	93.0	17.1	15.6-18.8	91.6	12.4	11.2-13.6	116.4	8.9	8.2-9.7	57.6	10.4	9.2-11.7	58.8	7.6	6.7-8.6
Larynx	31.2	2.4	2.0-2.8	25.4	4.4	3.7-5.3	5.8	0.8	0.5-1.2	8.2	0.6	0.4-0.8	7.2	1.2	0.9-1.7	1.0	0.1	0.0-0.4
Lung and bronchus	597.4	46.6	44.9-48.3	267.0	48.6	46.0-51.4	330.4	45.5	43.3-47.9	289.6	22.1	20.9-23.3	134.0	24.4	22.5-26.4	155.6	20.3	18.8-21.8
Melanoma of the skin	230.2	18.5	17.4-19.6	133.0	24.3	22.5-26.3	97.2	14.3	13.0-15.7	17.8	1.3	1.0-1.6	11.0	2.0	1.5-2.6	6.8	0.8	0.5-1.2
Female breast							923.6	145.2	140.9-149.6							114.6	16.4	15.0-17.8
Cervix uteri							33.0	6.0	5.0-7.0							7.0	1.1	0.7-1.5
Corpus uterus and NOS							194.2	28.3	26.5-30.2							37.6	5.1	4.4-5.9
Ovary							85.0	13.3	12.0-14.6							43.0	5.9	5.2-6.8
Prostate				802.4	137.5	133.2-141.9							79.2	14.7	13.3-16.2			
Testis				25.2	5.8	4.8-6.9							0.8	0.2	0.0-0.4			
Urinary bladder (incl. in situ)	278.2	21.6	20.4-22.8	202.0	36.8	34.5-39.1	76.2	10.4	9.4-11.6	41.8	3.0	2.6-3.5	29.2	5.4	4.5-6.4	12.6	1.5	1.1-2.0
Kidney and renal pelvis	189.6	15.5	14.5-16.6	125.8	22.7	20.9-24.6	63.8	9.7	8.6-10.8	23.8	1.9	1.5-2.3	16.8	3.1	2.5-3.9	7.0	1.0	0.7-1.4
Brain and other central nervous system	69.4	6.3	5.6-7.0	37.6	7.4	6.3-8.6	31.8	5.3	4.5-6.3	40.2	3.4	2.9-3.9	22.4	4.3	3.5-5.2	17.8	2.6	2.1-3.3
Thyroid	216.0	20.7	19.4-22.0	61.2	12.0	10.7-13.5	154.8	28.9	26.8-31.1	7.6	0.6	0.4-0.8	4.4	0.8	0.5-1.2	3.2	0.4	0.2-0.7
Hodgkin lymphoma	31.4	3.1	2.7-3.7	15.0	3.1	2.4-3.9	16.4	3.3	2.6-4.1	3.0	0.2	0.1-0.4	1.2	0.2	0.1-0.5	1.8	0.2	0.1-0.5
Non-Hodgkin lymphomas	286.4	23.4	22.1-24.6	157.8	29.2	27.2-31.4	128.6	18.8	17.3-20.3	51.2	3.9	3.4-4.4	25.6	4.6	3.9-5.5	25.6	3.3	2.8-4.0
Myeloma	112.2	9.0	8.3-9.8	59.6	10.9	9.7-12.2	52.6	7.6	6.7-8.6	35.8	2.7	2.3-3.2	18.2	3.3	2.7-4.1	17.6	2.3	1.8-2.8
Leukemias	226.4	18.6	17.5-19.7	131.0	24.3	22.5-26.3	95.4	14.1	12.8-15.5	61.8	4.7	4.2-5.3	33.4	6.1	5.2-7.2	28.4	3.7	3.1-4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Wyoming

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	288.8	543.8	515.2-573.7	158.0	591.9	549.7-636.7	130.8	517.9	476.9-561.7	86.0	162.5	147.2-179.0	45.2	184.3	160.2-211.3	40.8	149.2	128.9-172.1
Oral cavity and pharynx	7.6	13.4	9.4-18.8	5.2	18.3	11.7-27.5	2.4	8.7	4.4-16.1	1.4	2.4	1.0-5.4	1.2	4.7	1.6-10.8	0.2	0.6	0.0-5.0
Esophagus	3.0	5.1	2.8-8.9	2.2	7.3	3.5-13.8	0.8	3.0	0.8-8.6	2.4	4.4	2.2-8.0	1.8	7.0	3.1-14.0	0.6	2.0	0.4-7.0
Stomach	4.4	7.9	4.9-12.4	3.8	13.7	8.1-22.0	0.6	2.1	0.4-7.2	1.0	1.7	0.5-4.4	0.8	2.4	0.6-7.1	0.2	0.8	0.0-5.5
Colorectal	21.2	42.9	34.9-52.3	11.6	45.2	34.0-59.2	9.6	40.6	29.3-54.9	5.2	10.5	6.7-15.7	2.8	11.4	6.0-19.8	2.4	9.3	4.6-17.2
Colon excluding rectum	12.6	25.6	19.5-33.1	6.0	24.1	16.0-35.1	6.6	26.6	17.9-38.4	3.6	7.0	4.1-11.4	1.8	7.0	3.1-13.9	1.8	6.9	2.9-14.2
Rectum & rectosigmoid	8.6	17.3	12.4-23.7	5.6	21.1	13.9-31.2	3.0	13.9	7.5-23.8	1.6	3.4	1.4-7.1	1.0	4.5	1.3-10.9	0.6	2.4	0.5-7.8
Liver / intrahepatic bile duct	4.0	7.8	4.6-12.4	3.2	12.3	6.8-20.7	0.8	2.6	0.7-7.9	3.2	5.8	3.3-9.8	2.4	8.6	4.3-15.8	0.8	2.5	0.7-7.6
Pancreas	9.2	17.1	12.4-23.1	5.2	19.1	12.3-28.7	4.0	14.6	8.9-23.2	6.8	12.6	8.7-18.0	3.2	11.8	6.5-19.8	3.6	13.5	7.9-22.1
Larynx	1.8	3.1	1.4-6.2	1.4	4.8	1.9-10.7	0.4	1.4	0.2-6.3	1.2	2.4	0.9-5.5	0.8	3.3	0.9-9.0	0.4	1.5	0.2-6.5
Lung and bronchus	37.4	66.7	57.3-77.4	20.8	75.3	61.1-92.1	16.6	58.0	46.0-72.7	22.2	40.8	33.4-49.5	11.6	44.7	33.6-58.6	10.6	37.0	27.6-49.1
Melanoma of the skin	15.2	28.9	22.6-36.7	10.2	37.2	27.4-49.7	5.0	22.7	14.2-34.5	2.2	4.2	2.0-7.8	1.4	5.9	2.2-12.7	0.8	3.5	0.9-9.6
Female breast							40.0	163.2	140.1-189.2							5.2	18.8	12.2-28.3
Cervix uteri							2.0	9.2	4.1-17.9							0.4	1.5	0.2-6.5
Corpus uteri and NOS							11.0	41.1	30.8-54.2							1.8	6.2	2.8-12.6
Ovary							2.2	8.6	4.1-16.5							2.0	7.5	3.5-14.6
Prostate				42.2	144.4	124.9-166.4							4.8	22.8	14.4-34.3			
Testis				1.0	4.4	1.4-10.5							0.0	0.0	0.0-3.8			
Urinary bladder (incl. in situ)	13.0	25.6	19.6-32.9	11.2	48.3	36.1-63.4	1.8	6.6	3.0-13.4	2.4	5.1	2.6-9.0	2.2	10.8	5.3-19.5	0.2	0.9	0.0-5.6
Kidney and renal pelvis	8.8	17.4	12.5-23.8	7.0	28.3	19.4-40.1	1.8	6.8	3.1-13.8	1.6	2.9	1.2-6.1	1.2	4.6	1.6-10.7	0.4	1.8	0.2-7.2
Brain and other central nervous system	2.6	5.5	2.8-9.7	1.4	5.7	2.1-12.4	1.2	5.0	1.7-11.9	2.2	3.7	1.8-7.1	1.2	3.4	1.2-8.4	1.0	3.9	1.1-10.1
Thyroid	8.0	16.6	11.7-23.1	2.0	7.5	3.5-14.5	6.0	28.5	18.6-41.8	0.0	0.0	0.0-2.0	0.0	0.0	0.0-3.8	0.0	0.0	0.0-4.2
Hodgkin lymphoma	1.4	3.1	1.2-6.7	0.8	3.5	0.9-9.3	0.6	2.5	0.4-8.3	0.2	0.4	0.0-2.7	0.0	0.0	0.0-3.8	0.2	0.9	0.0-5.6
Non-Hodgkin lymphomas	12.8	24.7	18.9-31.9	6.8	26.4	18.0-37.7	6.0	25.2	16.6-37.0	3.2	6.3	3.6-10.5	2.2	10.1	4.9-18.4	1.0	4.2	1.3-10.6
Myeloma	3.4	6.4	3.7-10.5	2.0	8.2	3.8-15.7	1.4	5.1	1.9-11.5	2.4	4.9	2.5-8.8	0.8	3.3	0.8-8.9	1.6	6.4	2.7-13.4
Leukemias	10.2	19.1	14.1-25.5	7.2	29.0	19.9-41.0	3.0	11.5	6.2-19.8	3.0	5.9	3.3-10.0	1.4	5.8	2.3-12.5	1.6	6.1	2.6-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2015-2019**

Yates

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	174.0	492.5	458.2-528.7	92.8	536.1	486.3-590.1	81.2	463.4	415.7-515.4	56.2	153.9	135.9-174.0	28.8	172.1	144.3-204.1	27.4	142.9	119.0-170.8
Oral cavity and pharynx	6.4	19.6	12.9-28.6	4.4	27.4	16.7-42.9	2.0	13.6	6.0-26.6	1.2	3.0	1.1-7.2	1.0	5.3	1.7-13.9	0.2	0.8	0.0-7.2
Esophagus	3.2	8.7	4.8-14.9	2.4	14.5	7.2-26.7	0.8	3.8	1.0-11.4	2.8	7.4	3.9-13.2	2.4	13.5	6.6-25.2	0.4	1.8	0.2-8.7
Stomach	1.6	3.5	1.5-7.8	1.0	5.1	1.6-13.7	0.6	2.3	0.5-9.2	0.4	0.9	0.1-4.4	0.2	0.9	0.0-7.6	0.2	1.0	0.0-7.7
Colorectal	10.0	27.7	20.2-37.5	5.2	29.9	19.1-45.4	4.8	25.2	15.5-39.4	3.8	10.9	6.4-17.6	2.0	13.0	6.0-25.1	1.8	9.0	4.0-18.6
Colon excluding rectum	7.0	19.6	13.3-28.2	3.0	17.1	9.2-29.6	4.0	20.9	12.1-34.2	3.0	8.6	4.6-14.9	1.6	10.2	4.1-21.4	1.4	6.8	2.6-15.7
Rectum & rectosigmoid	3.0	8.1	4.4-14.2	2.2	12.9	6.1-24.5	0.8	4.4	1.1-12.6	0.8	2.3	0.6-6.4	0.4	2.8	0.3-11.0	0.4	2.2	0.3-9.5
Liver / intrahepatic bile duct	2.0	5.6	2.6-11.0	1.0	5.5	1.7-14.3	1.0	6.2	1.9-15.7	1.2	3.5	1.3-8.3	0.4	2.4	0.3-10.2	0.8	4.4	1.1-12.8
Pancreas	5.0	12.7	8.2-19.4	3.0	16.5	9.1-28.5	2.0	9.1	4.3-18.3	4.4	11.0	6.9-17.3	2.0	10.6	5.0-20.8	2.4	10.9	5.6-20.5
Larynx	1.4	3.9	1.5-8.7	1.2	7.7	2.7-17.8	0.2	1.1	0.0-7.8	0.8	2.2	0.6-6.4	0.2	1.4	0.0-8.8	0.6	3.3	0.7-11.0
Lung and bronchus	26.4	69.3	57.6-82.9	13.6	77.1	59.2-99.3	12.8	63.5	48.5-82.5	14.4	38.9	30.2-49.7	7.4	44.8	31.0-63.2	7.0	34.2	23.6-48.8
Melanoma of the skin	9.8	29.9	21.4-40.7	6.6	40.8	27.3-59.1	3.2	20.8	11.0-35.9	0.8	2.0	0.5-6.0	0.4	2.4	0.3-10.1	0.4	2.0	0.2-9.1
Female breast							20.6	118.5	95.0-146.4							3.0	18.1	9.9-31.0
Cervix uteri							1.0	8.3	2.4-20.1							0.4	4.2	0.5-14.4
Corpus uteri and NOS							7.0	34.5	23.6-49.5							1.4	6.7	2.6-15.4
Ovary							2.2	15.0	7.0-28.2							0.8	4.3	1.1-12.4
Prostate				25.4	136.5	113.2-163.8							3.8	23.9	14.3-38.1			
Testis				0.4	2.2	0.3-9.6							0.0	0.0	0.0-6.5			
Urinary bladder (incl. in situ)	11.4	30.6	23.0-40.3	9.0	51.1	36.9-69.6	2.4	13.8	6.9-25.4	2.2	6.0	3.0-11.2	1.2	8.4	3.1-18.8	1.0	5.1	1.6-13.5
Kidney and renal pelvis	5.2	16.0	10.0-24.5	3.8	23.6	13.5-38.7	1.4	9.1	3.2-20.4	1.2	3.0	1.1-7.2	0.4	2.1	0.2-9.4	0.8	3.6	1.0-11.2
Brain and other central nervous system	2.0	5.7	2.6-11.1	1.0	5.4	1.7-14.2	1.0	6.2	1.9-15.5	1.4	3.7	1.5-8.2	0.4	2.1	0.2-9.6	1.0	5.2	1.7-13.6
Thyroid	3.6	15.7	8.9-25.3	0.6	3.9	0.8-12.5	3.0	27.8	14.9-46.5	0.0	0.0	0.0-3.2	0.0	0.0	0.0-6.5	0.0	0.0	0.0-6.3
Hodgkin lymphoma	0.6	2.0	0.4-6.3	0.6	4.1	0.8-13.1	0.0	0.0	0.0-6.3	0.0	0.0	0.0-3.2	0.0	0.0	0.0-6.5	0.0	0.0	0.0-6.3
Non-Hodgkin lymphomas	6.0	19.3	12.6-28.4	3.6	24.6	14.0-40.4	2.4	14.4	6.9-27.0	1.4	3.7	1.5-8.3	1.0	5.7	1.8-14.7	0.4	2.2	0.3-9.5
Myeloma	3.2	9.4	5.2-15.8	1.6	9.1	3.8-19.1	1.6	9.8	4.0-20.7	1.0	2.9	0.9-7.3	0.4	2.9	0.3-11.1	0.6	2.8	0.5-10.1
Leukemias	5.2	15.9	10.1-24.1	1.8	11.0	4.9-22.0	3.4	20.1	11.0-34.1	1.6	5.0	2.0-10.4	0.6	3.4	0.7-11.4	1.0	5.9	1.7-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2021
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.